Official Journal
of the European Union

EN
L series

2025/2621

31.12.2025

COMMISSION IMPLEMENTING REGULATION (EU) 2025/2621

of 16 December 2025

laying down rules for the application of Regulation (EU) 2023/956 of the European Parliament and the Council as regards the establishment of default values

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) 2023/956 of the European Parliament and of the Council of 10 May 2023 establishing a carbon border adjustment mechanism ([1]), and in particular Article 7(7) thereof,

Whereas:

(1) Article 7 of Regulation (EU) 2023/956 requires the use of default values for determining embedded emissions in goods other than electricity and in imported electricity , and for determining indirect embedded emissions .

(2) In accordance with Article 7 of Regulation (EU) 2023/956 default values are to be determined on the basis of the methodology set out in Annex IV to that Regulation, which is to be based on the most up-to-date and reliable information. In the event that neither data obtained by the Joint Research Centre nor data collected during the transitional period is considered sufficiently reliable, the default values should be based on the average of the ten exporting countries with the highest emission intensities for which reliable data can be applied for that type of goods.

(3) The environmental objective of the carbon border adjustment mechanism ('the CBAM') is to prevent carbon leakage. This objective would be compromised if importers of goods other than electricity were allowed to apply default values that are lower than the actual emissions embedded in those goods. At the same time, the default values including mark-ups need to be proportionate and necessary to contribute to achieving the CBAM objectives. Therefore, the default values including mark-ups should be determined using a conservative approach that ensures that embedded emissions are not underestimated when applying default values.

(4) To ensure the environmental integrity of the CBAM, default values for embedded emissions of goods other than electricity should include a mark-up to account for the deviations of an individual installation with emission levels higher than the relevant average emission intensity of the producer country. Given the difficulties to verify that installation-specific data from third countries is of a sufficiently high quality, a suitable proxy should be applied to estimate the variations of individual installations compared to the average. Therefore, the proposed mark-up is based on existing deviations of Union installations with respect to Union average altogether.

(5) To avoid immediate disproportionate impacts on prices of goods, and to give economic operators time to adapt, the mark-up should be gradually phased-in. This phase-in, is also necessary as the number of verifiers may increase in the first years following the end of the transition period, in particular in 2026. and hence CBAM declarants should therefore be able to use default values in those first years, and rely on actual emissions subsequently.

(6) Specific considerations apply to the fertilisers sector where a lower mark-up should be applied.

([1]) OJ L 130, 16.5.2023, p. 52, ELI: http://data.europa.eu/eli/reg/2023/956/oj.

(7) For indirect embedded emissions, the default value should be calculated based on the average of the emission factor of the country-of-origin electricity grid. Such method of calculation is the most suitable to achieve both the prevention of carbon leakage as well as the preservation of the environmental integrity of the CBAM, given that it reflects to the largest possible degree decarbonisation efforts of third countries' electricity grids while maintaining a high level of protection against the risk of carbon leakage. In order to reflect the impact of decarbonisation policies of third countries, such as the increase in renewable energy production, as well as climatic conditions on the yearly electricity supply in the countries concerned, whilst avoiding an excessive volatility of the emission factor due to anomalous years, including attributable to exceptional climatic conditions or other unforeseeable events, the emission factor should be calculated on the basis of the simple average of the emission factor for the most recent five-year period before the reporting for which reliable data is available.

(8) For electricity imported into the customs territory of the Union, in order to reflect the impact of decarbonisation policies in the third country or group of third countries, on the emission intensity of the electricity production in the countries concerned, whilst avoiding an excessive volatility of the emission factor due to anomalous years, including attributable to exceptional climatic conditions or other unforeseeable events, the CO_2 emission factor should be calculated on the basis of the average of the yearly CO_2 emission factors for the most recent five-years period for which reliable data is available.

(9) To provide certainty on the default values to be used for precursors for which the country of production is not known, such default values should be laid down. To prevent operators that use a precursor produced in a third country for which a high default has been set from claiming that the country of production of a precursor is unknown in order to avoid being subject to that high default value, where the country of production of a precursor cannot be identified, the default value to be used for that precursor should be the default value of the third country with the highest emission intensities for that precursor.

(10) Where the Commission proceeds to revise this Implementing Act, it should conduct a public consultation to uphold transparency and to ensure a meaningful participation of all relevant stakeholders, in accordance with the Commission's Better Regulation Guidelines.

(11) The default values and mark-ups shall be revised by December 2027 at the latest. The Commission should make all necessary efforts, in close collaboration with the Member States and based on a systematic and holistic review, to ensure that a revision of the default values can already be carried out in 2026.

(12) The measures provided for in this Regulation are in accordance with the opinion of the CBAM Committee,

HAS ADOPTED THIS REGULATION:

Article 1

Default values

1. Where the embedded emissions in imported goods are determined on the basis of default values in accordance with Article 7(2), point (b), of Regulation (EU) 2023/956, the default values laid down in Annex I to this Regulation shall be used.

2. Where the embedded emissions of complex goods are determined on the basis of actual values, and the embedded emissions of precursors used in the production of those complex goods are determined on the basis of default values in accordance with Article 15 of Commission Implementing Regulation (EU) 2025/2547 ([2]), the default values laid down in Annex I shall be used for those precursors.

([2]) Commission Implementing Regulation (EU) 2025/2547 of 10 December 2025 laying down the rules for the application of Regulation (EU) 2023/956 of the European Parliament and the Council on the methods for the calculation of emissions embedded in goods (OJ L, 2025/2547, 22.12.2025, ELI:. http://data.europa.eu/eli/reg_impl/2025/2547/oj).

3. Where the specific indirect embedded emissions are determined on the basis of default values in accordance with Article 7(4) of Regulation (EU) 2023/956, the default values laid down in Annex II to this Regulation shall be used.

4. Where the embedded direct emissions in electricity imported into the customs territory of the Union are determined on the basis of default values in accordance with Article 7(3) of Regulation (EU) 2023/956, the default values laid down in Annex III to this Regulation shall be used.

5. By way of derogation from paragraph 2, where a country of production cannot be identified for a precursor, the default values laid down in Annex IV shall be used.

Article 2

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2026.

It shall be revised in 2027 at the latest.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 16 December 2025.

For the Commission
The President
Ursula VON DER LEYEN

ANNEX I

Default values for goods imported into the customs territory of the Union, except for electricity

Where a country or territory is not explicitly listed, the default value for the respective good from the table 'Other countries and territories' needs to be selected. Where a country or territory is explicitly listed but no value is provided or the relevant field shows '–', the default value for the respective good from the table 'Other countries and territories' needs to be selected.

Where default values are used to determine the specific embedded emissions of a final good or of a precursor, the specific embedded free allocation shall be based on the corresponding underlying production route determining the CBAM benchmark (BM) as defined in Commission Implementing Regulation (EU) 2025/2620 ([1]) on the calculation of the free allocation adjustment to the number of CBAM certificates to be surrendered. The meaning of the indicators is as follows:

(A) grey clinker / cement

(B) white clinker / cement

(C) Carbon Steel based on BF/BOF

(D) Carbon Steel based on DRI/EAF

(E) Carbon Steel based on Scrap/EAF

(F) Low alloy Steel based on BF/BOF

(G) Low alloy Steel based on DRI/EAF

(H) Low alloy Steel based on scrap/EAF

(J) High alloy Steel (based on EAF)

(K) primary Aluminium

(L) secondary Aluminium

If no production route is indicated for a CN code, the CBAM benchmark (BM) is independent of the production route.

([1]) Commission Implementing Regulation (EU) 2025/2620 of 16 December 2025 laying down rules for the application of Regulation (EU) 2023/956 of the European Parliament and of the Council as regards the calculation of the free allocation adjustment to the number of CBAM certificates to be surrendered (OJ L, 2025/2620, 22.12.2025, ELI: http://data.europa.eu/eli/reg_impl/2025/2620/oj).

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0	0,870	0,957	1,044	1,131	(A)
2523 21 00	White Portland cement	–	–	–	1,230	0,140	1,370	
2523 29 00	Grey Portland cement	0,900	0,030	0,930	1,023	1,116	1,209	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	(B)
2523 90 00	Grey hydraulic cements	0,860	0,030	0,890	0,979	1,068	1,157	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,730	0,040	2,760	2,788	2,788	2,788	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,190	0,050	2,240	2,262	2,262	2,262	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,030	0,470	0,475	0,475	0,475	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,730	0,030	0,760	0,768	0,768	0,768	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,330	0,080	1,420	1,434	1,434	1,434	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,300	0,080	1,390	1,404	1,404	1,404	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,060	0,670	0,677	0,677	0,677	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,380	0,070	1,460	1,475	1,475	1,475	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,650	0,050	1,700	1,717	1,717	1,717	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,540	0,080	2,620	2,646	2,646	2,646	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,080	2,220	2,242	2,242	2,242	

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,080	2,220	2,242	2,242	2,242	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,260	0,060	4,310	4,353	4,353	4,353	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,130	0,070	2,200	2,222	2,222	2,222	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,560	0,070	1,620	1,636	1,636	1,636	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,570	0,080	1,640	1,656	1,656	1,656	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,060	0,860	0,869	0,869	0,869	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,080	1,120	1,131	1,131	1,131	

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,060	0,770	0,778	0,778	0,778	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,050	0,550	0,556	0,556	0,556	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,040	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,090	1,540	1,555	1,555	1,555	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Albania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,080	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,060	1,490	1,505	1,505	1,505	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,040	0,770	0,778	0,778	0,778	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,060	1,340	1,474	1,608	1,742	(B)
2523 10 00	Grey clinker	1,240	0,040	1,280	1,408	1,536	1,664	(A)
2523 21 00	White Portland cement	1,230	0,140	1,370	1,507	1,644	1,781	
2523 29 00	Grey Portland cement	1,230	0,060	1,300	1,430	1,560	1,690	
2523 90 00	White hydraulic cements	1,280	0,170	1,440	1,584	1,728	1,872	(B)
2523 90 00	Grey hydraulic cements	1,170	0,070	1,240	1,364	1,488	1,612	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,490	0,040	2,530	2,555	2,555	2,555	
2814 10 00	Anhydrous ammonia	1,960	0,120	2,080	2,101	2,101	2,101	
2814 20 00	Ammonia in aqueous solution	0,590	0,040	0,620	0,626	0,626	0,626	
2834 21 00	Nitrate of potassium	2	0,060	2,060	2,081	2,081	2,081	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,030	0,470	0,475	0,475	0,475	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,030	0,760	0,768	0,768	0,768	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,320	0,100	1,410	1,424	1,424	1,424	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,290	0,090	1,380	1,394	1,394	1,394	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,070	0,630	0,636	0,636	0,636	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,270	0,080	1,360	1,374	1,374	1,374	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,510	0,060	1,570	1,586	1,586	1,586	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,330	0,090	2,420	2,444	2,444	2,444	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,090	2,070	2,091	2,091	2,091	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,090	2,070	2,091	2,091	2,091	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,880	0,060	3,940	3,979	3,979	3,979	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,080	2,030	2,050	2,050	2,050	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,080	1,530	1,545	1,545	1,545	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,090	1,580	1,596	1,596	1,596	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,730	0,080	0,810	0,818	0,818	0,818	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,090	1,060	1,071	1,071	1,071	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,070	0,720	0,727	0,727	0,727	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,050	0,510	0,515	0,515	0,515	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,330	0,110	1,440	1,454	1,454	1,454	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,520	0,090	0,610	0,616	0,616	0,616	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,070	1,380	1,394	1,394	1,394	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,050	0,720	0,727	0,727	0,727	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7603	Aluminium powders and flakes	0,920	N/A	0,920	1,012	1,104	1,196	(L)
7604 10 10	Bars and rods	1,140	N/A	1,140	1,254	1,368	1,482	(L)
7604 10 90	Profiles	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7604 21 00	Hollow profiles	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7604 29 10	Bars and rods	1,140	N/A	1,140	1,254	1,368	1,482	(L)
7604 29 90	Profiles	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7605	Aluminium wire	1,140	N/A	1,140	1,254	1,368	1,482	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7608	Aluminium tubes and pipes	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,160	N/A	1,160	1,276	1,392	1,508	(L)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 10 00	Doors, windows and their frames and thresholds for doors	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7610 90	Other	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7610 90 90	Other	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,600	N/A	1,600	1,760	1,920	2,080	(L)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,140	N/A	1,140	1,254	1,368	1,482	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,600	N/A	1,600	1,760	1,920	2,080	(L)
7616 99 10	Cast	0,920	N/A	0,920	1,012	1,104	1,196	(L)
7616 99 90	Other	1,600	N/A	1,600	1,760	1,920	2,080	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,180	0,030	0,210	0,231	0,252	0,273	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,870	N/A	2,870	3,157	3,444	3,731	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	0,810	N/A	0,810	0,891	0,972	1,053	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	3	N/A	3	3,300	3,600	3,900	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	3	N/A	3	3,300	3,600	3,900	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3	N/A	3	3,300	3,600	3,900	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3	N/A	3	3,300	3,600	3,900	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3	N/A	3	3,300	3,600	3,900	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	3	N/A	3	3,300	3,600	3,900	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	3	N/A	3	3,300	3,600	3,900	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	3	N/A	3	3,300	3,600	3,900	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	3	N/A	3	3,300	3,600	3,900	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	3	N/A	3	3,300	3,600	3,900	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	3	N/A	3	3,300	3,600	3,900	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	3	N/A	3	3,300	3,600	3,900	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	3	N/A	3	3,300	3,600	3,900	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	3	N/A	3	3,300	3,600	3,900	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	3	N/A	3	3,300	3,600	3,900	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	3	N/A	3	3,300	3,600	3,900	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	3	N/A	3	3,300	3,600	3,900	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,300	N/A	3,300	3,630	3,960	4,290	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,300	N/A	3,300	3,630	3,960	4,290	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,300	N/A	3,300	3,630	3,960	4,290	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,300	N/A	3,300	3,630	3,960	4,290	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,300	N/A	3,300	3,630	3,960	4,290	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,300	N/A	3,300	3,630	3,960	4,290	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,300	N/A	3,300	3,630	3,960	4,290	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,300	N/A	3,300	3,630	3,960	4,290	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,300	N/A	3,300	3,630	3,960	4,290	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,300	N/A	3,300	3,630	3,960	4,290	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,300	N/A	3,300	3,630	3,960	4,290	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,300	N/A	3,300	3,630	3,960	4,290	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,300	N/A	3,300	3,630	3,960	4,290	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,300	N/A	3,300	3,630	3,960	4,290	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,300	N/A	3,300	3,630	3,960	4,290	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 02	Semi-finished products of tool steel	3,410	N/A	3,410	3,751	4,092	4,433	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,410	N/A	3,410	3,751	4,092	4,433	(F)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,410	N/A	3,410	3,751	4,092	4,433	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,520	N/A	4,520	4,972	5,424	5,876	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,410	N/A	3,410	3,751	4,092	4,433	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,520	N/A	4,520	4,972	5,424	5,876	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,410	N/A	3,410	3,751	4,092	4,433	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,410	N/A	3,410	3,751	4,092	4,433	(F)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,410	N/A	3,410	3,751	4,092	4,433	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,410	N/A	3,410	3,751	4,092	4,433	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,410	N/A	3,410	3,751	4,092	4,433	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,190	N/A	3,190	3,509	3,828	4,147	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,870	N/A	2,870	3,157	3,444	3,731	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,300	N/A	3,300	3,630	3,960	4,290	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,300	N/A	3,300	3,630	3,960	4,290	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,300	N/A	3,300	3,630	3,960	4,290	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3	N/A	3	3,300	3,600	3,900	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,300	N/A	3,300	3,630	3,960	4,290	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,300	N/A	3,300	3,630	3,960	4,290	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,910	N/A	2,910	3,201	3,492	3,783	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,910	N/A	2,910	3,201	3,492	3,783	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	3	N/A	3	3,300	3,600	3,900	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	3	N/A	3	3,300	3,600	3,900	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	3	N/A	3	3,300	3,600	3,900	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,300	N/A	3,300	3,630	3,960	4,290	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,930	N/A	2,930	3,223	3,516	3,809	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,930	N/A	2,930	3,223	3,516	3,809	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,930	N/A	2,930	3,223	3,516	3,809	(F)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,300	N/A	3,300	3,630	3,960	4,290	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	3	N/A	3	3,300	3,600	3,900	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	3	N/A	3	3,300	3,600	3,900	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,300	N/A	3,300	3,630	3,960	4,290	

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3	N/A	3	3,300	3,600	3,900	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	3	N/A	3	3,300	3,600	3,900	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,860	N/A	2,860	3,146	3,432	3,718	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 19 90	Cast tube or pipe fittings of steel	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 21 00	Flanges of stainless steel (excl. cast products)	2,910	N/A	2,910	3,201	3,492	3,783	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,910	N/A	2,910	3,201	3,492	3,783	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,910	N/A	2,910	3,201	3,492	3,783	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,910	N/A	2,910	3,201	3,492	3,783	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	3	N/A	3	3,300	3,600	3,900	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	3	N/A	3	3,300	3,600	3,900	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	3	N/A	3	3,300	3,600	3,900	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,020	N/A	3,020	3,322	3,624	3,926	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3	N/A	3	3,300	3,600	3,900	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3	N/A	3	3,300	3,600	3,900	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,300	N/A	3,300	3,630	3,960	4,290	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	3	N/A	3	3,300	3,600	3,900	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,300	N/A	3,300	3,630	3,960	4,290	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	3	N/A	3	3,300	3,600	3,900	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	3	N/A	3	3,300	3,600	3,900	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3	N/A	3	3,300	3,600	3,900	(C)
7318 16	Nuts of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	3	N/A	3	3,300	3,600	3,900	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	3	N/A	3	3,300	3,600	3,900	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 29 00	Non-threaded articles, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3	N/A	3	3,300	3,600	3,900	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3	N/A	3	3,300	3,600	3,900	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 30	Ladders and steps, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Algeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 98	Articles of iron or steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)

Angola								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,220	0,040	0,250	0,275	0,300	0,325	(A)
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0,020	1,260	1,386	1,525	1,677	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,030	1,270	1,397	1,537	1,690	

Angola								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,180	0,040	1,220	1,342	1,476	1,624	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,617	N/A	0,617	0,678	0,740	0,802	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,030	0,900	0,990	1,089	1,198	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,050	0,920	1,012	1,113	1,225	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,900	0,030	1,930	1,949	1,949	1,949	
2814 10 00	Anhydrous ammonia	2,260	0,100	2,360	2,384	2,384	2,384	
2814 20 00	Ammonia in aqueous solution	0,680	0,030	0,710	0,717	0,717	0,717	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2834 21 00	Nitrate of potassium	1,680	0,050	1,730	1,747	1,747	1,747	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,020	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,020	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,080	1,600	1,616	1,616	1,616	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,070	1,570	1,586	1,586	1,586	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,050	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,190	0,060	1,250	1,263	1,263	1,263	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,280	0,050	1,320	1,333	1,333	1,333	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,070	2,040	2,060	2,060	2,060	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,070	1,760	1,778	1,778	1,778	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,070	1,760	1,778	1,778	1,778	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,970	0,050	3,020	3,050	3,050	3,050	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,060	1,710	1,727	1,727	1,727	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,060	1,420	1,434	1,434	1,434	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,070	1,560	1,576	1,576	1,576	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,060	0,760	0,768	0,768	0,768	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,860	0,060	0,920	0,929	0,929	0,929	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,050	0,630	0,636	0,636	0,636	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,040	0,570	0,576	0,576	0,576	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,030	0,370	0,374	0,374	0,374	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,160	0,080	1,240	1,252	1,252	1,252	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,080	0,690	0,697	0,697	0,697	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,130	0,050	1,180	1,192	1,192	1,192	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,580	0,040	0,620	0,626	0,626	0,626	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,140	0,050	0,200	0,220	0,240	0,260	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,300	N/A	2,300	2,530	2,760	2,990	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	1,030	N/A	1,030	1,133	1,236	1,339	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,590	N/A	2,590	2,849	3,108	3,367	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,590	N/A	2,590	2,849	3,108	3,367	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,590	N/A	2,590	2,849	3,108	3,367	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,590	N/A	2,590	2,849	3,108	3,367	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,680	N/A	2,680	2,948	3,216	3,484	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,470	N/A	2,470	2,717	2,964	3,211	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,230	N/A	3,230	3,553	3,876	4,199	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,430	N/A	3,430	3,773	4,116	4,459	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,430	N/A	3,430	3,773	4,116	4,459	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,230	N/A	3,230	3,553	3,876	4,199	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,430	N/A	3,430	3,773	4,116	4,459	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,230	N/A	3,230	3,553	3,876	4,199	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,430	N/A	3,430	3,773	4,116	4,459	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,430	N/A	3,430	3,773	4,116	4,459	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,520	N/A	3,520	3,872	4,224	4,576	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,520	N/A	3,520	3,872	4,224	4,576	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,520	N/A	3,520	3,872	4,224	4,576	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,520	N/A	3,520	3,872	4,224	4,576	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,520	N/A	3,520	3,872	4,224	4,576	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,520	N/A	3,520	3,872	4,224	4,576	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,430	N/A	3,430	3,773	4,116	4,459	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,430	N/A	3,430	3,773	4,116	4,459	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,520	N/A	3,520	3,872	4,224	4,576	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,520	N/A	3,520	3,872	4,224	4,576	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,230	N/A	3,230	3,553	3,876	4,199	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,230	N/A	3,230	3,553	3,876	4,199	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,230	N/A	3,230	3,553	3,876	4,199	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,230	N/A	3,230	3,553	3,876	4,199	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,230	N/A	3,230	3,553	3,876	4,199	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,230	N/A	3,230	3,553	3,876	4,199	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,230	N/A	3,230	3,553	3,876	4,199	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7224 90 02	Semi-finished products of tool steel	3,340	N/A	3,340	3,674	4,008	4,342	(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,340	N/A	3,340	3,674	4,008	4,342	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,340	N/A	3,340	3,674	4,008	4,342	(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,360	N/A	4,360	4,796	5,232	5,668	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,340	N/A	3,340	3,674	4,008	4,342	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,340	N/A	3,340	3,674	4,008	4,342	(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,360	N/A	4,360	4,796	5,232	5,668	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,340	N/A	3,340	3,674	4,008	4,342	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,430	N/A	3,430	3,773	4,116	4,459	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,340	N/A	3,340	3,674	4,008	4,342	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,140	N/A	3,140	3,454	3,768	4,082	(C)/(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(C)/(F)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,140	N/A	3,140	3,454	3,768	4,082	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,140	N/A	3,140	3,454	3,768	4,082	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,680	N/A	2,680	2,948	3,216	3,484	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,980	N/A	2,980	3,278	3,576	3,874	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,350	N/A	2,350	2,585	2,820	3,055	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,230	N/A	3,230	3,553	3,876	4,199	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,230	N/A	3,230	3,553	3,876	4,199	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,230	N/A	3,230	3,553	3,876	4,199	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,470	N/A	2,470	2,717	2,964	3,211	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,230	N/A	3,230	3,553	3,876	4,199	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,230	N/A	3,230	3,553	3,876	4,199	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,400	N/A	2,400	2,640	2,880	3,120	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,400	N/A	2,400	2,640	2,880	3,120	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,680	N/A	2,680	2,948	3,216	3,484	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,520	N/A	3,520	3,872	4,224	4,576	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,520	N/A	3,520	3,872	4,224	4,576	

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,590	N/A	2,590	2,849	3,108	3,367	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,680	N/A	2,680	2,948	3,216	3,484	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,680	N/A	2,680	2,948	3,216	3,484	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,520	N/A	3,520	3,872	4,224	4,576	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,430	N/A	3,430	3,773	4,116	4,459	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,720	N/A	2,720	2,992	3,264	3,536	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,630	N/A	2,630	2,893	3,156	3,419	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,720	N/A	2,720	2,992	3,264	3,536	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,520	N/A	3,520	3,872	4,224	4,576	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,680	N/A	2,680	2,948	3,216	3,484	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,520	N/A	3,520	3,872	4,224	4,576	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,680	N/A	2,680	2,948	3,216	3,484	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,340	N/A	2,340	2,574	2,808	3,042	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,340	N/A	2,340	2,574	2,808	3,042	
7307 19 90	Cast tube or pipe fittings of steel	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,410	N/A	2,410	2,651	2,892	3,133	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,410	N/A	2,410	2,651	2,892	3,133	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,410	N/A	2,410	2,651	2,892	3,133	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,410	N/A	2,410	2,651	2,892	3,133	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,470	N/A	2,470	2,717	2,964	3,211	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,010	N/A	3,010	3,311	3,612	3,913	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,010	N/A	3,010	3,311	3,612	3,913	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,630	N/A	2,630	2,893	3,156	3,419	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,230	N/A	3,230	3,553	3,876	4,199	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,230	N/A	3,230	3,553	3,876	4,199	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 16	Nuts of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7326 90 30	Ladders and steps, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)

Argentina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,680	N/A	2,680	2,948	3,216	3,484	(C)

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	Grey clinker	1,360	0,010	1,370	1,507	1,644	1,781	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,320	0,020	1,350	1,485	1,620	1,755	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,260	0,030	1,280	1,408	1,536	1,664	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,750	0,020	2,770	2,798	2,798	2,798	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,020	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	2,220	0,020	2,250	2,273	2,273	2,273	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,010	0,500	0,505	0,505	0,505	

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,010	0,820	0,828	0,828	0,828	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,040	1,510	1,525	1,525	1,525	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,040	1,480	1,495	1,495	1,495	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,030	0,660	0,667	0,667	0,667	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,420	0,030	1,460	1,475	1,475	1,475	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,680	0,030	1,710	1,727	1,727	1,727	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,590	0,040	2,620	2,646	2,646	2,646	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,220	0,040	2,250	2,273	2,273	2,273	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,220	0,040	2,250	2,273	2,273	2,273	

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,300	0,030	4,330	4,373	4,373	4,373	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,170	0,030	2,200	2,222	2,222	2,222	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,620	0,030	1,650	1,667	1,667	1,667	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,660	0,040	1,700	1,717	1,717	1,717	

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,030	0,850	0,859	0,859	0,859	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,040	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,740	0,030	0,760	0,768	0,768	0,768	

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,020	0,530	0,535	0,535	0,535	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,020	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,490	0,040	1,540	1,555	1,555	1,555	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,060	0,650	0,657	0,657	0,657	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Armenia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,460	0,030	1,480	1,495	1,495	1,495	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,750	0,020	0,770	0,778	0,778	0,778	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	Grey clinker	1,380	0,040	1,420	1,562	1,704	1,846	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,100	0,070	1,170	1,287	1,404	1,521	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,040	0,080	1,120	1,232	1,344	1,456	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,370	0,050	1,420	1,434	1,434	1,434	
2814 10 00	Anhydrous ammonia	1,770	0,150	1,920	1,939	1,939	1,939	
2814 20 00	Ammonia in aqueous solution	0,530	0,040	0,580	0,586	0,586	0,586	
2834 21 00	Nitrate of potassium	1,240	0,080	1,320	1,333	1,333	1,333	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,410	0,040	0,450	0,455	0,455	0,455	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,690	0,040	0,730	0,737	0,737	0,737	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,250	0,120	1,370	1,384	1,384	1,384	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,220	0,120	1,340	1,353	1,353	1,353	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,540	0,100	0,630	0,636	0,636	0,636	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	0,910	0,110	1,020	1,030	1,030	1,030	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	0,950	0,080	1,030	1,040	1,040	1,040	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,460	0,120	1,590	1,606	1,606	1,606	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,280	0,120	1,390	1,404	1,404	1,404	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,280	0,120	1,390	1,404	1,404	1,404	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,140	0,080	2,210	2,232	2,232	2,232	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,230	0,110	1,340	1,353	1,353	1,353	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,050	0,100	1,140	1,151	1,151	1,151	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,170	0,120	1,290	1,303	1,303	1,303	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,550	0,100	0,650	0,657	0,657	0,657	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,650	0,120	0,770	0,778	0,778	0,778	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,450	0,090	0,540	0,545	0,545	0,545	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,420	0,070	0,490	0,495	0,495	0,495	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,270	0,060	0,330	0,333	0,333	0,333	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	0,880	0,150	1,030	1,040	1,040	1,040	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,500	0,120	0,620	0,626	0,626	0,626	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,090	0,930	0,939	0,939	0,939	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,440	0,060	0,500	0,505	0,505	0,505	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,070	0,020	0,090	0,099	0,108	0,117	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,790	N/A	2,790	3,069	3,348	3,627	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,920	N/A	2,920	3,212	3,504	3,796	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,920	N/A	2,920	3,212	3,504	3,796	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,970	N/A	2,970	3,267	3,564	3,861	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,970	N/A	2,970	3,267	3,564	3,861	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,970	N/A	2,970	3,267	3,564	3,861	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,970	N/A	2,970	3,267	3,564	3,861	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	3	N/A	3	3,300	3,600	3,900	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	3	N/A	3	3,300	3,600	3,900	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3	N/A	3	3,300	3,600	3,900	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,520	N/A	3,520	3,872	4,224	4,576	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,600	N/A	3,600	3,960	4,320	4,680	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,600	N/A	3,600	3,960	4,320	4,680	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,520	N/A	3,520	3,872	4,224	4,576	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,600	N/A	3,600	3,960	4,320	4,680	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,520	N/A	3,520	3,872	4,224	4,576	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,600	N/A	3,600	3,960	4,320	4,680	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,600	N/A	3,600	3,960	4,320	4,680	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,630	N/A	3,630	3,993	4,356	4,719	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,630	N/A	3,630	3,993	4,356	4,719	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,600	N/A	3,600	3,960	4,320	4,680	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,630	N/A	3,630	3,993	4,356	4,719	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,630	N/A	3,630	3,993	4,356	4,719	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,520	N/A	3,520	3,872	4,224	4,576	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,520	N/A	3,520	3,872	4,224	4,576	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,520	N/A	3,520	3,872	4,224	4,576	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,520	N/A	3,520	3,872	4,224	4,576	

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,520	N/A	3,520	3,872	4,224	4,576	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,520	N/A	3,520	3,872	4,224	4,576	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,520	N/A	3,520	3,872	4,224	4,576	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,530	N/A	3,530	3,883	4,236	4,589	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 02	Semi-finished products of tool steel	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,610	N/A	3,610	3,971	4,332	4,693	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,610	N/A	3,610	3,971	4,332	4,693	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,760	N/A	4,760	5,236	5,712	6,188	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,610	N/A	3,610	3,971	4,332	4,693	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,610	N/A	3,610	3,971	4,332	4,693	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,760	N/A	4,760	5,236	5,712	6,188	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,610	N/A	3,610	3,971	4,332	4,693	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,610	N/A	3,610	3,971	4,332	4,693	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	3	N/A	3	3,300	3,600	3,900	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,320	N/A	3,320	3,652	3,984	4,316	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,790	N/A	2,790	3,069	3,348	3,627	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,520	N/A	3,520	3,872	4,224	4,576	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,520	N/A	3,520	3,872	4,224	4,576	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,520	N/A	3,520	3,872	4,224	4,576	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,520	N/A	3,520	3,872	4,224	4,576	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,520	N/A	3,520	3,872	4,224	4,576	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,830	N/A	2,830	3,113	3,396	3,679	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,830	N/A	2,830	3,113	3,396	3,679	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	3	N/A	3	3,300	3,600	3,900	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,970	N/A	2,970	3,267	3,564	3,861	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	3	N/A	3	3,300	3,600	3,900	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	3	N/A	3	3,300	3,600	3,900	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,630	N/A	3,630	3,993	4,356	4,719	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,600	N/A	3,600	3,960	4,320	4,680	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,970	N/A	2,970	3,267	3,564	3,861	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,930	N/A	2,930	3,223	3,516	3,809	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,970	N/A	2,970	3,267	3,564	3,861	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,630	N/A	3,630	3,993	4,356	4,719	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	3	N/A	3	3,300	3,600	3,900	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	3	N/A	3	3,300	3,600	3,900	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,630	N/A	3,630	3,993	4,356	4,719	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3	N/A	3	3,300	3,600	3,900	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	3	N/A	3	3,300	3,600	3,900	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,790	N/A	2,790	3,069	3,348	3,627	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,790	N/A	2,790	3,069	3,348	3,627	
7307 19 90	Cast tube or pipe fittings of steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3	N/A	3	3,300	3,600	3,900	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3	N/A	3	3,300	3,600	3,900	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3	N/A	3	3,300	3,600	3,900	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3	N/A	3	3,300	3,600	3,900	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,200	N/A	3,200	3,520	3,840	4,160	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,260	N/A	3,260	3,586	3,912	4,238	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,170	N/A	3,170	3,487	3,804	4,121	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,520	N/A	3,520	3,872	4,224	4,576	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,520	N/A	3,520	3,872	4,224	4,576	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3	N/A	3	3,300	3,600	3,900	(C)
7318 16	Nuts of iron or steel	3,090	N/A	3,090	3,399	3,708	4,017	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 30	Ladders and steps, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)

Australia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	(C)
7326 90 98	Articles of iron or steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,030	0,890	0,979	1,068	1,157	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,890	0,050	0,940	1,034	1,128	1,222	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,850	0,050	0,900	0,990	1,080	1,170	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,670	0,030	2,700	2,727	2,727	2,727	
2814 10 00	Anhydrous ammonia	2,160	0,090	2,250	2,273	2,273	2,273	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,160	0,040	2,210	2,232	2,232	2,232	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,020	0,510	0,515	0,515	0,515	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,800	0,020	0,830	0,838	0,838	0,838	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,460	0,070	1,530	1,545	1,545	1,545	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,430	0,070	1,500	1,515	1,515	1,515	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,630	0,050	0,690	0,697	0,697	0,697	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,400	0,060	1,450	1,465	1,465	1,465	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,040	1,680	1,697	1,697	1,697	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,520	0,070	2,590	2,616	2,616	2,616	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,060	2,220	2,242	2,242	2,242	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,060	2,220	2,242	2,242	2,242	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,160	0,050	4,210	4,252	4,252	4,252	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,110	0,060	2,170	2,192	2,192	2,192	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,590	0,060	1,640	1,656	1,656	1,656	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,640	0,060	1,700	1,717	1,717	1,717	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,810	0,060	0,860	0,869	0,869	0,869	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,060	0,060	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,720	0,050	0,770	0,778	0,778	0,778	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,040	0,550	0,556	0,556	0,556	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,460	0,080	1,540	1,555	1,555	1,555	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,080	0,660	0,667	0,667	0,667	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,420	0,050	1,470	1,485	1,485	1,485	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,030	0,760	0,768	0,768	0,768	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,890	N/A	1,890	2,079	2,268	2,457	(K)
7604 10 10	Bars and rods	2,120	N/A	2,120	2,332	2,544	2,756	(K)
7604 10 90	Profiles	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7604 21 00	Hollow profiles	2,130	N/A	2,130	2,343	2,556	2,769	(K)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 29 10	Bars and rods	2,120	N/A	2,120	2,332	2,544	2,756	(K)
7604 29 90	Profiles	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7605	Aluminium wire	2,120	N/A	2,120	2,332	2,544	2,756	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7608	Aluminium tubes and pipes	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7610 90	Other	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,130	N/A	2,130	2,343	2,556	2,769	(K)
7610 90 90	Other	2,130	N/A	2,130	2,343	2,556	2,769	(K)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,120	N/A	2,120	2,332	2,544	2,756	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,570	N/A	2,570	2,827	3,084	3,341	(K)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,570	N/A	2,570	2,827	3,084	3,341	(K)
7616 99 10	Cast	1,890	N/A	1,890	2,079	2,268	2,457	(K)
7616 99 90	Other	2,570	N/A	2,570	2,827	3,084	3,341	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,070	0,050	0,120	0,132	0,144	0,156	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	_	_	_	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	_	_	_	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	_	_	_	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	_	_	_	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	_	_	_	
7202 60 00	Ferro-nickel	–	N/A	–	_	_	_	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,500	N/A	1,500	1,650	1,800	1,950	(E)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	0,130	N/A	0,130	0,143	0,156	0,169	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,140	N/A	0,140	0,154	0,168	0,182	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	2,570	N/A	2,570	2,827	3,084	3,341	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	2,570	N/A	2,570	2,827	3,084	3,341	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	2,570	N/A	2,570	2,827	3,084	3,341	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	2,570	N/A	2,570	2,827	3,084	3,341	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	2,570	N/A	2,570	2,827	3,084	3,341	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	2,570	N/A	2,570	2,827	3,084	3,341	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	2,570	N/A	2,570	2,827	3,084	3,341	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,570	N/A	2,570	2,827	3,084	3,341	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	2,570	N/A	2,570	2,827	3,084	3,341	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,570	N/A	2,570	2,827	3,084	3,341	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	2,570	N/A	2,570	2,827	3,084	3,341	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	2,570	N/A	2,570	2,827	3,084	3,341	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	2,570	N/A	2,570	2,827	3,084	3,341	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	2,570	N/A	2,570	2,827	3,084	3,341	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	2,570	N/A	2,570	2,827	3,084	3,341	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	2,570	N/A	2,570	2,827	3,084	3,341	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	2,570	N/A	2,570	2,827	3,084	3,341	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 02	Semi-finished products of tool steel	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	3,710	N/A	3,710	4,081	4,452	4,823	(E)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	2,310	N/A	2,310	2,541	2,772	3,003	(E)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	3,710	N/A	3,710	4,081	4,452	4,823	(E)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	2,310	N/A	2,310	2,541	2,772	3,003	(E)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	2,310	N/A	2,310	2,541	2,772	3,003	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	2,310	N/A	2,310	2,541	2,772	3,003	(E)/(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(E)/(H)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(E)/(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	2,310	N/A	2,310	2,541	2,772	3,003	(H)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(E)/(H)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	0,190	N/A	0,190	0,209	0,228	0,247	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	1,850	N/A	1,850	2,035	2,220	2,405	(E)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,500	N/A	1,500	1,650	1,800	1,950	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,570	N/A	2,570	2,827	3,084	3,341	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,570	N/A	2,570	2,827	3,084	3,341	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	0,240	N/A	0,240	0,264	0,288	0,312	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,570	N/A	2,570	2,827	3,084	3,341	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,570	N/A	2,570	2,827	3,084	3,341	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,240	N/A	0,240	0,264	0,288	0,312	(H)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,240	N/A	0,240	0,264	0,288	0,312	(E)/(H)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,570	N/A	2,570	2,827	3,084	3,341	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	0,240	N/A	0,240	0,264	0,288	0,312	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	0,240	N/A	0,240	0,264	0,288	0,312	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	0,240	N/A	0,240	0,264	0,288	0,312	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,570	N/A	2,570	2,827	3,084	3,341	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	0,240	N/A	0,240	0,264	0,288	0,312	(H)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	0,240	N/A	0,240	0,264	0,288	0,312	(H)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	0,240	N/A	0,240	0,264	0,288	0,312	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,570	N/A	2,570	2,827	3,084	3,341	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,570	N/A	2,570	2,827	3,084	3,341	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,500	N/A	1,500	1,650	1,800	1,950	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,500	N/A	1,500	1,650	1,800	1,950	

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 19 90	Cast tube or pipe fittings of steel	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	1,890	N/A	1,890	2,079	2,268	2,457	(E)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	1,770	N/A	1,770	1,947	2,124	2,301	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	0,240	N/A	0,240	0,264	0,288	0,312	(E)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	1,770	N/A	1,770	1,947	2,124	2,301	(E)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,570	N/A	2,570	2,827	3,084	3,341	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 13 00	Screw hooks and screw rings, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,570	N/A	2,570	2,827	3,084	3,341	(E)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,140	N/A	2,140	2,354	2,568	2,782	(E)
7318 16	Nuts of iron or steel	2,220	N/A	2,220	2,442	2,664	2,886	(E)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 21 00	Spring washers and other lock washers, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,030	N/A	1,030	1,133	1,236	1,339	(E)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	0,750	N/A	0,750	0,825	0,900	0,975	(E)
7318 24 00	Cotters and cotter pins, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7318 29 00	Non-threaded articles, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7326 20 00	Articles of iron or steel wire, n.e.s.	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7326 90 30	Ladders and steps, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Azerbaijan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	0,140	N/A	0,140	0,154	0,168	0,182	(E)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7326 90 96	Sintered articles of iron or steel, n.e.s.	0,130	N/A	0,130	0,143	0,156	0,169	(E)
7326 90 98	Articles of iron or steel, n.e.s.	0,140	N/A	0,140	0,154	0,168	0,182	(E)

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,030	1,390	1,529	1,668	1,807	(A)
2523 21 00	White Portland cement	1,280	0,130	1,410	1,551	1,692	1,833	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 29 00	Grey Portland cement	1,210	0,060	1,270	1,397	1,524	1,651	
2523 90 00	White hydraulic cements	1,310	0,170	1,480	1,628	1,776	1,924	(B)
2523 90 00	Grey hydraulic cements	1,150	0,070	1,210	1,331	1,452	1,573	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,820	0,050	1,870	1,889	1,889	1,889	
2814 10 00	Anhydrous ammonia	2,340	0,160	2,510	2,535	2,535	2,535	
2814 20 00	Ammonia in aqueous solution	0,700	0,050	0,750	0,758	0,758	0,758	
2834 21 00	Nitrate of potassium	1,640	0,080	1,720	1,737	1,737	1,737	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,520	0,040	0,560	0,566	0,566	0,566	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,860	0,040	0,910	0,919	0,919	0,919	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,570	0,120	1,700	1,717	1,717	1,717	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,540	0,120	1,660	1,677	1,677	1,677	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,090	0,770	0,778	0,778	0,778	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,100	1,280	1,293	1,293	1,293	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,250	0,080	1,320	1,333	1,333	1,333	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,920	0,120	2,040	2,060	2,060	2,060	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,660	0,110	1,770	1,788	1,788	1,788	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,660	0,110	1,770	1,788	1,788	1,788	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,830	0,080	2,920	2,949	2,949	2,949	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,610	0,110	1,710	1,727	1,727	1,727	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,100	1,450	1,465	1,465	1,465	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,500	0,110	1,620	1,636	1,636	1,636	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,090	0,800	0,808	0,808	0,808	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,110	0,950	0,960	0,960	0,960	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,080	0,650	0,657	0,657	0,657	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,070	0,620	0,626	0,626	0,626	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,350	0,050	0,400	0,404	0,404	0,404	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,140	0,130	1,270	1,283	1,283	1,283	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,630	0,110	0,740	0,747	0,747	0,747	

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,080	1,190	1,202	1,202	1,202	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,570	0,060	0,630	0,636	0,636	0,636	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,690	N/A	1,690	1,859	2,028	2,197	(L)
7604 10 10	Bars and rods	1,910	N/A	1,910	2,101	2,292	2,483	(L)

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7604 21 00	Hollow profiles	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7604 29 10	Bars and rods	1,910	N/A	1,910	2,101	2,292	2,483	(L)
7604 29 90	Profiles	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7605	Aluminium wire	1,910	N/A	1,910	2,101	2,292	2,483	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7608	Aluminium tubes and pipes	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7610 90	Other	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,930	N/A	1,930	2,123	2,316	2,509	(L)
7610 90 90	Other	1,930	N/A	1,930	2,123	2,316	2,509	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,910	N/A	1,910	2,101	2,292	2,483	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,370	N/A	2,370	2,607	2,844	3,081	(L)

Bangladesh								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,370	N/A	2,370	2,607	2,844	3,081	(L)
7616 99 10	Cast	1,690	N/A	1,690	1,859	2,028	2,197	(L)
7616 99 90	Other	2,370	N/A	2,370	2,607	2,844	3,081	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Bahrain								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	1,980	N/A	1,980	2,178	2,376	2,574	(K)
7604 10 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(K)
7604 10 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7604 21 00	Hollow profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7604 29 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bahrain								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 29 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7605	Aluminium wire	2,200	N/A	2,200	2,420	2,640	2,860	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7608	Aluminium tubes and pipes	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 90 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(K)

Bahrain								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,200	N/A	2,200	2,420	2,640	2,860	(K)

Bahrain								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7616 99 10	Cast	1,980	N/A	1,980	2,178	2,376	2,574	(K)
7616 99 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,340	0,030	1,370	1,507	1,644	1,781	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,340	0,050	1,390	1,529	1,668	1,807	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,270	0,050	1,330	1,463	1,596	1,729	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,690	0,030	2,720	2,747	2,747	2,747	
2814 10 00	Anhydrous ammonia	2,160	0,090	2,250	2,273	2,273	2,273	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,170	0,040	2,220	2,242	2,242	2,242	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,020	0,490	0,495	0,495	0,495	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,780	0,020	0,800	0,808	0,808	0,808	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,070	1,480	1,495	1,495	1,495	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,070	1,450	1,465	1,465	1,465	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,050	0,670	0,677	0,677	0,677	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,060	1,450	1,465	1,465	1,465	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,040	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,070	2,600	2,626	2,626	2,626	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,060	2,220	2,242	2,242	2,242	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,060	2,220	2,242	2,242	2,242	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,200	0,050	4,250	4,293	4,293	4,293	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,060	2,180	2,202	2,202	2,202	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,580	0,060	1,630	1,646	1,646	1,646	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,610	0,060	1,670	1,687	1,687	1,687	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,050	0,860	0,869	0,869	0,869	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,060	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,050	0,760	0,768	0,768	0,768	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,040	0,540	0,545	0,545	0,545	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,080	1,530	1,545	1,545	1,545	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,080	0,650	0,657	0,657	0,657	

Belarus								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,050	1,470	1,485	1,485	1,485	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,030	0,760	0,768	0,768	0,768	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Benin								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,860	0,040	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,920	0,070	0,990	1,089	1,188	1,287	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,880	0,070	0,960	1,056	1,152	1,248	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Bolivia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,030	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,060	0,930	1,023	1,116	1,209	

Bolivia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,060	0,890	0,979	1,068	1,157	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7604 10 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 10 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 21 00	Hollow profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 29 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7605	Aluminium wire	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7608	Aluminium tubes and pipes	0,710	N/A	0,710	0,781	0,852	0,923	(L)

Bolivia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Bolivia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 99 10	Cast	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7616 99 90	Other	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Bolivia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,860	0,060	0,920	1,012	1,104	1,196	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,880	0,100	0,980	1,078	1,176	1,274	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,840	0,100	0,940	1,034	1,128	1,222	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,670	0,060	2,730	2,757	2,757	2,757	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,060	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	2,160	0,090	2,260	2,283	2,283	2,283	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,050	0,540	0,545	0,545	0,545	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,050	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,150	1,620	1,636	1,636	1,636	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,150	1,590	1,606	1,606	1,606	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,110	0,750	0,758	0,758	0,758	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,400	0,130	1,520	1,535	1,535	1,535	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,100	1,740	1,757	1,757	1,757	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,520	0,150	2,670	2,697	2,697	2,697	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,140	2,300	2,323	2,323	2,323	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,140	2,300	2,323	2,323	2,323	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,160	0,100	4,260	4,303	4,303	4,303	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,110	0,130	2,240	2,262	2,262	2,262	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,590	0,120	1,710	1,727	1,727	1,727	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,640	0,140	1,780	1,798	1,798	1,798	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,810	0,120	0,920	0,929	0,929	0,929	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,060	0,140	1,200	1,212	1,212	1,212	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,720	0,110	0,820	0,828	0,828	0,828	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,080	0,590	0,596	0,596	0,596	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,070	0,390	0,394	0,394	0,394	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,460	0,170	1,630	1,646	1,646	1,646	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,130	0,720	0,727	0,727	0,727	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,420	0,100	1,530	1,545	1,545	1,545	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,070	0,800	0,808	0,808	0,808	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	3,279	N/A	3,279	3,607	3,935	4,263	(K)
7604 10 10	Bars and rods	3,059	N/A	3,059	3,365	3,671	3,977	(K)
7604 10 90	Profiles	3,059	N/A	3,059	3,365	3,671	3,977	(K)
7604 21 00	Hollow profiles	3,059	N/A	3,059	3,365	3,671	3,977	(K)
7604 29 10	Bars and rods	3,059	N/A	3,059	3,365	3,671	3,977	(K)
7604 29 90	Profiles	3,059	N/A	3,059	3,365	3,671	3,977	(K)
7605	Aluminium wire	3,703	N/A	3,703	4,073	4,443	4,813	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4,532	N/A	4,532	4,985	5,438	5,891	(K)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	4,532	N/A	4,532	4,985	5,438	5,891	(K)
7608	Aluminium tubes and pipes	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7610 90	Other	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7610 90 90	Other	3,721	N/A	3,721	4,093	4,465	4,837	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,532	N/A	4,532	4,985	5,438	5,891	(K)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,532	N/A	4,532	4,985	5,438	5,891	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	4,532	N/A	4,532	4,985	5,438	5,891	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	3,703	N/A	3,703	4,073	4,443	4,813	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	4,532	N/A	4,532	4,985	5,438	5,891	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	4,532	N/A	4,532	4,985	5,438	5,891	(K)
7616 99 10	Cast	3,279	N/A	3,279	3,607	3,935	4,263	(K)
7616 99 90	Other	4,532	N/A	4,532	4,985	5,438	5,891	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,090	0,090	0,190	0,209	0,228	0,247	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,160	N/A	2,160	2,376	2,592	2,808	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,200	N/A	2,200	2,420	2,640	2,860	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,290	N/A	2,290	2,519	2,748	2,977	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,340	N/A	2,340	2,574	2,808	3,042	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,110	N/A	3,110	3,421	3,732	4,043	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,110	N/A	3,110	3,421	3,732	4,043	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,110	N/A	3,110	3,421	3,732	4,043	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,110	N/A	3,110	3,421	3,732	4,043	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,110	N/A	3,110	3,421	3,732	4,043	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,110	N/A	3,110	3,421	3,732	4,043	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,110	N/A	3,110	3,421	3,732	4,043	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,110	N/A	3,110	3,421	3,732	4,043	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,270	N/A	3,270	3,597	3,924	4,251	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,270	N/A	3,270	3,597	3,924	4,251	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,270	N/A	3,270	3,597	3,924	4,251	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,270	N/A	3,270	3,597	3,924	4,251	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,270	N/A	3,270	3,597	3,924	4,251	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,270	N/A	3,270	3,597	3,924	4,251	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 02	Semi-finished products of tool steel	3,460	N/A	3,460	3,806	4,152	4,498	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,590	N/A	4,590	5,049	5,508	5,967	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,460	N/A	3,460	3,806	4,152	4,498	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,590	N/A	4,590	5,049	5,508	5,967	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,460	N/A	3,460	3,806	4,152	4,498	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,620	N/A	3,620	3,982	4,344	4,706	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,620	N/A	3,620	3,982	4,344	4,706	(C)/(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,880	N/A	2,880	3,168	3,456	3,744	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,270	N/A	2,270	2,497	2,724	2,951	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,190	N/A	3,190	3,509	3,828	4,147	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,190	N/A	3,190	3,509	3,828	4,147	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,190	N/A	3,190	3,509	3,828	4,147	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,190	N/A	3,190	3,509	3,828	4,147	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,190	N/A	3,190	3,509	3,828	4,147	

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,290	N/A	2,290	2,519	2,748	2,977	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,290	N/A	2,290	2,519	2,748	2,977	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,110	N/A	3,110	3,421	3,732	4,043	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,110	N/A	3,110	3,421	3,732	4,043	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,290	N/A	2,290	2,519	2,748	2,977	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,290	N/A	2,290	2,519	2,748	2,977	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,110	N/A	3,110	3,421	3,732	4,043	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,110	N/A	3,110	3,421	3,732	4,043	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,210	N/A	2,210	2,431	2,652	2,873	(F)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,210	N/A	2,210	2,431	2,652	2,873	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,210	N/A	2,210	2,431	2,652	2,873	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,110	N/A	3,110	3,421	3,732	4,043	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,180	N/A	2,180	2,398	2,616	2,834	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,180	N/A	2,180	2,398	2,616	2,834	
7307 19 90	Cast tube or pipe fittings of steel	2,290	N/A	2,290	2,519	2,748	2,977	
7307 21 00	Flanges of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,850	N/A	2,850	3,135	3,420	3,705	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,020	N/A	3,020	3,322	3,624	3,926	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,080	N/A	3,080	3,388	3,696	4,004	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,170	N/A	3,170	3,487	3,804	4,121	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,170	N/A	3,170	3,487	3,804	4,121	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7318 16	Nuts of iron or steel	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7326 90 30	Ladders and steps, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Bosnia and Herzegovina								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,290	N/A	2,290	2,519	2,748	2,977	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,290	N/A	2,290	2,519	2,748	2,977	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	(A)
2523 10 00	White clinker	–	–	–	–	–	–	(B)
2523 10 00	Grey clinker	–	–	–	–	–	–	(A)
2523 21 00	White Portland cement	1,220	0,120	1,340	1,474	1,608	1,742	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	(B)
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	(A)
2523 30 00	Aluminous cement	1,910	0,070	1,980	2,178	2,376	2,574	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,040	0,020	2,070	2,091	2,091	2,091	
2814 10 00	Anhydrous ammonia	3,120	0,080	3,210	3,242	3,242	3,242	
2814 20 00	Ammonia in aqueous solution	0,940	0,020	0,960	0,970	0,970	0,970	
2834 21 00	Nitrate of potassium	1,930	0,040	1,960	1,980	1,980	1,980	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,670	0,020	0,690	0,697	0,697	0,697	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,110	0,020	1,130	1,141	1,141	1,141	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,020	0,060	2,070	2,091	2,091	2,091	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,970	0,050	2,030	2,050	2,050	2,050	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,890	0,040	0,930	0,939	0,939	0,939	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,440	0,040	1,480	1,495	1,495	1,495	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,470	0,030	1,500	1,515	1,515	1,515	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,260	0,050	2,310	2,333	2,333	2,333	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,040	1,990	2,010	2,010	2,010	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,040	1,990	2,010	2,010	2,010	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,190	0,040	3,230	3,262	3,262	3,262	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,040	1,940	1,959	1,959	1,959	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,650	0,040	1,690	1,707	1,707	1,707	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,860	0,050	1,910	1,929	1,929	1,929	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,870	0,040	0,910	0,919	0,919	0,919	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,990	0,040	1,030	1,040	1,040	1,040	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,030	0,710	0,717	0,717	0,717	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,730	0,030	0,750	0,758	0,758	0,758	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,020	0,480	0,485	0,485	0,485	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,050	1,390	1,404	1,404	1,404	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,820	0,070	0,900	0,909	0,909	0,909	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,030	1,340	1,353	1,353	1,353	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,680	0,020	0,700	0,707	0,707	0,707	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,820	N/A	1,820	2,002	2,184	2,366	(K)
7604 10 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 10 90	Profiles	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7604 21 00	Hollow profiles	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7604 29 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 29 90	Profiles	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7605	Aluminium wire	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,500	N/A	2,500	2,750	3	3,250	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,500	N/A	2,500	2,750	3	3,250	(K)
7608	Aluminium tubes and pipes	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,060	N/A	2,060	2,266	2,472	2,678	(K)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90	Other	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7610 90 90	Other	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,500	N/A	2,500	2,750	3	3,250	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,500	N/A	2,500	2,750	3	3,250	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,500	N/A	2,500	2,750	3	3,250	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,040	N/A	2,040	2,244	2,448	2,652	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,500	N/A	2,500	2,750	3	3,250	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,500	N/A	2,500	2,750	3	3,250	(K)
7616 99 10	Cast	1,820	N/A	1,820	2,002	2,184	2,366	(K)
7616 99 90	Other	2,500	N/A	2,500	2,750	3	3,250	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,190	0,010	0,200	0,220	0,240	0,260	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,478	N/A	1,478	1,625	1,773	1,921	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,430	N/A	1,430	1,573	1,716	1,859	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	(F)
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,480	N/A	1,480	1,628	1,776	1,924	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,480	N/A	1,480	1,628	1,776	1,924	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	(C)
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,620	N/A	1,620	1,782	1,944	2,106	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	(C)
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,620	N/A	1,620	1,782	1,944	2,106	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,620	N/A	1,620	1,782	1,944	2,106	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,620	N/A	1,620	1,782	1,944	2,106	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,730	N/A	1,730	1,903	2,076	2,249	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	(C)
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	(C)
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,940	N/A	3,940	4,334	4,728	5,122	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,210	N/A	3,210	3,531	3,852	4,173	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,940	N/A	3,940	4,334	4,728	5,122	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,940	N/A	3,940	4,334	4,728	5,122	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,320	N/A	3,320	3,652	3,984	4,316	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,320	N/A	3,320	3,652	3,984	4,316	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,320	N/A	3,320	3,652	3,984	4,316	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,320	N/A	3,320	3,652	3,984	4,316	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,320	N/A	3,320	3,652	3,984	4,316	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,320	N/A	3,320	3,652	3,984	4,316	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,320	N/A	3,320	3,652	3,984	4,316	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,320	N/A	3,320	3,652	3,984	4,316	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,340	N/A	3,340	3,674	4,008	4,342	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,340	N/A	3,340	3,674	4,008	4,342	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,340	N/A	3,340	3,674	4,008	4,342	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,340	N/A	3,340	3,674	4,008	4,342	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,940	N/A	3,940	4,334	4,728	5,122	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,340	N/A	3,340	3,674	4,008	4,342	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,370	N/A	3,370	3,707	4,044	4,381	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	4,380	N/A	4,380	4,818	5,256	5,694	(F)
7224 90 02	Semi-finished products of tool steel	3,650	N/A	3,650	4,015	4,380	4,745	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	4,380	N/A	4,380	4,818	5,256	5,694	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	4,380	N/A	4,380	4,818	5,256	5,694	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,760	N/A	4,760	5,236	5,712	6,188	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,650	N/A	3,650	4,015	4,380	4,745	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,760	N/A	4,760	5,236	5,712	6,188	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,650	N/A	3,650	4,015	4,380	4,745	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,760	N/A	3,760	4,136	4,512	4,888	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,760	N/A	3,760	4,136	4,512	4,888	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,780	N/A	3,780	4,158	4,536	4,914	(C)/(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,380	N/A	4,380	4,818	5,256	5,694	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,380	N/A	4,380	4,818	5,256	5,694	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,780	N/A	3,780	4,158	4,536	4,914	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,780	N/A	3,780	4,158	4,536	4,914	(C)/(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,780	N/A	3,780	4,158	4,536	4,914	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,810	N/A	3,810	4,191	4,572	4,953	(C)/(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	1,730	N/A	1,730	1,903	2,076	2,249	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,720	N/A	2,720	2,992	3,264	3,536	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,900	N/A	2,900	3,190	3,480	3,770	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,150	N/A	3,150	3,465	3,780	4,095	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,670	N/A	1,670	1,837	2,004	2,171	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,150	N/A	3,150	3,465	3,780	4,095	(C)
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,670	N/A	1,670	1,837	2,004	2,171	
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,150	N/A	3,150	3,465	3,780	4,095	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,670	N/A	1,670	1,837	2,004	2,171	
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,670	N/A	1,670	1,837	2,004	2,171	(F)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,670	N/A	1,670	1,837	2,004	2,171	(C)/(F)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,150	N/A	3,150	3,465	3,780	4,095	(C)
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,150	N/A	3,150	3,465	3,780	4,095	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,650	N/A	1,650	1,815	1,980	2,145	(C)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,650	N/A	1,650	1,815	1,980	2,145	(C)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,670	N/A	1,670	1,837	2,004	2,171	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	1,730	N/A	1,730	1,903	2,076	2,249	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,320	N/A	3,320	3,652	3,984	4,316	(F)
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,320	N/A	3,320	3,652	3,984	4,316	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,740	N/A	1,740	1,914	2,088	2,262	
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	1,630	N/A	1,630	1,793	1,956	2,119	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	1,740	N/A	1,740	1,914	2,088	2,262	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	1,740	N/A	1,740	1,914	2,088	2,262	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,320	N/A	3,320	3,652	3,984	4,316	(C)
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	(F)
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	1,830	N/A	1,830	2,013	2,196	2,379	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	1,730	N/A	1,730	1,903	2,076	2,249	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	1,830	N/A	1,830	2,013	2,196	2,379	(C)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,320	N/A	3,320	3,652	3,984	4,316	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,320	N/A	3,320	3,652	3,984	4,316	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	1,740	N/A	1,740	1,914	2,088	2,262	
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	1,740	N/A	1,740	1,914	2,088	2,262	
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,320	N/A	2,320	2,552	2,784	3,016	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,320	N/A	2,320	2,552	2,784	3,016	

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 19 90	Cast tube or pipe fittings of steel	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,770	N/A	2,770	3,047	3,324	3,601	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,770	N/A	2,770	3,047	3,324	3,601	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,770	N/A	2,770	3,047	3,324	3,601	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,770	N/A	2,770	3,047	3,324	3,601	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,650	N/A	1,650	1,815	1,980	2,145	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,650	N/A	1,650	1,815	1,980	2,145	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,650	N/A	1,650	1,815	1,980	2,145	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,650	N/A	1,650	1,815	1,980	2,145	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,910	N/A	2,910	3,201	3,492	3,783	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,120	N/A	3,120	3,432	3,744	4,056	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3	N/A	3	3,300	3,600	3,900	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,110	N/A	3,110	3,421	3,732	4,043	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,110	N/A	3,110	3,421	3,732	4,043	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,560	N/A	2,560	2,816	3,072	3,328	(C)
7318 16	Nuts of iron or steel	2,960	N/A	2,960	3,256	3,552	3,848	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	1,610	N/A	1,610	1,771	1,932	2,093	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 21 00	Spring washers and other lock washers, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,880	N/A	1,880	2,068	2,256	2,444	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,780	N/A	1,780	1,958	2,136	2,314	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 29 00	Non-threaded articles, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7326 90 30	Ladders and steps, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)

Brazil								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7326 90 98	Articles of iron or steel, n.e.s.	1,730	N/A	1,730	1,903	2,076	2,249	(C)

Brunei								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	

Brunei								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,040	0,070	1,110	1,221	1,332	1,443	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,030	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,060	0,920	1,012	1,104	1,196	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,060	0,890	0,979	1,068	1,157	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,260	0,050	2,320	2,343	2,343	2,343	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,720	0,050	0,770	0,778	0,778	0,778	
2834 21 00	Nitrate of potassium	1,940	0,070	2,020	2,040	2,040	2,040	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,870	0,040	0,910	0,919	0,919	0,919	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,440	0,040	1,480	1,495	1,495	1,495	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,610	0,120	2,730	2,757	2,757	2,757	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,550	0,120	2,670	2,697	2,697	2,697	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,700	0,080	0,780	0,788	0,788	0,788	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,330	0,100	1,430	1,444	1,444	1,444	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,470	0,070	1,550	1,566	1,566	1,566	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,270	0,110	2,380	2,404	2,404	2,404	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,100	2,050	2,071	2,071	2,071	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,100	2,050	2,071	2,071	2,071	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,530	0,080	3,610	3,646	3,646	3,646	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,900	0,100	2	2,020	2,020	2,020	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,850	0,090	1,940	1,959	1,959	1,959	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	2,150	0,110	2,260	2,283	2,283	2,283	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,780	0,080	0,870	0,879	0,879	0,879	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,100	1,070	1,081	1,081	1,081	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,070	0,730	0,737	0,737	0,737	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,060	0,620	0,626	0,626	0,626	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,360	0,050	0,410	0,414	0,414	0,414	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,330	0,120	1,450	1,465	1,465	1,465	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,640	0,110	0,750	0,758	0,758	0,758	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,290	0,080	1,370	1,384	1,384	1,384	

Cambodia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,660	0,050	0,720	0,727	0,727	0,727	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,180	0,080	0,260	0,286	0,312	0,338	(A)
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,810	0,060	1,870	1,889	1,889	1,889	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,690	0,060	0,750	0,758	0,758	0,758	
2834 21 00	Nitrate of potassium	1,630	0,080	1,710	1,727	1,727	1,727	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,520	0,040	0,560	0,566	0,566	0,566	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,850	0,040	0,900	0,909	0,909	0,909	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,550	0,130	1,680	1,697	1,697	1,697	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,520	0,130	1,650	1,667	1,667	1,667	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,670	0,080	0,750	0,758	0,758	0,758	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,170	0,090	1,260	1,273	1,273	1,273	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,070	1,310	1,323	1,323	1,323	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,900	0,110	2,010	2,030	2,030	2,030	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,100	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,100	1,740	1,757	1,757	1,757	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,820	0,100	2,920	2,949	2,949	2,949	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,100	1,690	1,707	1,707	1,707	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,090	1,440	1,454	1,454	1,454	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,110	1,600	1,616	1,616	1,616	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,070	0,770	0,778	0,778	0,778	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,080	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,060	0,620	0,626	0,626	0,626	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,540	0,060	0,600	0,606	0,606	0,606	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,040	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,130	0,100	1,230	1,242	1,242	1,242	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,620	0,100	0,720	0,727	0,727	0,727	

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,070	1,170	1,182	1,182	1,182	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,040	0,610	0,616	0,616	0,616	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Cameroon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,210	0,030	0,240	0,264	0,288	0,312	(A)
2523 10 00	White clinker	1,280	0,020	1,290	1,419	1,548	1,677	(B)
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	1,240	0,120	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	
2523 90 00	White hydraulic cements	1,290	0,130	1,420	1,562	1,704	1,846	(B)
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,510	0,020	1,540	1,555	1,555	1,555	
2814 10 00	Anhydrous ammonia	1,910	0,070	1,980	2	2	2	
2814 20 00	Ammonia in aqueous solution	0,570	0,020	0,590	0,596	0,596	0,596	
2834 21 00	Nitrate of potassium	1,360	0,030	1,400	1,414	1,414	1,414	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,020	0,460	0,465	0,465	0,465	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,020	0,740	0,747	0,747	0,747	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,310	0,060	1,370	1,384	1,384	1,384	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,280	0,060	1,340	1,353	1,353	1,353	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,040	0,610	0,616	0,616	0,616	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	0,980	0,050	1,030	1,040	1,040	1,040	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,040	0,040	1,070	1,081	1,081	1,081	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,060	1,650	1,667	1,667	1,667	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,390	0,050	1,440	1,454	1,454	1,454	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,390	0,050	1,440	1,454	1,454	1,454	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,360	0,040	2,400	2,424	2,424	2,424	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,340	0,050	1,390	1,404	1,404	1,404	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,130	0,040	1,170	1,182	1,182	1,182	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,250	0,050	1,300	1,313	1,313	1,313	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,590	0,050	0,630	0,636	0,636	0,636	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,700	0,050	0,760	0,768	0,768	0,768	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,040	0,520	0,525	0,525	0,525	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,450	0,030	0,480	0,485	0,485	0,485	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,030	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	0,950	0,070	1,020	1,030	1,030	1,030	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,530	0,070	0,600	0,606	0,606	0,606	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,920	0,040	0,960	0,970	0,970	0,970	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,480	0,030	0,500	0,505	0,505	0,505	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,960	N/A	1,960	2,156	2,352	2,548	(K)
7603	Aluminium powders and flakes	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7604 10 10	Bars and rods	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7604 10 90	Profiles	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7604 21 00	Hollow profiles	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7604 29 10	Bars and rods	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7604 29 90	Profiles	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7605	Aluminium wire	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,750	N/A	2,750	3,025	3,300	3,575	(K)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7608	Aluminium tubes and pipes	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7610 90	Other	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,310	N/A	2,310	2,541	2,772	3,003	(K)
7610 90 90	Other	2,310	N/A	2,310	2,541	2,772	3,003	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,290	N/A	2,290	2,519	2,748	2,977	(K)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,750	N/A	2,750	3,025	3,300	3,575	(K)
7616 99 10	Cast	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7616 99 90	Other	2,750	N/A	2,750	3,025	3,300	3,575	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,080	0,010	0,090	0,099	0,108	0,117	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,110	N/A	1,110	1,221	1,332	1,443	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	0,760	N/A	0,760	0,836	0,912	0,988	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,290	N/A	1,290	1,419	1,548	1,677	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,430	N/A	1,430	1,573	1,716	1,859	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,430	N/A	1,430	1,573	1,716	1,859	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,430	N/A	1,430	1,573	1,716	1,859	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,430	N/A	1,430	1,573	1,716	1,859	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	1,510	N/A	1,510	1,661	1,812	1,963	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,050	N/A	3,050	3,355	3,660	3,965	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,210	N/A	3,210	3,531	3,852	4,173	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,050	N/A	3,050	3,355	3,660	3,965	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,050	N/A	3,050	3,355	3,660	3,965	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,210	N/A	3,210	3,531	3,852	4,173	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,290	N/A	3,290	3,619	3,948	4,277	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,210	N/A	3,210	3,531	3,852	4,173	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,290	N/A	3,290	3,619	3,948	4,277	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,290	N/A	3,290	3,619	3,948	4,277	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,050	N/A	3,050	3,355	3,660	3,965	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,050	N/A	3,050	3,355	3,660	3,965	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,050	N/A	3,050	3,355	3,660	3,965	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,050	N/A	3,050	3,355	3,660	3,965	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,050	N/A	3,050	3,355	3,660	3,965	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,050	N/A	3,050	3,355	3,660	3,965	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,050	N/A	3,050	3,355	3,660	3,965	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7224 90 02	Semi-finished products of tool steel	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,590	N/A	3,590	3,949	4,308	4,667	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,420	N/A	3,420	3,762	4,104	4,446	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,700	N/A	4,700	5,170	5,640	6,110	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,700	N/A	4,700	5,170	5,640	6,110	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,590	N/A	3,590	3,949	4,308	4,667	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,660	N/A	3,660	4,026	4,392	4,758	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,600	N/A	2,600	2,860	3,120	3,380	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,590	N/A	1,590	1,749	1,908	2,067	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,050	N/A	3,050	3,355	3,660	3,965	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,340	N/A	1,340	1,474	1,608	1,742	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,050	N/A	3,050	3,355	3,660	3,965	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,340	N/A	1,340	1,474	1,608	1,742	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,050	N/A	3,050	3,355	3,660	3,965	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,340	N/A	1,340	1,474	1,608	1,742	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,340	N/A	1,340	1,474	1,608	1,742	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,340	N/A	1,340	1,474	1,608	1,742	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,050	N/A	3,050	3,355	3,660	3,965	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,050	N/A	3,050	3,355	3,660	3,965	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,340	N/A	1,340	1,474	1,608	1,742	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,340	N/A	1,340	1,474	1,608	1,742	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,340	N/A	1,340	1,474	1,608	1,742	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,290	N/A	3,290	3,619	3,948	4,277	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	1,440	N/A	1,440	1,584	1,728	1,872	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,290	N/A	3,290	3,619	3,948	4,277	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	1,580	N/A	1,580	1,738	1,896	2,054	(F)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	1,510	N/A	1,510	1,661	1,812	1,963	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	1,580	N/A	1,580	1,738	1,896	2,054	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,290	N/A	3,290	3,619	3,948	4,277	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,290	N/A	3,290	3,619	3,948	4,277	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	1,510	N/A	1,510	1,661	1,812	1,963	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,110	N/A	1,110	1,221	1,332	1,443	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,110	N/A	1,110	1,221	1,332	1,443	
7307 19 90	Cast tube or pipe fittings of steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,660	N/A	2,660	2,926	3,192	3,458	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,660	N/A	2,660	2,926	3,192	3,458	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,660	N/A	2,660	2,926	3,192	3,458	

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,660	N/A	2,660	2,926	3,192	3,458	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,910	N/A	2,910	3,201	3,492	3,783	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,180	N/A	3,180	3,498	3,816	4,134	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	1,520	N/A	1,520	1,672	1,824	1,976	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,010	N/A	3,010	3,311	3,612	3,913	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,050	N/A	3,050	3,355	3,660	3,965	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,050	N/A	3,050	3,355	3,660	3,965	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,480	N/A	2,480	2,728	2,976	3,224	(C)
7318 16	Nuts of iron or steel	2,910	N/A	2,910	3,201	3,492	3,783	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,610	N/A	1,610	1,771	1,932	2,093	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7318 29 00	Non-threaded articles, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 30	Ladders and steps, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)

Canada								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 98	Articles of iron or steel, n.e.s.	1,510	N/A	1,510	1,661	1,812	1,963	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,050	0,920	1,012	1,104	1,196	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,940	0,070	1,010	1,111	1,212	1,313	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	Grey hydraulic cements	0,900	0,070	0,970	1,067	1,164	1,261	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,850	0,060	1,900	1,919	1,919	1,919	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,050	0,730	0,737	0,737	0,737	
2834 21 00	Nitrate of potassium	1,640	0,080	1,730	1,747	1,747	1,747	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,040	0,550	0,556	0,556	0,556	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,040	0,880	0,889	0,889	0,889	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,140	1,660	1,677	1,677	1,677	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,130	1,630	1,646	1,646	1,646	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,100	0,760	0,768	0,768	0,768	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,170	0,110	1,280	1,293	1,293	1,293	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,250	0,090	1,340	1,353	1,353	1,353	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,920	0,130	2,060	2,081	2,081	2,081	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,660	0,120	1,780	1,798	1,798	1,798	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,660	0,120	1,780	1,798	1,798	1,798	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,880	0,090	2,970	3	3	3	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,610	0,120	1,730	1,747	1,747	1,747	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,100	1,450	1,465	1,465	1,465	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,480	0,120	1,600	1,616	1,616	1,616	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,100	0,800	0,808	0,808	0,808	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,120	0,960	0,970	0,970	0,970	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,090	0,660	0,667	0,667	0,667	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,070	0,600	0,606	0,606	0,606	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,060	0,400	0,404	0,404	0,404	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,140	0,150	1,290	1,303	1,303	1,303	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,120	0,730	0,737	0,737	0,737	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,090	1,200	1,212	1,212	1,212	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,570	0,060	0,630	0,636	0,636	0,636	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,470	N/A	0,470	0,517	0,564	0,611	(L)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 10 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 21 00	Hollow profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 29 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7605	Aluminium wire	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7608	Aluminium tubes and pipes	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 99 10	Cast	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7616 99 90	Other	1,150	N/A	1,150	1,265	1,380	1,495	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,060	0,030	0,100	0,110	0,120	0,130	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,960	N/A	1,960	2,156	2,352	2,548	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,970	N/A	1,970	2,167	2,364	2,561	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,050	N/A	2,050	2,255	2,460	2,665	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	2,950	N/A	2,950	3,245	3,540	3,835	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	2,950	N/A	2,950	3,245	3,540	3,835	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	2,950	N/A	2,950	3,245	3,540	3,835	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	2,950	N/A	2,950	3,245	3,540	3,835	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	2,950	N/A	2,950	3,245	3,540	3,835	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	2,950	N/A	2,950	3,245	3,540	3,835	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,950	N/A	2,950	3,245	3,540	3,835	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	2,950	N/A	2,950	3,245	3,540	3,835	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,950	N/A	2,950	3,245	3,540	3,835	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	2,950	N/A	2,950	3,245	3,540	3,835	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	2,950	N/A	2,950	3,245	3,540	3,835	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	2,950	N/A	2,950	3,245	3,540	3,835	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	2,950	N/A	2,950	3,245	3,540	3,835	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	2,950	N/A	2,950	3,245	3,540	3,835	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	2,950	N/A	2,950	3,245	3,540	3,835	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	2,950	N/A	2,950	3,245	3,540	3,835	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 02	Semi-finished products of tool steel	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	3,780	N/A	3,780	4,158	4,536	4,914	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	2,850	N/A	2,850	3,135	3,420	3,705	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	3,780	N/A	3,780	4,158	4,536	4,914	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	2,850	N/A	2,850	3,135	3,420	3,705	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	2,850	N/A	2,850	3,135	3,420	3,705	(C)/(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	2,850	N/A	2,850	3,135	3,420	3,705	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	2,850	N/A	2,850	3,135	3,420	3,705	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,960	N/A	1,960	2,156	2,352	2,548	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,950	N/A	2,950	3,245	3,540	3,835	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,950	N/A	2,950	3,245	3,540	3,835	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,950	N/A	2,950	3,245	3,540	3,835	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,990	N/A	1,990	2,189	2,388	2,587	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,990	N/A	1,990	2,189	2,388	2,587	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,050	N/A	2,050	2,255	2,460	2,665	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,950	N/A	2,950	_	3,540	3,835	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,950	N/A	2,950	3,245	3,540	3,835	

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,050	N/A	2,050	2,255	2,460	2,665	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,950	N/A	2,950	3,245	3,540	3,835	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,950	N/A	2,950	3,245	3,540	3,835	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,020	N/A	2,020	2,222	2,424	2,626	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,020	N/A	2,020	2,222	2,424	2,626	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,020	N/A	2,020	2,222	2,424	2,626	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,950	N/A	2,950	3,245	3,540	3,835	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,950	N/A	2,950	3,245	3,540	3,835	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,960	N/A	1,960	2,156	2,352	2,548	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,960	N/A	1,960	2,156	2,352	2,548	
7307 19 90	Cast tube or pipe fittings of steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,310	N/A	2,310	2,541	2,772	3,003	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,310	N/A	2,310	2,541	2,772	3,003	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,310	N/A	2,310	2,541	2,772	3,003	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,310	N/A	2,310	2,541	2,772	3,003	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,540	N/A	2,540	2,794	3,048	3,302	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,540	N/A	2,540	2,794	3,048	3,302	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,950	N/A	2,950	3,245	3,540	3,835	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,950	N/A	2,950	3,245	3,540	3,835	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,170	N/A	2,170	2,387	2,604	2,821	(C)
7318 16	Nuts of iron or steel	2,170	N/A	2,170	2,387	2,604	2,821	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 21 00	Spring washers and other lock washers, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,180	N/A	2,180	2,398	2,616	2,834	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 30	Ladders and steps, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)

Chile								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,050	N/A	2,050	2,255	2,460	2,665	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,210	0,110	0,320	0,352	0,384	0,416	(A)
2523 10 00	White clinker	1,240	0,060	1,300	1,430	1,560	1,690	(B)
2523 10 00	Grey clinker	1,350	0,040	1,390	1,529	1,668	1,807	(A)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	1,250	0,140	1,390	1,529	1,668	1,807	
2523 29 00	Grey Portland cement	1,350	0,070	1,420	1,562	1,704	1,846	
2523 90 00	White hydraulic cements	1,290	0,180	1,460	1,606	1,752	1,898	(B)
2523 90 00	Grey hydraulic cements	1,280	0,080	1,360	1,496	1,632	1,768	(A)
2523 30 00	Aluminous cement	1,980	0,200	2,180	2,398	2,616	2,834	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	3,020	0,060	3,080	3,111	3,111	3,111	
2814 10 00	Anhydrous ammonia	4,170	0,190	4,360	4,404	4,404	4,404	
2814 20 00	Ammonia in aqueous solution	1,250	0,060	1,310	1,323	1,323	1,323	
2834 21 00	Nitrate of potassium	2,770	0,090	2,850	2,879	2,879	2,879	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,900	0,050	0,940	0,949	0,949	0,949	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,490	0,050	1,540	1,555	1,555	1,555	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,700	0,140	2,850	2,879	2,879	2,879	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,640	0,140	2,780	2,808	2,808	2,808	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,190	0,100	1,290	1,303	1,303	1,303	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	2,010	0,120	2,130	2,151	2,151	2,151	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	2,100	0,090	2,190	2,212	2,212	2,212	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,230	0,140	3,370	3,404	3,404	3,404	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,780	0,130	2,900	2,929	2,929	2,929	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,780	0,130	2,900	2,929	2,929	2,929	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,720	0,100	4,810	4,858	4,858	4,858	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,710	0,120	2,830	2,858	2,858	2,858	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	2,300	0,110	2,410	2,434	2,434	2,434	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	2,560	0,130	2,690	2,717	2,717	2,717	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	1,200	0,100	1,310	1,323	1,323	1,323	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,410	0,120	1,530	1,545	1,545	1,545	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,960	0,090	1,050	1,061	1,061	1,061	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,080	1,040	1,050	1,050	1,050	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,060	0,670	0,677	0,677	0,677	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,920	0,150	2,070	2,091	2,091	2,091	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	1,100	0,140	1,240	1,252	1,252	1,252	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,860	0,100	1,960	1,980	1,980	1,980	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,960	0,060	1,020	1,030	1,030	1,030	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	3	N/A	3	3,300	3,600	3,900	(K)
7603	Aluminium powders and flakes	4,148	N/A	4,148	4,563	4,978	5,392	(K)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 10	Bars and rods	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7604 10 90	Profiles	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7604 21 00	Hollow profiles	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7604 29 10	Bars and rods	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7604 29 90	Profiles	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7605	Aluminium wire	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4,120	N/A	4,120	4,532	4,944	5,356	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	5,559	N/A	5,559	6,115	6,671	7,227	(K)
7608	Aluminium tubes and pipes	4,896	N/A	4,896	5,385	5,875	6,364	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	4,896	N/A	4,896	5,385	5,875	6,364	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	4,896	N/A	4,896	5,385	5,875	6,364	(K)
7610 90	Other	4,896	N/A	4,896	5,385	5,875	6,364	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	4,896	N/A	4,896	5,385	5,875	6,364	(K)
7610 90 90	Other	4,896	N/A	4,896	5,385	5,875	6,364	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	5,559	N/A	5,559	6,115	6,671	7,227	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	5,559	N/A	5,559	6,115	6,671	7,227	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	5,559	N/A	5,559	6,115	6,671	7,227	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	4,881	N/A	4,881	5,369	5,857	6,345	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	5,559	N/A	5,559	6,115	6,671	7,227	(K)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	5,559	N/A	5,559	6,115	6,671	7,227	(K)
7616 99 10	Cast	4,542	N/A	4,542	4,996	5,450	5,904	(K)
7616 99 90	Other	5,559	N/A	5,559	6,115	6,671	7,227	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	26,640	N/A	26,640	29,304	31,968	34,632	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,200	0,060	0,260	0,286	0,312	0,338	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,660	N/A	1,660	1,826	1,992	2,158	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	N/A	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	2,870	N/A	2,870	3,157	3,444	3,731	
7202 60 00	Ferro-nickel	6,150	N/A	6,150	6,765	7,380	7,995	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,802	N/A	2,802	3,082	3,362	3,643	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,740	N/A	1,740	1,914	2,088	2,262	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,740	N/A	1,740	1,914	2,088	2,262	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	3,187	N/A	3,187	3,506	3,824	4,143	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	3,205	N/A	3,205	3,526	3,846	4,167	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,205	N/A	3,205	3,526	3,846	4,167	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	3,187	N/A	3,187	3,506	3,824	4,143	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	3,187	N/A	3,187	3,506	3,824	4,143	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	3,187	N/A	3,187	3,506	3,824	4,143	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	3,205	N/A	3,205	3,526	3,846	4,167	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	3,205	N/A	3,205	3,526	3,846	4,167	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	3,205	N/A	3,205	3,526	3,846	4,167	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,205	N/A	3,205	3,526	3,846	4,167	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3,314	N/A	3,314	3,645	3,976	4,308	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	3,169	N/A	3,169	3,486	3,803	4,119	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	3,169	N/A	3,169	3,486	3,803	4,119	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	3,169	N/A	3,169	3,486	3,803	4,119	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	5,650	N/A	5,650	6,215	6,780	7,345	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	5,580	N/A	5,580	6,138	6,696	7,254	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	5,580	N/A	5,580	6,138	6,696	7,254	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	5,650	N/A	5,650	6,215	6,780	7,345	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	5,580	N/A	5,580	6,138	6,696	7,254	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	5,650	N/A	5,650	6,215	6,780	7,345	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	5,580	N/A	5,580	6,138	6,696	7,254	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	5,580	N/A	5,580	6,138	6,696	7,254	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	5,590	N/A	5,590	6,149	6,708	7,267	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	5,590	N/A	5,590	6,149	6,708	7,267	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	5,590	N/A	5,590	6,149	6,708	7,267	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	5,590	N/A	5,590	6,149	6,708	7,267	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	5,590	N/A	5,590	6,149	6,708	7,267	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,590	N/A	5,590	6,149	6,708	7,267	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	5,580	N/A	5,580	6,138	6,696	7,254	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	5,580	N/A	5,580	6,138	6,696	7,254	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	5,590	N/A	5,590	6,149	6,708	7,267	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,590	N/A	5,590	6,149	6,708	7,267	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	5,590	N/A	5,590	6,149	6,708	7,267	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	5,590	N/A	5,590	6,149	6,708	7,267	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	5,590	N/A	5,590	6,149	6,708	7,267	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	5,590	N/A	5,590	6,149	6,708	7,267	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	5,650	N/A	5,650	6,215	6,780	7,345	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	5,590	N/A	5,590	6,149	6,708	7,267	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	5,590	N/A	5,590	6,149	6,708	7,267	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	6,180	N/A	6,180	6,798	7,416	8,034	(F)
7224 90 02	Semi-finished products of tool steel	6,110	N/A	6,110	6,721	7,332	7,943	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	6,110	N/A	6,110	6,721	7,332	7,943	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	6,180	N/A	6,180	6,798	7,416	8,034	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	6,110	N/A	6,110	6,721	7,332	7,943	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	6,180	N/A	6,180	6,798	7,416	8,034	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	8,090	N/A	8,090	8,899	9,708	10,517	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	6,110	N/A	6,110	6,721	7,332	7,943	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	6,110	N/A	6,110	6,721	7,332	7,943	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	8,090	N/A	8,090	8,899	9,708	10,517	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	6,110	N/A	6,110	6,721	7,332	7,943	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	6,120	N/A	6,120	6,732	7,344	7,956	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	6,110	N/A	6,110	6,721	7,332	7,943	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	6,120	N/A	6,120	6,732	7,344	7,956	(C)/(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,180	N/A	6,180	6,798	7,416	8,034	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,180	N/A	6,180	6,798	7,416	8,034	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	6,120	N/A	6,120	6,732	7,344	7,956	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	6,120	N/A	6,120	6,732	7,344	7,956	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,275	N/A	2,275	2,502	2,730	2,957	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	6,205	N/A	6,205	6,826	7,446	8,067	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,191	N/A	2,191	2,410	2,629	2,848	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	7,005	N/A	7,005	7,706	8,406	9,107	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	7,005	N/A	7,005	7,706	8,406	9,107	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	7,005	N/A	7,005	7,706	8,406	9,107	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,680	N/A	2,680	2,948	3,216	3,484	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	7,005	N/A	7,005	7,706	8,406	9,107	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	7,005	N/A	7,005	7,706	8,406	9,107	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,680	N/A	2,680	2,948	3,216	3,484	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,680	N/A	2,680	2,948	3,216	3,484	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,585	N/A	2,585	2,844	3,102	3,361	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	7,025	N/A	7,025	7,728	8,430	9,133	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	7,025	N/A	7,025	7,728	8,430	9,133	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	3,565	N/A	3,565	3,922	4,278	4,635	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	3,565	N/A	3,565	3,922	4,278	4,635	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	3,565	N/A	3,565	3,922	4,278	4,635	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	7,025	N/A	7,025	7,728	8,430	9,133	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	7,015	N/A	7,015	7,717	8,418	9,120	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	3,565	N/A	3,565	3,922	4,278	4,635	(F)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	3,565	N/A	3,565	3,922	4,278	4,635	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	3,565	N/A	3,565	3,922	4,278	4,635	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	7,025	N/A	7,025	7,728	8,430	9,133	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	3,565	N/A	3,565	3,922	4,278	4,635	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	7,025	N/A	7,025	7,728	8,430	9,133	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,565	N/A	3,565	3,922	4,278	4,635	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	3,565	N/A	3,565	3,922	4,278	4,635	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,252	N/A	3,252	3,577	3,902	4,228	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,252	N/A	3,252	3,577	3,902	4,228	
7307 19 90	Cast tube or pipe fittings of steel	3,252	N/A	3,252	3,577	3,902	4,228	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	5,035	N/A	5,035	5,539	6,042	6,546	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	5,035	N/A	5,035	5,539	6,042	6,546	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	5,035	N/A	5,035	5,539	6,042	6,546	

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	5,035	N/A	5,035	5,539	6,042	6,546	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	3,252	N/A	3,252	3,577	3,902	4,228	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	3,252	N/A	3,252	3,577	3,902	4,228	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	3,252	N/A	3,252	3,577	3,902	4,228	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	3,252	N/A	3,252	3,577	3,902	4,228	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	6,035	N/A	6,035	6,639	7,242	7,846	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	6,655	N/A	6,655	7,321	7,986	8,652	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	4,312	N/A	4,312	4,743	5,174	5,605	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	6,645	N/A	6,645	7,310	7,974	8,639	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	7,005	N/A	7,005	7,706	8,406	9,107	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	7,005	N/A	7,005	7,706	8,406	9,107	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	6,375	N/A	6,375	7,013	7,650	8,288	(C)
7318 16	Nuts of iron or steel	5,045	N/A	5,045	5,550	6,054	6,559	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	4,555	N/A	4,555	5,011	5,466	5,922	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,738	N/A	2,738	3,012	3,286	3,559	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,738	N/A	2,738	3,012	3,286	3,559	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 30	Ladders and steps, of iron or steel	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3,076	N/A	3,076	3,384	3,691	3,999	(C)

China								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3,076	N/A	3,076	3,384	3,691	3,999	(C)
7326 90 98	Articles of iron or steel, n.e.s.	3,076	N/A	3,076	3,384	3,691	3,999	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,090	0,020	1,110	1,221	1,332	1,443	(A)
2523 21 00	White Portland cement	1,210	0,120	1,330	1,463	1,596	1,729	
2523 29 00	Grey Portland cement	1,090	0,030	1,120	1,232	1,344	1,456	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,900	0,020	1,930	1,949	1,949	1,949	
2814 10 00	Anhydrous ammonia	2,260	0,080	2,340	2,363	2,363	2,363	
2814 20 00	Ammonia in aqueous solution	0,680	0,020	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,680	0,030	1,720	1,737	1,737	1,737	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,020	0,520	0,525	0,525	0,525	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,020	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,050	1,580	1,596	1,596	1,596	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,050	1,550	1,566	1,566	1,566	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,040	0,700	0,707	0,707	0,707	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,190	0,040	1,230	1,242	1,242	1,242	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,280	0,030	1,310	1,323	1,323	1,323	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,050	2,020	2,040	2,040	2,040	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,040	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,040	1,740	1,757	1,757	1,757	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,970	0,040	3,010	3,040	3,040	3,040	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,040	1,690	1,707	1,707	1,707	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,040	1,400	1,414	1,414	1,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,050	1,540	1,555	1,555	1,555	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,040	0,740	0,747	0,747	0,747	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,850	0,040	0,900	0,909	0,909	0,909	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,030	0,610	0,616	0,616	0,616	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,030	0,560	0,566	0,566	0,566	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,020	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,160	0,050	1,220	1,232	1,232	1,232	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,070	0,680	0,687	0,687	0,687	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,130	0,030	1,160	1,172	1,172	1,172	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,580	0,020	0,600	0,606	0,606	0,606	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,030	N/A	1,030	1,133	1,236	1,339	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 10	Bars and rods	1,250	N/A	1,250	1,375	1,500	1,625	(L)
7604 10 90	Profiles	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7604 21 00	Hollow profiles	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7604 29 10	Bars and rods	1,250	N/A	1,250	1,375	1,500	1,625	(L)
7604 29 90	Profiles	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7605	Aluminium wire	1,250	N/A	1,250	1,375	1,500	1,625	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7608	Aluminium tubes and pipes	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7610 90	Other	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7610 90 90	Other	1,270	N/A	1,270	1,397	1,524	1,651	(L)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,250	N/A	1,250	1,375	1,500	1,625	(L)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,710	N/A	1,710	1,881	2,052	2,223	(L)
7616 99 10	Cast	1,030	N/A	1,030	1,133	1,236	1,339	(L)
7616 99 90	Other	1,710	N/A	1,710	1,881	2,052	2,223	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,300	0,010	0,310	0,341	0,372	0,403	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,930	N/A	1,930	2,123	2,316	2,509	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,020	N/A	2,020	2,222	2,424	2,626	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,560	N/A	2,560	2,816	3,072	3,328	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,560	N/A	2,560	2,816	3,072	3,328	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,560	N/A	2,560	2,816	3,072	3,328	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,560	N/A	2,560	2,816	3,072	3,328	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,890	N/A	2,890	3,179	3,468	3,757	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,070	N/A	3,070	3,377	3,684	3,991	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,820	N/A	3,820	4,202	4,584	4,966	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,820	N/A	3,820	4,202	4,584	4,966	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,070	N/A	3,070	3,377	3,684	3,991	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,820	N/A	3,820	4,202	4,584	4,966	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,070	N/A	3,070	3,377	3,684	3,991	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,820	N/A	3,820	4,202	4,584	4,966	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,820	N/A	3,820	4,202	4,584	4,966	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	4,150	N/A	4,150	4,565	4,980	5,395	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	4,150	N/A	4,150	4,565	4,980	5,395	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	4,150	N/A	4,150	4,565	4,980	5,395	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	4,150	N/A	4,150	4,565	4,980	5,395	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	4,150	N/A	4,150	4,565	4,980	5,395	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	4,150	N/A	4,150	4,565	4,980	5,395	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,820	N/A	3,820	4,202	4,584	4,966	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,820	N/A	3,820	4,202	4,584	4,966	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	4,150	N/A	4,150	4,565	4,980	5,395	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	4,150	N/A	4,150	4,565	4,980	5,395	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,080	N/A	3,080	3,388	3,696	4,004	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,080	N/A	3,080	3,388	3,696	4,004	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,080	N/A	3,080	3,388	3,696	4,004	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,080	N/A	3,080	3,388	3,696	4,004	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,070	N/A	3,070	3,377	3,684	3,991	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,080	N/A	3,080	3,388	3,696	4,004	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,080	N/A	3,080	3,388	3,696	4,004	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7224 90 02	Semi-finished products of tool steel	4,180	N/A	4,180	4,598	5,016	5,434	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	4,180	N/A	4,180	4,598	5,016	5,434	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	4,180	N/A	4,180	4,598	5,016	5,434	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	5,300	N/A	5,300	5,830	6,360	6,890	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	4,180	N/A	4,180	4,598	5,016	5,434	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	4,180	N/A	4,180	4,598	5,016	5,434	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	5,300	N/A	5,300	5,830	6,360	6,890	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	4,180	N/A	4,180	4,598	5,016	5,434	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	4,520	N/A	4,520	4,972	5,424	5,876	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	4,180	N/A	4,180	4,598	5,016	5,434	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	4,520	N/A	4,520	4,972	5,424	5,876	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,430	N/A	3,430	3,773	4,116	4,459	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,430	N/A	3,430	3,773	4,116	4,459	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,730	N/A	2,730	3,003	3,276	3,549	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,950	N/A	1,950	2,145	2,340	2,535	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,080	N/A	3,080	3,388	3,696	4,004	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,080	N/A	3,080	3,388	3,696	4,004	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,080	N/A	3,080	3,388	3,696	4,004	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,080	N/A	3,080	3,388	3,696	4,004	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,080	N/A	3,080	3,388	3,696	4,004	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,050	N/A	2,050	2,255	2,460	2,665	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,050	N/A	2,050	2,255	2,460	2,665	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,890	N/A	2,890	3,179	3,468	3,757	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,150	N/A	4,150	4,565	4,980	5,395	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,150	N/A	4,150	4,565	4,980	5,395	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,560	N/A	2,560	2,816	3,072	3,328	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,890	N/A	2,890	3,179	3,468	3,757	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,890	N/A	2,890	3,179	3,468	3,757	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,150	N/A	4,150	4,565	4,980	5,395	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,820	N/A	3,820	4,202	4,584	4,966	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	3,120	N/A	3,120	3,432	3,744	4,056	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,790	N/A	2,790	3,069	3,348	3,627	(F)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	3,120	N/A	3,120	3,432	3,744	4,056	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	4,150	N/A	4,150	4,565	4,980	5,395	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,890	N/A	2,890	3,179	3,468	3,757	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,150	N/A	4,150	4,565	4,980	5,395	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,890	N/A	2,890	3,179	3,468	3,757	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,940	N/A	1,940	2,134	2,328	2,522	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,940	N/A	1,940	2,134	2,328	2,522	
7307 19 90	Cast tube or pipe fittings of steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,730	N/A	2,730	3,003	3,276	3,549	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,730	N/A	2,730	3,003	3,276	3,549	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,730	N/A	2,730	3,003	3,276	3,549	

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,730	N/A	2,730	3,003	3,276	3,549	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,580	N/A	3,580	3,938	4,296	4,654	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,760	N/A	3,760	4,136	4,512	4,888	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,890	N/A	2,890	3,179	3,468	3,757	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,990	N/A	2,990	3,289	3,588	3,887	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,080	N/A	3,080	3,388	3,696	4,004	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,080	N/A	3,080	3,388	3,696	4,004	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,680	N/A	2,680	2,948	3,216	3,484	(C)
7318 16	Nuts of iron or steel	2,950	N/A	2,950	3,245	3,540	3,835	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,210	N/A	2,210	2,431	2,652	2,873	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,160	N/A	2,160	2,376	2,592	2,808	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7326 90 30	Ladders and steps, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Colombia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,890	N/A	2,890	3,179	3,468	3,757	(C)

Congo								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,040	0,890	0,979	1,068	1,157	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0,070	0,930	1,023	1,116	1,209	

Congo								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,820	0,070	0,890	0,979	1,068	1,157	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N.A.	10,820	11,902	12,984	14,066	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0	0,850	0,935	1,020	1,105	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0	0,860	0,946	1,032	1,118	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,810	0,010	0,820	0,902	0,984	1,066	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,820	0,030	1,850	1,869	1,869	1,869	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,030	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	1,630	0,050	1,670	1,687	1,687	1,687	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,030	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,030	0,870	0,879	0,879	0,879	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,080	1,610	1,626	1,626	1,626	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,080	1,570	1,586	1,586	1,586	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,060	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,060	1,230	1,242	1,242	1,242	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,050	1,290	1,303	1,303	1,303	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,900	0,070	1,980	2	2	2	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,070	1,710	1,727	1,727	1,727	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,070	1,710	1,727	1,727	1,727	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,840	0,050	2,890	2,919	2,919	2,919	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,060	1,660	1,677	1,677	1,677	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,060	1,400	1,414	1,414	1,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,070	1,550	1,566	1,566	1,566	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,060	0,750	0,758	0,758	0,758	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,070	0,900	0,909	0,909	0,909	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,050	0,620	0,626	0,626	0,626	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,040	0,570	0,576	0,576	0,576	

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,030	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,130	0,080	1,210	1,222	1,222	1,222	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,080	0,690	0,697	0,697	0,697	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,050	1,150	1,162	1,162	1,162	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,040	0,600	0,606	0,606	0,606	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,410	N/A	1,410	1,551	1,692	1,833	(L)
7604 10 10	Bars and rods	1,630	N/A	1,630	1,793	1,956	2,119	(L)

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7604 21 00	Hollow profiles	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7604 29 10	Bars and rods	1,630	N/A	1,630	1,793	1,956	2,119	(L)
7604 29 90	Profiles	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7605	Aluminium wire	1,630	N/A	1,630	1,793	1,956	2,119	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7608	Aluminium tubes and pipes	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7610 90	Other	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,650	N/A	1,650	1,815	1,980	2,145	(L)

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	1,650	N/A	1,650	1,815	1,980	2,145	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,630	N/A	1,630	1,793	1,956	2,119	(L)

Costa Rica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,090	N/A	2,090	2,299	2,508	2,717	(L)
7616 99 10	Cast	1,410	N/A	1,410	1,551	1,692	1,833	(L)
7616 99 90	Other	2,090	N/A	2,090	2,299	2,508	2,717	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,130	0,050	1,180	1,298	1,416	1,534	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,760	0,050	1,800	1,818	1,818	1,818	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,670	0,040	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	1,580	0,060	1,640	1,656	1,656	1,656	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,500	0,030	0,540	0,545	0,545	0,545	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,830	0,030	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,510	0,100	1,610	1,626	1,626	1,626	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,480	0,100	1,580	1,596	1,596	1,596	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,650	0,070	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,140	0,080	1,210	1,222	1,222	1,222	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,200	0,060	1,260	1,273	1,273	1,273	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,850	0,090	1,940	1,959	1,959	1,959	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,080	1,680	1,697	1,697	1,697	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,080	1,680	1,697	1,697	1,697	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,740	0,070	2,810	2,838	2,838	2,838	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,550	0,080	1,630	1,646	1,646	1,646	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,300	0,080	1,380	1,394	1,394	1,394	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,440	0,090	1,540	1,555	1,555	1,555	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,680	0,070	0,750	0,758	0,758	0,758	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,810	0,080	0,890	0,899	0,899	0,899	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,060	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,050	0,580	0,586	0,586	0,586	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,330	0,040	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,100	0,100	1,200	1,212	1,212	1,212	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,600	0,090	0,700	0,707	0,707	0,707	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,060	0,060	1,130	1,141	1,141	1,141	

Côte d'Ivoire								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,550	0,040	0,590	0,596	0,596	0,596	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,320	0,070	1,400	1,540	1,680	1,820	(B)
2523 10 00	Grey clinker	1,090	0,050	1,140	1,254	1,368	1,482	(A)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	1,320	0,160	1,480	1,628	1,776	1,924	
2523 29 00	Grey Portland cement	1,090	0,090	1,180	1,298	1,416	1,534	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,820	0,060	1,880	1,899	1,899	1,899	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,060	0,740	0,747	0,747	0,747	
2834 21 00	Nitrate of potassium	1,620	0,090	1,710	1,727	1,727	1,727	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,050	0,530	0,535	0,535	0,535	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,050	0,850	0,859	0,859	0,859	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,460	0,140	1,600	1,616	1,616	1,616	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,430	0,140	1,570	1,586	1,586	1,586	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,650	0,100	0,750	0,758	0,758	0,758	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,150	0,120	1,260	1,273	1,273	1,273	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,090	1,320	1,333	1,333	1,333	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,140	2,030	2,050	2,050	2,050	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,120	1,750	1,768	1,768	1,768	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,120	1,750	1,768	1,768	1,768	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,840	0,090	2,940	2,969	2,969	2,969	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,120	1,710	1,727	1,727	1,727	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,310	0,110	1,420	1,434	1,434	1,434	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,430	0,130	1,560	1,576	1,576	1,576	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,680	0,100	0,790	0,798	0,798	0,798	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,120	0,940	0,949	0,949	0,949	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,090	0,650	0,657	0,657	0,657	

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,080	0,600	0,606	0,606	0,606	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,330	0,060	0,400	0,404	0,404	0,404	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,110	0,150	1,270	1,283	1,283	1,283	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,600	0,120	0,720	0,727	0,727	0,727	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Cuba								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,090	1,180	1,192	1,192	1,192	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,060	0,620	0,626	0,626	0,626	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Curaçao								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Democratic Republic of the Congo								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0	1,250	1,375	1,500	1,625	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,010	1,250	1,375	1,500	1,625	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,030	0,050	1,070	1,177	1,284	1,391	(A)
2523 21 00	White Portland cement	1,210	0,150	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	1,040	0,080	1,120	1,232	1,344	1,456	
2523 90 00	White hydraulic cements	1,260	0,190	1,450	1,595	1,740	1,885	(B)
2523 90 00	Grey hydraulic cements	0,990	0,080	1,070	1,177	1,284	1,391	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,050	1,850	1,869	1,869	1,869	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,050	0,730	0,737	0,737	0,737	
2834 21 00	Nitrate of potassium	1,610	0,080	1,690	1,707	1,707	1,707	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,040	0,550	0,556	0,556	0,556	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,040	0,880	0,889	0,889	0,889	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,120	1,650	1,667	1,667	1,667	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,120	1,620	1,636	1,636	1,636	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,090	0,750	0,758	0,758	0,758	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,100	1,260	1,273	1,273	1,273	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,080	1,300	1,313	1,313	1,313	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,880	0,120	2	2,020	2,020	2,020	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,110	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,110	1,740	1,757	1,757	1,757	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,800	0,080	2,880	2,909	2,909	2,909	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,580	0,110	1,690	1,707	1,707	1,707	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,330	0,100	1,420	1,434	1,434	1,434	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,110	1,580	1,596	1,596	1,596	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,090	0,780	0,788	0,788	0,788	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,110	0,930	0,939	0,939	0,939	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,080	0,640	0,646	0,646	0,646	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,070	0,600	0,606	0,606	0,606	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,050	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,140	1,260	1,273	1,273	1,273	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,110	0,720	0,727	0,727	0,727	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,080	1,170	1,182	1,182	1,182	

Dominican Republic								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,060	0,620	0,626	0,626	0,626	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	N/A

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,090	0,010	1,110	1,221	1,332	1,443	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,090	0,020	1,110	1,221	1,332	1,443	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,040	0,030	1,070	1,177	1,284	1,391	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,880	0,020	1,910	1,929	1,929	1,929	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,020	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,670	0,040	1,700	1,717	1,717	1,717	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,020	0,530	0,535	0,535	0,535	

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,020	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,060	1,590	1,606	1,606	1,606	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,060	1,560	1,576	1,576	1,576	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,050	0,710	0,717	0,717	0,717	

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,060	1,240	1,252	1,252	1,252	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,270	0,040	1,310	1,323	1,323	1,323	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,060	2,010	2,030	2,030	2,030	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,680	0,060	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,680	0,060	1,740	1,757	1,757	1,757	

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,940	0,040	2,980	3,010	3,010	3,010	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,060	1,690	1,707	1,707	1,707	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,050	1,410	1,424	1,424	1,424	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,060	1,550	1,566	1,566	1,566	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,050	0,750	0,758	0,758	0,758	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,850	0,060	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,050	0,620	0,626	0,626	0,626	

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,040	0,570	0,576	0,576	0,576	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,030	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,160	0,080	1,230	1,242	1,242	1,242	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,080	0,690	0,697	0,697	0,697	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,120	0,040	1,160	1,172	1,172	1,172	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,580	0,030	0,610	0,616	0,616	0,616	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7604 10 10	Bars and rods	2,190	N/A	2,190	2,409	2,628	2,847	(L)

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7604 21 00	Hollow profiles	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7604 29 10	Bars and rods	2,190	N/A	2,190	2,409	2,628	2,847	(L)
7604 29 90	Profiles	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7605	Aluminium wire	2,190	N/A	2,190	2,409	2,628	2,847	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7608	Aluminium tubes and pipes	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7610 90	Other	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,210	N/A	2,210	2,431	2,652	2,873	(L)

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,210	N/A	2,210	2,431	2,652	2,873	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,190	N/A	2,190	2,409	2,628	2,847	(L)

Ecuador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,650	N/A	2,650	2,915	3,180	3,445	(L)
7616 99 10	Cast	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7616 99 90	Other	2,650	N/A	2,650	2,915	3,180	3,445	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/a	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	White clinker	1,290	0,040	1,330	1,463	1,596	1,729	(B)
2523 10 00	Grey clinker	1,240	0,030	1,270	1,397	1,524	1,651	(A)
2523 21 00	White Portland cement	1,250	0,130	1,390	1,529	1,668	1,807	
2523 29 00	Grey Portland cement	1,240	0,050	1,290	1,419	1,548	1,677	
2523 90 00	White hydraulic cements	1,300	0,160	1,450	1,595	1,740	1,885	(B)
2523 90 00	Grey hydraulic cements	1,180	0,060	1,240	1,364	1,488	1,612	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,460	0,030	2,490	2,515	2,515	2,515	
2814 10 00	Anhydrous ammonia	1,960	0,100	2,050	2,071	2,071	2,071	
2814 20 00	Ammonia in aqueous solution	0,590	0,030	0,620	0,626	0,626	0,626	
2834 21 00	Nitrate of potassium	1,990	0,050	2,040	2,060	2,060	2,060	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,020	0,460	0,465	0,465	0,465	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,020	0,750	0,758	0,758	0,758	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,320	0,080	1,390	1,404	1,404	1,404	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,290	0,070	1,360	1,374	1,374	1,374	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,060	0,630	0,636	0,636	0,636	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,060	1,340	1,353	1,353	1,353	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,510	0,050	1,560	1,576	1,576	1,576	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,320	0,080	2,390	2,414	2,414	2,414	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,070	2,050	2,071	2,071	2,071	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,070	2,050	2,071	2,071	2,071	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,840	0,050	3,890	3,929	3,929	3,929	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,070	2,010	2,030	2,030	2,030	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,450	0,060	1,510	1,525	1,525	1,525	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,070	1,560	1,576	1,576	1,576	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,060	0,800	0,808	0,808	0,808	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,070	1,040	1,050	1,050	1,050	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,050	0,710	0,717	0,717	0,717	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,040	0,500	0,505	0,505	0,505	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,040	0,330	0,333	0,333	0,333	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,090	1,430	1,444	1,444	1,444	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,530	0,080	0,620	0,626	0,626	0,626	

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,050	1,360	1,374	1,374	1,374	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,040	0,710	0,717	0,717	0,717	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	2,698	N/A	2,698	2,967	3,237	3,507	(K)
7604 10 10	Bars and rods	2,997	N/A	2,997	3,297	3,597	3,896	(K)

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7604 21 00	Hollow profiles	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7604 29 10	Bars and rods	2,997	N/A	2,997	3,297	3,597	3,896	(K)
7604 29 90	Profiles	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7605	Aluminium wire	2,997	N/A	2,997	3,297	3,597	3,896	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7608	Aluminium tubes and pipes	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7610 90	Other	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	3,025	N/A	3,025	3,327	3,629	3,932	(K)
7610 90 90	Other	3,025	N/A	3,025	3,327	3,629	3,932	(K)

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,997	N/A	2,997	3,297	3,597	3,896	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,624	N/A	3,624	3,986	4,349	4,711	(K)

Egypt								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,624	N/A	3,624	3,986	4,349	4,711	(K)
7616 99 10	Cast	2,698	N/A	2,698	2,967	3,237	3,507	(K)
7616 99 90	Other	3,624	N/A	3,624	3,986	4,349	4,711	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,040	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,070	0,940	1,034	1,128	1,222	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,080	0,910	1,001	1,092	1,183	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,820	0,050	1,870	1,889	1,889	1,889	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,040	0,730	0,737	0,737	0,737	
2834 21 00	Nitrate of potassium	1,620	0,070	1,690	1,707	1,707	1,707	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,040	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,800	0,040	0,840	0,848	0,848	0,848	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,460	0,120	1,580	1,596	1,596	1,596	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,430	0,110	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,650	0,080	0,730	0,737	0,737	0,737	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,150	0,090	1,240	1,252	1,252	1,252	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,070	1,300	1,313	1,313	1,313	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,110	2	2,020	2,020	2,020	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,100	1,720	1,737	1,737	1,737	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,100	1,720	1,737	1,737	1,737	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,850	0,080	2,920	2,949	2,949	2,949	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,100	1,680	1,697	1,697	1,697	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,310	0,090	1,400	1,414	1,414	1,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,430	0,100	1,540	1,555	1,555	1,555	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,680	0,080	0,770	0,778	0,778	0,778	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,100	0,920	0,929	0,929	0,929	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,080	0,630	0,636	0,636	0,636	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,060	0,590	0,596	0,596	0,596	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,330	0,050	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,110	0,120	1,240	1,252	1,252	1,252	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,600	0,100	0,700	0,707	0,707	0,707	

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,080	1,160	1,172	1,172	1,172	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,980	N/A	1,980	2,178	2,376	2,574	(L)
7604 10 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(L)

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7604 21 00	Hollow profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7604 29 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(L)
7604 29 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7605	Aluminium wire	2,200	N/A	2,200	2,420	2,640	2,860	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7608	Aluminium tubes and pipes	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,220	N/A	2,220	2,442	2,664	2,886	(L)

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,200	N/A	2,200	2,420	2,640	2,860	(L)

El Salvador								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7616 99 10	Cast	1,980	N/A	1,980	2,178	2,376	2,574	(L)
7616 99 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Equatorial Guinea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N.A.	10,820	11,902	12,984	14,066	

Eritrea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,060	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0,110	0,960	1,056	1,152	1,248	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Eswatini								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	(A)
2523 10 00	White clinker	–	–	–	–	–	–	(B)
2523 10 00	Grey clinker	–	–	–	–	–	–	(A)

Eswatini								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,170	0,080	1,250	1,375	1,500	1,625	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,120	0,080	1,200	1,320	1,440	1,560	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0	0,850	0,935	1,020	1,105	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0	0,850	0,935	1,020	1,105	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,830	0,050	1,880	1,899	1,899	1,899	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,830	0,050	0,880	0,889	0,889	0,889	
2834 21 00	Nitrate of potassium	1,720	0,070	1,800	1,818	1,818	1,818	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,600	0,040	0,640	0,646	0,646	0,646	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1	0,040	1,030	1,040	1,040	1,040	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,810	0,120	1,930	1,949	1,949	1,949	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,770	0,120	1,890	1,909	1,909	1,909	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,790	0,070	0,860	0,869	0,869	0,869	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,080	1,370	1,384	1,384	1,384	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,310	0,060	1,380	1,394	1,394	1,394	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,020	0,100	2,120	2,141	2,141	2,141	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,740	0,090	1,830	1,848	1,848	1,848	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,740	0,090	1,830	1,848	1,848	1,848	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,860	0,080	2,940	2,969	2,969	2,969	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,690	0,090	1,780	1,798	1,798	1,798	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,480	0,080	1,560	1,576	1,576	1,576	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,670	0,100	1,770	1,788	1,788	1,788	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,770	0,070	0,840	0,848	0,848	0,848	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,890	0,080	0,970	0,980	0,980	0,980	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,060	0,660	0,667	0,667	0,667	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,060	0,700	0,707	0,707	0,707	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,400	0,040	0,450	0,455	0,455	0,455	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,200	0,100	1,300	1,313	1,313	1,313	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,720	0,100	0,820	0,828	0,828	0,828	

Ethiopia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,170	0,070	1,230	1,242	1,242	1,242	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,600	0,040	0,640	0,646	0,646	0,646	

Gabon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,24	0,04	1,28	1,408	1,536	1,664	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,13	0,06	1,19	1,309	1,428	1,547	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,07	0,06	1,14	1,254	1,368	1,482	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,010	1,360	1,496	1,632	1,768	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,190	0,020	1,200	1,320	1,440	1,560	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,780	0,010	2,780	2,808	2,808	2,808	
2814 10 00	Anhydrous ammonia	2,160	0,030	2,190	2,212	2,212	2,212	
2814 20 00	Ammonia in aqueous solution	0,650	0,010	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	2,240	0,020	2,250	2,273	2,273	2,273	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,010	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,010	0,820	0,828	0,828	0,828	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,030	1,500	1,515	1,515	1,515	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,030	1,470	1,485	1,485	1,485	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,040	0,670	0,677	0,677	0,677	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,430	0,040	1,470	1,485	1,485	1,485	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,690	0,030	1,720	1,737	1,737	1,737	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,600	0,040	2,640	2,666	2,666	2,666	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,230	0,040	2,270	2,293	2,293	2,293	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,230	0,040	2,270	2,293	2,293	2,293	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,330	0,010	4,340	4,383	4,383	4,383	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,180	0,040	2,220	2,242	2,242	2,242	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,630	0,030	1,660	1,677	1,677	1,677	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,660	0,040	1,700	1,717	1,717	1,717	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,040	0,860	0,869	0,869	0,869	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,050	1,140	1,151	1,151	1,151	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,740	0,040	0,780	0,788	0,788	0,788	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,020	0,530	0,535	0,535	0,535	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,020	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,500	0,060	1,570	1,586	1,586	1,586	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,060	0,650	0,657	0,657	0,657	

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,030	1,500	1,515	1,515	1,515	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,750	0,030	0,780	0,788	0,788	0,788	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Georgia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,180	0,100	0,280	0,308	0,336	0,364	(A)
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,050	0,050	1,100	1,210	1,320	1,430	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1	0,050	1,060	1,166	1,272	1,378	(A)

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,050	1,850	1,869	1,869	1,869	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,700	0,040	0,750	0,758	0,758	0,758	
2834 21 00	Nitrate of potassium	1,630	0,060	1,690	1,707	1,707	1,707	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,190	0,030	1,220	1,232	1,232	1,232	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,970	0,030	2	2,020	2,020	2,020	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	3,570	0,100	3,680	3,717	3,717	3,717	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	3,500	0,100	3,600	3,636	3,636	3,636	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,060	0,750	0,758	0,758	0,758	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,080	1,250	1,263	1,263	1,263	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,060	1,300	1,313	1,313	1,313	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,910	0,090	2	2,020	2,020	2,020	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,080	1,730	1,747	1,747	1,747	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,080	1,730	1,747	1,747	1,747	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,810	0,070	2,890	2,919	2,919	2,919	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,080	1,680	1,697	1,697	1,697	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	2	0,080	2,080	2,101	2,101	2,101	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	2,530	0,090	2,620	2,646	2,646	2,646	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,060	0,770	0,778	0,778	0,778	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,070	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,050	0,620	0,626	0,626	0,626	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,050	0,600	0,606	0,606	0,606	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,350	0,040	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,130	0,090	1,220	1,232	1,232	1,232	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,630	0,090	0,720	0,727	0,727	0,727	

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,060	1,160	1,172	1,172	1,172	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,570	0,040	0,610	0,616	0,616	0,616	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ghana								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,070	0,940	1,034	1,128	1,222	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,110	0,980	1,078	1,176	1,274	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,120	0,950	1,045	1,140	1,235	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,820	0,080	1,890	1,909	1,909	1,909	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,070	0,750	0,758	0,758	0,758	
2834 21 00	Nitrate of potassium	1,620	0,110	1,730	1,747	1,747	1,747	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,060	0,900	0,909	0,909	0,909	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,180	1,710	1,727	1,727	1,727	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,180	1,670	1,687	1,687	1,687	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,130	0,790	0,798	0,798	0,798	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,150	1,310	1,323	1,323	1,323	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,110	1,350	1,364	1,364	1,364	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,900	0,170	2,070	2,091	2,091	2,091	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,160	1,800	1,818	1,818	1,818	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,160	1,800	1,818	1,818	1,818	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,830	0,120	2,950	2,980	2,980	2,980	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,150	1,740	1,757	1,757	1,757	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,330	0,140	1,470	1,485	1,485	1,485	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,160	1,640	1,656	1,656	1,656	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,130	0,820	0,828	0,828	0,828	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,160	0,990	1	1	1	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,120	0,680	0,687	0,687	0,687	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,100	0,630	0,636	0,636	0,636	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,080	0,420	0,424	0,424	0,424	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,130	0,200	1,320	1,333	1,333	1,333	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,150	0,760	0,768	0,768	0,768	

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,120	1,210	1,222	1,222	1,222	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,080	0,650	0,657	0,657	0,657	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,980	N/A	1,980	2,178	2,376	2,574	(L)
7604 10 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(L)

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7604 21 00	Hollow profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7604 29 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(L)
7604 29 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7605	Aluminium wire	2,200	N/A	2,200	2,420	2,640	2,860	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7608	Aluminium tubes and pipes	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,220	N/A	2,220	2,442	2,664	2,886	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,200	N/A	2,200	2,420	2,640	2,860	(L)

Guatemala								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7616 99 10	Cast	1,980	N/A	1,980	2,178	2,376	2,574	(L)
7616 99 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Haiti								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,090	0,060	1,160	1,276	1,392	1,508	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,110	0,100	1,200	1,320	1,440	1,560	

Haiti								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,050	0,100	1,150	1,265	1,380	1,495	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,040	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,880	0,070	0,940	1,034	1,128	1,222	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,840	0,070	0,910	1,001	1,092	1,183	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,040	1,850	1,869	1,869	1,869	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,040	0,720	0,727	0,727	0,727	
2834 21 00	Nitrate of potassium	1,620	0,060	1,680	1,697	1,697	1,697	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,500	0,040	1,540	1,555	1,555	1,555	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	2,490	0,040	2,530	2,555	2,555	2,555	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	4,530	0,110	4,640	4,686	4,686	4,686	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	4,430	0,100	4,530	4,575	4,575	4,575	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,080	0,740	0,747	0,747	0,747	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,090	1,250	1,263	1,263	1,263	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,070	1,300	1,313	1,313	1,313	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,100	1,990	2,010	2,010	2,010	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,100	1,730	1,747	1,747	1,747	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,100	1,730	1,747	1,747	1,747	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,810	0,070	2,880	2,909	2,909	2,909	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,090	1,680	1,697	1,697	1,697	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	2,310	0,080	2,390	2,414	2,414	2,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	3,010	0,100	3,110	3,141	3,141	3,141	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,080	0,770	0,778	0,778	0,778	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,090	0,920	0,929	0,929	0,929	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,070	0,630	0,636	0,636	0,636	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,060	0,590	0,596	0,596	0,596	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,050	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,120	1,240	1,252	1,252	1,252	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,100	0,710	0,717	0,717	0,717	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,070	1,160	1,172	1,172	1,172	

Honduras								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	

Hong Kong								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,050	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,900	0,080	0,980	1,078	1,176	1,274	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Hong Kong								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,860	0,080	0,940	1,034	1,128	1,222	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,350	0,070	1,410	1,551	1,692	1,833	(B)
2523 10 00	Grey clinker	1,390	0,050	1,440	1,584	1,728	1,872	(A)
2523 21 00	White Portland cement	1,330	0,140	1,470	1,617	1,764	1,911	
2523 29 00	Grey Portland cement	1,390	0,090	1,480	1,628	1,776	1,924	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	2,050	0,240	2,290	2,519	2,748	2,977	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,940	0,070	2,010	2,030	2,030	2,030	
2814 10 00	Anhydrous ammonia	3,060	0,220	3,280	3,313	3,313	3,313	
2814 20 00	Ammonia in aqueous solution	0,920	0,070	0,990	1	1	1	
2834 21 00	Nitrate of potassium	1,860	0,100	1,960	1,980	1,980	1,980	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,680	0,060	0,740	0,747	0,747	0,747	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,130	0,060	1,180	1,192	1,192	1,192	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,050	0,170	2,220	2,242	2,242	2,242	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2	0,160	2,170	2,192	2,192	2,192	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,890	0,120	1,010	1,020	1,020	1,020	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,410	0,140	1,550	1,566	1,566	1,566	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,420	0,110	1,520	1,535	1,535	1,535	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,180	0,160	2,340	2,363	2,363	2,363	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,150	2,040	2,060	2,060	2,060	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,150	2,040	2,060	2,060	2,060	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,030	0,110	3,140	3,171	3,171	3,171	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,830	0,140	1,970	1,990	1,990	1,990	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,620	0,130	1,750	1,768	1,768	1,768	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,850	0,150	2,010	2,030	2,030	2,030	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,850	0,120	0,980	0,990	0,990	0,990	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,150	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,110	0,770	0,778	0,778	0,778	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,720	0,090	0,810	0,818	0,818	0,818	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,450	0,070	0,530	0,535	0,535	0,535	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,310	0,180	1,490	1,505	1,505	1,505	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,820	0,150	0,970	0,980	0,980	0,980	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,270	0,110	1,380	1,394	1,394	1,394	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,660	0,080	0,730	0,737	0,737	0,737	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	3,071	N/A	3,071	3,378	3,686	3,993	(K)
7604 10 10	Bars and rods	3,413	N/A	3,413	3,754	4,095	4,436	(K)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7604 21 00	Hollow profiles	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7604 29 10	Bars and rods	3,413	N/A	3,413	3,754	4,095	4,436	(K)
7604 29 90	Profiles	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7605	Aluminium wire	2,594	N/A	2,594	2,853	3,113	3,372	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7608	Aluminium tubes and pipes	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7610 90	Other	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	3,444	N/A	3,444	3,788	4,132	4,477	(K)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	3,444	N/A	3,444	3,788	4,132	4,477	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	3,413	N/A	3,413	3,754	4,095	4,436	(K)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	4,126	N/A	4,126	4,539	4,951	5,364	(K)
7616 99 10	Cast	3,071	N/A	3,071	3,378	3,686	3,993	(K)
7616 99 90	Other	4,126	N/A	4,126	4,539	4,951	5,364	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,290	0,050	0,340	0,374	0,408	0,442	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,530	N/A	2,530	2,783	3,036	3,289	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	N/A	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	4,200	N/A	4,200	4,620	5,040	5,460	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,540	N/A	2,540	2,794	3,048	3,302	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,640	N/A	2,640	2,904	3,168	3,432	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,640	N/A	2,640	2,904	3,168	3,432	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	4,280	N/A	4,280	4,708	5,136	5,564	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	4,280	N/A	4,280	4,708	5,136	5,564	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,280	N/A	4,280	4,708	5,136	5,564	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	6,530	N/A	6,530	7,183	7,836	8,489	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	6,490	N/A	6,490	7,139	7,788	8,437	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	6,490	N/A	6,490	7,139	7,788	8,437	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	6,530	N/A	6,530	7,183	7,836	8,489	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	6,490	N/A	6,490	7,139	7,788	8,437	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	6,530	N/A	6,530	7,183	7,836	8,489	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	6,490	N/A	6,490	7,139	7,788	8,437	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	6,490	N/A	6,490	7,139	7,788	8,437	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	6,500	N/A	6,500	7,150	7,800	8,450	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	6,500	N/A	6,500	7,150	7,800	8,450	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	6,500	N/A	6,500	7,150	7,800	8,450	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	6,500	N/A	6,500	7,150	7,800	8,450	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	6,500	N/A	6,500	7,150	7,800	8,450	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	6,500	N/A	6,500	7,150	7,800	8,450	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	6,490	N/A	6,490	7,139	7,788	8,437	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	6,490	N/A	6,490	7,139	7,788	8,437	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	6,500	N/A	6,500	7,150	7,800	8,450	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	6,500	N/A	6,500	7,150	7,800	8,450	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	6,480	N/A	6,480	7,128	7,776	8,424	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	6,480	N/A	6,480	7,128	7,776	8,424	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	6,480	N/A	6,480	7,128	7,776	8,424	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	6,480	N/A	6,480	7,128	7,776	8,424	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	6,530	N/A	6,530	7,183	7,836	8,489	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	6,480	N/A	6,480	7,128	7,776	8,424	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	6,480	N/A	6,480	7,128	7,776	8,424	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	7,350	N/A	7,350	8,085	8,820	9,555	(F)
7224 90 02	Semi-finished products of tool steel	7,320	N/A	7,320	8,052	8,784	9,516	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	7,320	N/A	7,320	8,052	8,784	9,516	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	7,350	N/A	7,350	8,085	8,820	9,555	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	7,320	N/A	7,320	8,052	8,784	9,516	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	7,350	N/A	7,350	8,085	8,820	9,555	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	8,580	N/A	8,580	9,438	10,296	11,154	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	7,320	N/A	7,320	8,052	8,784	9,516	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	8,580	N/A	8,580	9,438	10,296	11,154	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	7,320	N/A	7,320	8,052	8,784	9,516	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	7,320	N/A	7,320	8,052	8,784	9,516	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	7,320	N/A	7,320	8,052	8,784	9,516	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	7,300	N/A	7,300	8,030	8,760	9,490	(C)/(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,350	N/A	7,350	8,085	8,820	9,555	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,350	N/A	7,350	8,085	8,820	9,555	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	7,300	N/A	7,300	8,030	8,760	9,490	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	7,300	N/A	7,300	8,030	8,760	9,490	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	7,300	N/A	7,300	8,030	8,760	9,490	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	7,300	N/A	7,300	8,030	8,760	9,490	(C)/(F)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	4,300	N/A	4,300	4,730	5,160	5,590	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	5,450	N/A	5,450	5,995	6,540	7,085	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,840	N/A	2,840	3,124	3,408	3,692	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	6,490	N/A	6,490	7,139	7,788	8,437	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	6,490	N/A	6,490	7,139	7,788	8,437	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	6,490	N/A	6,490	7,139	7,788	8,437	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	6,490	N/A	6,490	7,139	7,788	8,437	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	6,490	N/A	6,490	7,139	7,788	8,437	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	4,320	N/A	4,320	4,752	5,184	5,616	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	4,320	N/A	4,320	4,752	5,184	5,616	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	6,500	N/A	6,500	7,150	7,800	8,450	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	6,500	N/A	6,500	7,150	7,800	8,450	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	4,320	N/A	4,320	4,752	5,184	5,616	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	4,320	N/A	4,320	4,752	5,184	5,616	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	6,500	N/A	6,500	7,150	7,800	8,450	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	6,490	N/A	6,490	7,139	7,788	8,437	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	4,330	N/A	4,330	4,763	5,196	5,629	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	4,320	N/A	4,320	4,752	5,184	5,616	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	4,330	N/A	4,330	4,763	5,196	5,629	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	6,500	N/A	6,500	7,150	7,800	8,450	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	6,500	N/A	6,500	7,150	7,800	8,450	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,320	N/A	4,320	4,752	5,184	5,616	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,859	N/A	3,859	4,245	4,631	5,017	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,859	N/A	3,859	4,245	4,631	5,017	
7307 19 90	Cast tube or pipe fittings of steel	4,320	N/A	4,320	4,752	5,184	5,616	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	4,810	N/A	4,810	5,291	5,772	6,253	

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	4,810	N/A	4,810	5,291	5,772	6,253	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	4,810	N/A	4,810	5,291	5,772	6,253	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	4,810	N/A	4,810	5,291	5,772	6,253	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	4,280	N/A	4,280	4,708	5,136	5,564	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	5,930	N/A	5,930	6,523	7,116	7,709	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	6,650	N/A	6,650	7,315	7,980	8,645	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	4,310	N/A	4,310	4,741	5,172	5,603	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	6,640	N/A	6,640	7,304	7,968	8,632	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 10	Wood screws of stainless steel (excl. coach screws)	5,770	N/A	5,770	6,347	6,924	7,501	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	5,770	N/A	5,770	6,347	6,924	7,501	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	5,720	N/A	5,720	6,292	6,864	7,436	(C)
7318 16	Nuts of iron or steel	5,140	N/A	5,140	5,654	6,168	6,682	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	4,270	N/A	4,270	4,697	5,124	5,551	(C)

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 21 00	Spring washers and other lock washers, of iron or steel	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	5,140	N/A	5,140	5,654	6,168	6,682	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	4,280	N/A	4,280	4,708	5,136	5,564	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7318 29 00	Non-threaded articles, of iron or steel	4,270	N/A	4,270	4,697	5,124	5,551	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 30	Ladders and steps, of iron or steel	4,910	N/A	4,910	5,401	5,892	6,383	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

India								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	4,910	N/A	4,910	5,401	5,892	6,383	(C)
7326 90 98	Articles of iron or steel, n.e.s.	4,910	N/A	4,910	5,401	5,892	6,383	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,060	0,070	2,130	2,151	2,151	2,151	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2814 10 00	Anhydrous ammonia	2,050	0,230	2,280	2,303	2,303	2,303	
2814 20 00	Ammonia in aqueous solution	0,620	0,070	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	1,740	0,110	1,860	1,879	1,879	1,879	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,060	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,060	0,830	0,838	0,838	0,838	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,400	0,180	1,580	1,596	1,596	1,596	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,370	0,180	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,140	0,740	0,747	0,747	0,747	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,150	1,330	1,343	1,343	1,343	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,320	0,120	1,440	1,454	1,454	1,454	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,040	0,180	2,220	2,242	2,242	2,242	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,160	1,920	1,939	1,939	1,939	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,160	1,920	1,939	1,939	1,939	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,220	0,120	3,330	3,363	3,363	3,363	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,710	0,160	1,870	1,889	1,889	1,889	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,350	0,140	1,490	1,505	1,505	1,505	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,440	0,170	1,610	1,626	1,626	1,626	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,140	0,830	0,838	0,838	0,838	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,870	0,160	1,040	1,050	1,050	1,050	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,130	0,720	0,727	0,727	0,727	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,100	0,580	0,586	0,586	0,586	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,080	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,200	0,200	1,400	1,414	1,414	1,414	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,150	0,710	0,717	0,717	0,717	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,160	0,120	1,280	1,293	1,293	1,293	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,600	0,090	0,680	0,687	0,687	0,687	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,830	N/A	1,830	2,013	2,196	2,379	(K)
7604 10 10	Bars and rods	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7604 10 90	Profiles	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7604 21 00	Hollow profiles	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7604 29 10	Bars and rods	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7604 29 90	Profiles	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7605	Aluminium wire	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,510	N/A	2,510	2,761	3,012	3,263	(K)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7608	Aluminium tubes and pipes	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7610 90	Other	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7610 90 90	Other	2,070	N/A	2,070	2,277	2,484	2,691	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,510	N/A	2,510	2,761	3,012	3,263	(K)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,060	N/A	2,060	2,266	2,472	2,678	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7616 99 10	Cast	1,830	N/A	1,830	2,013	2,196	2,379	(K)
7616 99 90	Other	2,510	N/A	2,510	2,761	3,012	3,263	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	-	-	-	-	-	-	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	7,920	N/A	7,920	8,712	9,504	10,296	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	6,150	N/A	6,150	6,765	7,380	7,995	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	7,900	N/A	7,900	8,690	9,480	10,270	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	8,250	N/A	8,250	9,075	9,900	10,725	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	8,630	N/A	8,630	9,493	10,356	11,219	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	8,630	N/A	8,630	9,493	10,356	11,219	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	8,630	N/A	8,630	9,493	10,356	11,219	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	8,670	N/A	8,670	9,537	10,404	11,271	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	8,670	N/A	8,670	9,537	10,404	11,271	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	8,690	N/A	8,690	9,559	10,428	11,297	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	N/A	8,690	9,559	10,428	11,297	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	8,670	N/A	8,670	9,537	10,404	11,271	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	8,690	N/A	8,690	9,559	10,428	11,297	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	N/A	8,690	9,559	10,428	11,297	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	8,690	N/A	8,690	9,559	10,428	11,297	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	8,690	N/A	8,690	9,559	10,428	11,297	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	8,690	N/A	8,690	9,559	10,428	11,297	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	8,690	N/A	8,690	9,559	10,428	11,297	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	8,630	N/A	8,630	9,493	10,356	11,219	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	8,690	N/A	8,690	9,559	10,428	11,297	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	8,690	N/A	8,690	9,559	10,428	11,297	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	9,960	N/A	9,960	10,956	11,952	12,948	(F)
7224 90 02	Semi-finished products of tool steel	10	N/A	10	11	12	13	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	10	N/A	10	11	12	13	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	10	N/A	10	11	12	13	(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	10	N/A	10	11	12	13	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	10	N/A	10	11	12	13	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	9,960	N/A	9,960	10,956	11,952	12,948	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	10	N/A	10	11	12	13	(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	10	N/A	10	11	12	13	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	9,960	N/A	9,960	10,956	11,952	12,948	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	13,240	N/A	13,240	14,564	15,888	17,212	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	10	N/A	10	11	12	13	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	10	N/A	10	11	12	13	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	10	N/A	10	11	12	13	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	13,240	N/A	13,240	14,564	15,888	17,212	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	10	N/A	10	11	12	13	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	10	N/A	10	11	12	13	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	10	N/A	10	11	12	13	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	10,020	N/A	10,020	11,022	12,024	13,026	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	10,020	N/A	10,020	11,022	12,024	13,026	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	9,960	N/A	9,960	10,956	11,952	12,948	(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(C)/(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	9,960	N/A	9,960	10,956	11,952	12,948	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	N/A	10,020	11,022	12,024	13,026	(F)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	10,020	N/A	10,020	11,022	12,024	13,026	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	10,020	N/A	10,020	11,022	12,024	13,026	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7303 00	Tubes, pipes and hollow profiles, of cast iron	7,890	N/A	7,890	8,679	9,468	10,257	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	–	–	–	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	8,630	N/A	8,630	9,493	10,356	11,219	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	8,630	N/A	8,630	9,493	10,356	11,219	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	8,630	N/A	8,630	9,493	10,356	11,219	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	8,630	N/A	8,630	9,493	10,356	11,219	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	8,630	N/A	8,630	9,493	10,356	11,219	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	7,860	N/A	7,860	8,646	9,432	10,218	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	7,860	N/A	7,860	8,646	9,432	10,218	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	8,250	N/A	8,250	9,075	9,900	10,725	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	8,230	N/A	8,230	9,053	9,876	10,699	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	8,250	N/A	8,250	9,075	9,900	10,725	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	8,250	N/A	8,250	9,075	9,900	10,725	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	8,690	N/A	8,690	9,559	10,428	11,297	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	8,670	N/A	8,670	9,537	10,404	11,271	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	7,960	N/A	7,960	8,756	9,552	10,348	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	7,940	N/A	7,940	8,734	9,528	10,322	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	7,960	N/A	7,960	8,756	9,552	10,348	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	8,690	N/A	8,690	9,559	10,428	11,297	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	8,250	N/A	8,250	9,075	9,900	10,725	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	8,690	N/A	8,690	9,559	10,428	11,297	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	8,250	N/A	8,250	9,075	9,900	10,725	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	7,890	N/A	7,890	8,679	9,468	10,257	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	7,890	N/A	7,890	8,679	9,468	10,257	
7307 19 90	Cast tube or pipe fittings of steel	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	7,940	N/A	7,940	8,734	9,528	10,322	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	7,940	N/A	7,940	8,734	9,528	10,322	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	7,940	N/A	7,940	8,734	9,528	10,322	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	7,940	N/A	7,940	8,734	9,528	10,322	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	10,010	N/A	10,010	11,011	12,012	13,013	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	8,250	N/A	8,250	9,075	9,900	10,725	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	9,980	N/A	9,980	10,978	11,976	12,974	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	8,650	N/A	8,650	9,515	10,380	11,245	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	8,650	N/A	8,650	9,515	10,380	11,245	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	8,230	N/A	8,230	9,053	9,876	10,699	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	8,540	N/A	8,540	9,394	10,248	11,102	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	8,540	N/A	8,540	9,394	10,248	11,102	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7318 29 00	Non-threaded articles, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326 90 30	Ladders and steps, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	8,230	N/A	8,230	9,053	9,876	10,699	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	8,210	N/A	8,210	9,031	9,852	10,673	(C)

Indonesia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 96	Sintered articles of iron or steel, n.e.s.	8,210	N/A	8,210	9,031	9,852	10,673	(C)
7326 90 98	Articles of iron or steel, n.e.s.	8,250	N/A	8,250	9,075	9,900	10,725	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,320	0,050	1,380	1,518	1,656	1,794	(B)
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	1,320	0,140	1,460	1,606	1,752	1,898	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	
2523 90 00	White hydraulic cements	1,350	0,180	1,530	1,683	1,836	1,989	(B)
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,450	0,040	2,490	2,515	2,515	2,515	
2814 10 00	Anhydrous ammonia	1,960	0,120	2,080	2,101	2,101	2,101	
2814 20 00	Ammonia in aqueous solution	0,590	0,040	0,620	0,626	0,626	0,626	
2834 21 00	Nitrate of potassium	1,980	0,060	2,040	2,060	2,060	2,060	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,030	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,030	0,780	0,788	0,788	0,788	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,350	0,100	1,450	1,465	1,465	1,465	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,100	1,420	1,434	1,434	1,434	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,080	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,080	1,370	1,384	1,384	1,384	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,500	0,060	1,570	1,586	1,586	1,586	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,310	0,100	2,410	2,434	2,434	2,434	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,090	2,080	2,101	2,101	2,101	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,090	2,080	2,101	2,101	2,101	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,820	0,060	3,880	3,919	3,919	3,919	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,090	2,030	2,050	2,050	2,050	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,080	1,540	1,555	1,555	1,555	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,510	0,090	1,600	1,616	1,616	1,616	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,080	0,820	0,828	0,828	0,828	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,090	1,070	1,081	1,081	1,081	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,070	0,730	0,737	0,737	0,737	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,060	0,520	0,525	0,525	0,525	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,120	1,460	1,475	1,475	1,475	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,100	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,070	1,380	1,394	1,394	1,394	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,050	0,720	0,727	0,727	0,727	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	-	-	-	-	-	-	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,860	N/A	1,860	2,046	2,232	2,418	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	-	-	-	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	-	-	-	
7202 60 00	Ferro-nickel	–	N/A	–	-	-	-	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,870	N/A	1,870	2,057	2,244	2,431	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,200	N/A	3,200	3,520	3,840	4,160	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,200	N/A	3,200	3,520	3,840	4,160	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,200	N/A	3,200	3,520	3,840	4,160	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,200	N/A	3,200	3,520	3,840	4,160	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,200	N/A	3,200	3,520	3,840	4,160	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,200	N/A	3,200	3,520	3,840	4,160	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,200	N/A	3,200	3,520	3,840	4,160	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,200	N/A	3,200	3,520	3,840	4,160	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,200	N/A	3,200	3,520	3,840	4,160	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,200	N/A	3,200	3,520	3,840	4,160	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,200	N/A	3,200	3,520	3,840	4,160	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,200	N/A	3,200	3,520	3,840	4,160	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 02	Semi-finished products of tool steel	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3	N/A	3	3,300	3,600	3,900	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	3,980	N/A	3,980	4,378	4,776	5,174	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3	N/A	3	3,300	3,600	3,900	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3	N/A	3	3,300	3,600	3,900	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	3,980	N/A	3,980	4,378	4,776	5,174	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3	N/A	3	3,300	3,600	3,900	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3	N/A	3	3,300	3,600	3,900	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3	N/A	3	3,300	3,600	3,900	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3	N/A	3	3,300	3,600	3,900	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(C)/(F)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3	N/A	3	3,300	3,600	3,900	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3	N/A	3	3,300	3,600	3,900	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3	N/A	3	3,300	3,600	3,900	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3	N/A	3	3,300	3,600	3,900	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,790	N/A	2,790	3,069	3,348	3,627	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,860	N/A	1,860	2,046	2,232	2,418	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,200	N/A	3,200	3,520	3,840	4,160	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,200	N/A	3,200	3,520	3,840	4,160	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,200	N/A	3,200	3,520	3,840	4,160	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,200	N/A	3,200	3,520	3,840	4,160	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,900	N/A	1,900	2,090	2,280	2,470	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,900	N/A	1,900	2,090	2,280	2,470	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,200	N/A	3,200	3,520	3,840	4,160	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	1,940	N/A	1,940	2,134	2,328	2,522	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	1,940	N/A	1,940	2,134	2,328	2,522	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,200	N/A	3,200	3,520	3,840	4,160	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,200	N/A	3,200	3,520	3,840	4,160	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	1,940	N/A	1,940	2,134	2,328	2,522	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	1,940	N/A	1,940	2,134	2,328	2,522	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	1,940	N/A	1,940	2,134	2,328	2,522	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,200	N/A	3,200	3,520	3,840	4,160	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,200	N/A	3,200	3,520	3,840	4,160	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,860	N/A	1,860	2,046	2,232	2,418	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,860	N/A	1,860	2,046	2,232	2,418	
7307 19 90	Cast tube or pipe fittings of steel	1,940	N/A	1,940	2,134	2,328	2,522	
7307 21 00	Flanges of stainless steel (excl. cast products)	1,950	N/A	1,950	2,145	2,340	2,535	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	1,950	N/A	1,950	2,145	2,340	2,535	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	1,950	N/A	1,950	2,145	2,340	2,535	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	1,950	N/A	1,950	2,145	2,340	2,535	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,550	N/A	2,550	2,805	3,060	3,315	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,550	N/A	2,550	2,805	3,060	3,315	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,380	N/A	2,380	2,618	2,856	3,094	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,200	N/A	3,200	3,520	3,840	4,160	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,200	N/A	3,200	3,520	3,840	4,160	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	2,030	N/A	2,030	2,233	2,436	2,639	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,040	N/A	2,040	2,244	2,448	2,652	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2	N/A	2	2,200	2,400	2,600	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7318 29 00	Non-threaded articles, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iran								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 30	Ladders and steps, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7326 90 98	Articles of iron or steel, n.e.s.	1,940	N/A	1,940	2,134	2,328	2,522	(C)

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,280	0,050	1,330	1,463	1,596	1,729	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,260	0,090	1,350	1,485	1,620	1,755	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,190	0,090	1,290	1,419	1,548	1,677	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,460	0,050	2,520	2,545	2,545	2,545	
2814 10 00	Anhydrous ammonia	1,960	0,160	2,120	2,141	2,141	2,141	
2814 20 00	Ammonia in aqueous solution	0,590	0,050	0,640	0,646	0,646	0,646	
2834 21 00	Nitrate of potassium	1,990	0,080	2,070	2,091	2,091	2,091	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,040	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,040	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,340	0,130	1,470	1,485	1,485	1,485	

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,120	1,440	1,454	1,454	1,454	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,100	0,680	0,687	0,687	0,687	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,110	1,390	1,404	1,404	1,404	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,510	0,080	1,590	1,606	1,606	1,606	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,330	0,130	2,450	2,475	2,475	2,475	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2	0,120	2,110	2,131	2,131	2,131	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2	0,120	2,110	2,131	2,131	2,131	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,850	0,080	3,930	3,969	3,969	3,969	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,110	2,060	2,081	2,081	2,081	

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,100	1,560	1,576	1,576	1,576	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,510	0,120	1,620	1,636	1,636	1,636	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,100	0,840	0,848	0,848	0,848	

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,120	1,100	1,111	1,111	1,111	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,090	0,760	0,768	0,768	0,768	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,070	0,540	0,545	0,545	0,545	

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,060	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,350	0,150	1,500	1,515	1,515	1,515	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,120	0,660	0,667	0,667	0,667	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Iraq								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,090	1,400	1,414	1,414	1,414	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,060	0,740	0,747	0,747	0,747	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,280	0,030	1,310	1,441	1,572	1,703	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,260	0,060	1,320	1,452	1,584	1,716	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,200	0,070	1,260	1,386	1,512	1,638	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,530	0,030	2,560	2,586	2,586	2,586	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,610	0,030	0,640	0,646	0,646	0,646	
2834 21 00	Nitrate of potassium	2,040	0,050	2,080	2,101	2,101	2,101	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,430	0,030	0,450	0,455	0,455	0,455	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,710	0,030	0,730	0,737	0,737	0,737	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,280	0,080	1,360	1,374	1,374	1,374	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,250	0,080	1,330	1,343	1,343	1,343	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,060	0,640	0,646	0,646	0,646	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,300	0,070	1,370	1,384	1,384	1,384	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,540	0,050	1,590	1,606	1,606	1,606	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,370	0,080	2,440	2,464	2,464	2,464	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,010	0,070	2,080	2,101	2,101	2,101	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,010	0,070	2,080	2,101	2,101	2,101	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,940	0,050	3,990	4,030	4,030	4,030	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,070	2,050	2,071	2,071	2,071	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,470	0,060	1,530	1,545	1,545	1,545	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,480	0,070	1,560	1,576	1,576	1,576	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,750	0,060	0,810	0,818	0,818	0,818	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,070	1,060	1,071	1,071	1,071	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,060	0,720	0,727	0,727	0,727	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,040	0,520	0,525	0,525	0,525	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,350	0,090	1,440	1,454	1,454	1,454	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,080	0,620	0,626	0,626	0,626	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,340	0,060	1,390	1,404	1,404	1,404	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,680	0,040	0,720	0,727	0,727	0,727	

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,620	N/A	0,620	0,682	0,744	0,806	(L)
7604 10 10	Bars and rods	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7604 10 90	Profiles	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7604 21 00	Hollow profiles	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7604 29 10	Bars and rods	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7604 29 90	Profiles	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7605	Aluminium wire	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7608	Aluminium tubes and pipes	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,860	N/A	0,860	0,946	1,032	1,118	(L)

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 10 00	Doors, windows and their frames and thresholds for doors	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7610 90	Other	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7610 90 90	Other	0,860	N/A	0,860	0,946	1,032	1,118	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,300	N/A	1,300	1,430	1,560	1,690	(L)

Israel								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7616 99 10	Cast	0,620	N/A	0,620	0,682	0,744	0,806	(L)
7616 99 90	Other	1,300	N/A	1,300	1,430	1,560	1,690	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Jamaica								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,090	0,050	1,130	1,243	1,356	1,469	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,090	0,080	1,170	1,287	1,404	1,521	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,030	0,090	1,120	1,232	1,344	1,456	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,820	0,030	0,850	0,935	1,020	1,105	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,830	0,060	0,890	0,979	1,068	1,157	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,790	0,060	0,850	0,935	1,020	1,105	(A)
2523 30 00	Aluminous cement	1,800	0,150	1,940	2,134	2,328	2,522	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,130	0,060	2,190	2,212	2,212	2,212	
2814 10 00	Anhydrous ammonia	2,050	0,140	2,190	2,212	2,212	2,212	
2814 20 00	Ammonia in aqueous solution	0,620	0,040	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,790	0,080	1,870	1,889	1,889	1,889	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,040	0,500	0,505	0,505	0,505	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,040	0,810	0,818	0,818	0,818	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,110	1,520	1,535	1,535	1,535	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,110	1,480	1,495	1,495	1,495	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,080	0,690	0,697	0,697	0,697	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,210	0,090	1,300	1,313	1,313	1,313	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,360	0,080	1,440	1,454	1,454	1,454	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,100	0,120	2,210	2,232	2,232	2,232	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,810	0,110	1,910	1,929	1,929	1,929	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,810	0,110	1,910	1,929	1,929	1,929	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,330	0,090	3,420	3,454	3,454	3,454	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,100	1,860	1,879	1,879	1,879	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,380	0,090	1,470	1,485	1,485	1,485	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,100	1,570	1,586	1,586	1,586	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,710	0,080	0,790	0,798	0,798	0,798	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,900	0,100	1	1,010	1,010	1,010	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,080	0,690	0,697	0,697	0,697	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,060	0,540	0,545	0,545	0,545	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,230	0,120	1,350	1,364	1,364	1,364	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,100	0,660	0,667	0,667	0,667	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,190	0,080	1,270	1,283	1,283	1,283	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,610	0,050	0,670	0,677	0,677	0,677	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7604 10 10	Bars and rods	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 21 00	Hollow profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 29 10	Bars and rods	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7604 29 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7605	Aluminium wire	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7608	Aluminium tubes and pipes	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,730	N/A	1,730	1,903	2,076	2,249	(L)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7616 99 10	Cast	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7616 99 90	Other	1,730	N/A	1,730	1,903	2,076	2,249	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,160	0,040	0,200	0,220	0,240	0,260	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,960	N/A	1,960	2,156	2,352	2,548	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	N/A	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,990	N/A	1,990	2,189	2,388	2,587	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,070	N/A	2,070	2,277	2,484	2,691	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,070	N/A	2,070	2,277	2,484	2,691	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,143	N/A	2,143	2,357	2,571	2,786	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,130	N/A	2,130	2,343	2,556	2,769	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,100	N/A	2,100	2,310	2,520	2,730	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,520	N/A	3,520	3,872	4,224	4,576	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,330	N/A	3,330	3,663	3,996	4,329	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,330	N/A	3,330	3,663	3,996	4,329	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,520	N/A	3,520	3,872	4,224	4,576	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,330	N/A	3,330	3,663	3,996	4,329	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,520	N/A	3,520	3,872	4,224	4,576	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,330	N/A	3,330	3,663	3,996	4,329	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,330	N/A	3,330	3,663	3,996	4,329	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,360	N/A	3,360	3,696	4,032	4,368	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,360	N/A	3,360	3,696	4,032	4,368	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,360	N/A	3,360	3,696	4,032	4,368	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,360	N/A	3,360	3,696	4,032	4,368	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,360	N/A	3,360	3,696	4,032	4,368	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,360	N/A	3,360	3,696	4,032	4,368	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,330	N/A	3,330	3,663	3,996	4,329	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,360	N/A	3,360	3,696	4,032	4,368	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,360	N/A	3,360	3,696	4,032	4,368	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,360	N/A	3,360	3,696	4,032	4,368	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,360	N/A	3,360	3,696	4,032	4,368	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,360	N/A	3,360	3,696	4,032	4,368	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,360	N/A	3,360	3,696	4,032	4,368	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,520	N/A	3,520	3,872	4,224	4,576	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,360	N/A	3,360	3,696	4,032	4,368	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,370	N/A	3,370	3,707	4,044	4,381	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,690	N/A	3,690	4,059	4,428	4,797	(F)
7224 90 02	Semi-finished products of tool steel	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,500	N/A	3,500	3,850	4,200	4,550	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,690	N/A	3,690	4,059	4,428	4,797	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,690	N/A	3,690	4,059	4,428	4,797	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,620	N/A	4,620	5,082	5,544	6,006	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,500	N/A	3,500	3,850	4,200	4,550	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,620	N/A	4,620	5,082	5,544	6,006	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,500	N/A	3,500	3,850	4,200	4,550	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,500	N/A	3,500	3,850	4,200	4,550	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,690	N/A	3,690	4,059	4,428	4,797	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,690	N/A	3,690	4,059	4,428	4,797	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,530	N/A	3,530	3,883	4,236	4,589	(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,530	N/A	3,530	3,883	4,236	4,589	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,950	N/A	2,950	3,245	3,540	3,835	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,150	N/A	2,150	2,365	2,580	2,795	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,320	N/A	3,320	3,652	3,984	4,316	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,320	N/A	3,320	3,652	3,984	4,316	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,320	N/A	3,320	3,652	3,984	4,316	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,320	N/A	3,320	3,652	3,984	4,316	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,320	N/A	3,320	3,652	3,984	4,316	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,080	N/A	2,080	2,288	2,496	2,704	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,080	N/A	2,080	2,288	2,496	2,704	(C)/(F)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,360	N/A	3,360	3,696	4,032	4,368	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,360	N/A	3,360	3,696	4,032	4,368	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,130	N/A	2,130	2,343	2,556	2,769	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,100	N/A	2,100	2,310	2,520	2,730	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,130	N/A	2,130	2,343	2,556	2,769	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,130	N/A	2,130	2,343	2,556	2,769	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,360	N/A	3,360	3,696	4,032	4,368	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,330	N/A	3,330	3,663	3,996	4,329	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,140	N/A	2,140	2,354	2,568	2,782	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,110	N/A	2,110	2,321	2,532	2,743	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,140	N/A	2,140	2,354	2,568	2,782	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,360	N/A	3,360	3,696	4,032	4,368	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,360	N/A	3,360	3,696	4,032	4,368	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,220	N/A	2,220	2,442	2,664	2,886	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,220	N/A	2,220	2,442	2,664	2,886	
7307 19 90	Cast tube or pipe fittings of steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,860	N/A	2,860	3,146	3,432	3,718	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,110	N/A	2,110	2,321	2,532	2,743	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,110	N/A	2,110	2,321	2,532	2,743	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,950	N/A	2,950	3,245	3,540	3,835	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,160	N/A	3,160	3,476	3,792	4,108	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,130	N/A	2,130	2,343	2,556	2,769	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,130	N/A	3,130	3,443	3,756	4,069	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,300	N/A	3,300	3,630	3,960	4,290	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,300	N/A	3,300	3,630	3,960	4,290	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,800	N/A	2,800	3,080	3,360	3,640	(C)
7318 16	Nuts of iron or steel	3,060	N/A	3,060	3,366	3,672	3,978	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,280	N/A	2,280	2,508	2,736	2,964	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,220	N/A	2,220	2,442	2,664	2,886	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

Japan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 30	Ladders and steps, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,100	N/A	2,100	2,310	2,520	2,730	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,130	N/A	2,130	2,343	2,556	2,769	(C)

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,040	1,330	1,463	1,596	1,729	(B)
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	1,270	0,140	1,410	1,551	1,692	1,833	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,490	0,040	2,520	2,545	2,545	2,545	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,610	0,030	0,650	0,657	0,657	0,657	
2834 21 00	Nitrate of potassium	2,020	0,050	2,070	2,091	2,091	2,091	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,030	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,030	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,370	0,090	1,460	1,475	1,475	1,475	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,340	0,080	1,430	1,444	1,444	1,444	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,060	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,310	0,070	1,380	1,394	1,394	1,394	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,530	0,060	1,580	1,596	1,596	1,596	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,350	0,080	2,440	2,464	2,464	2,464	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,020	0,080	2,090	2,111	2,111	2,111	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,020	0,080	2,090	2,111	2,111	2,111	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,880	0,060	3,940	3,979	3,979	3,979	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,070	2,050	2,071	2,071	2,071	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,490	0,070	1,550	1,566	1,566	1,566	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,530	0,080	1,610	1,626	1,626	1,626	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,760	0,070	0,820	0,828	0,828	0,828	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,990	0,080	1,070	1,081	1,081	1,081	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,670	0,060	0,730	0,737	0,737	0,737	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,050	0,530	0,535	0,535	0,535	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,360	0,100	1,460	1,475	1,475	1,475	

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,090	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,330	0,060	1,390	1,404	1,404	1,404	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,680	0,040	0,720	0,727	0,727	0,727	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7603	Aluminium powders and flakes	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7604 10 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 10 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 21 00	Hollow profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 29 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7605	Aluminium wire	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7608	Aluminium tubes and pipes	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,700	N/A	0,700	0,770	0,840	0,910	(L)

Jordan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 99 10	Cast	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7616 99 90	Other	1,150	N/A	1,150	1,265	1,380	1,495	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,350	0,040	1,390	1,529	1,668	1,807	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,350	0,070	1,420	1,562	1,704	1,846	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,280	0,070	1,350	1,485	1,620	1,755	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,730	0,040	2,770	2,798	2,798	2,798	
2814 10 00	Anhydrous ammonia	2,160	0,140	2,300	2,323	2,323	2,323	
2814 20 00	Ammonia in aqueous solution	0,650	0,040	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	2,200	0,070	2,270	2,293	2,293	2,293	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,040	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,040	0,840	0,848	0,848	0,848	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,110	1,580	1,596	1,596	1,596	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,110	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,080	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,420	0,090	1,510	1,525	1,525	1,525	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,670	0,070	1,740	1,757	1,757	1,757	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,570	0,110	2,670	2,697	2,697	2,697	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,200	0,100	2,300	2,323	2,323	2,323	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,200	0,100	2,300	2,323	2,323	2,323	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,260	0,070	4,330	4,373	4,373	4,373	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,090	2,250	2,273	2,273	2,273	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,610	0,080	1,700	1,717	1,717	1,717	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,650	0,100	1,750	1,768	1,768	1,768	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,080	0,900	0,909	0,909	0,909	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,100	1,180	1,192	1,192	1,192	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,730	0,080	0,800	0,808	0,808	0,808	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,050	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,480	0,120	1,600	1,616	1,616	1,616	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,100	0,690	0,697	0,697	0,697	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,450	0,070	1,520	1,535	1,535	1,535	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,740	0,050	0,790	0,798	0,798	0,798	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	1,990	N/A	1,990	2,189	2,388	2,587	(K)
7604 10 10	Bars and rods	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7604 10 90	Profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7604 21 00	Hollow profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7604 29 10	Bars and rods	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7604 29 90	Profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7605	Aluminium wire	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,670	N/A	2,670	2,937	3,204	3,471	(K)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7608	Aluminium tubes and pipes	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90	Other	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90 90	Other	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,670	N/A	2,670	2,937	3,204	3,471	(K)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7616 99 10	Cast	1,990	N/A	1,990	2,189	2,388	2,587	(K)
7616 99 90	Other	2,670	N/A	2,670	2,937	3,204	3,471	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,170	0,170	0,340	0,374	0,408	0,442	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	4,960	N/A	4,960	5,456	5,952	6,448	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	2,870	N/A	2,870	3,157	3,444	3,731	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	4,990	N/A	4,990	5,489	5,988	6,487	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	5,290	N/A	5,290	5,819	6,348	6,877	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	5,290	N/A	5,290	5,819	6,348	6,877	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	5,290	N/A	5,290	5,819	6,348	6,877	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	5,290	N/A	5,290	5,819	6,348	6,877	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	4,600	N/A	4,600	5,060	5,520	5,980	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	4,780	N/A	4,780	5,258	5,736	6,214	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	4,780	N/A	4,780	5,258	5,736	6,214	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	4,600	N/A	4,600	5,060	5,520	5,980	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	4,780	N/A	4,780	5,258	5,736	6,214	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	4,600	N/A	4,600	5,060	5,520	5,980	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	4,780	N/A	4,780	5,258	5,736	6,214	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	4,860	N/A	4,860	5,346	5,832	6,318	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	4,860	N/A	4,860	5,346	5,832	6,318	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	4,860	N/A	4,860	5,346	5,832	6,318	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	4,860	N/A	4,860	5,346	5,832	6,318	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	4,860	N/A	4,860	5,346	5,832	6,318	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	4,860	N/A	4,860	5,346	5,832	6,318	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	4,780	N/A	4,780	5,258	5,736	6,214	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	4,860	N/A	4,860	5,346	5,832	6,318	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	4,860	N/A	4,860	5,346	5,832	6,318	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	4,610	N/A	4,610	5,071	5,532	5,993	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	4,610	N/A	4,610	5,071	5,532	5,993	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	4,610	N/A	4,610	5,071	5,532	5,993	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	4,610	N/A	4,610	5,071	5,532	5,993	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	4,600	N/A	4,600	5,060	5,520	5,980	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	4,610	N/A	4,610	5,071	5,532	5,993	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	4,610	N/A	4,610	5,071	5,532	5,993	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7224 90 02	Semi-finished products of tool steel	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	5,340	N/A	5,340	5,874	6,408	6,942	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	5,340	N/A	5,340	5,874	6,408	6,942	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	5,170	N/A	5,170	5,687	6,204	6,721	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	6,780	N/A	6,780	7,458	8,136	8,814	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	5,340	N/A	5,340	5,874	6,408	6,942	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	5,340	N/A	5,340	5,874	6,408	6,942	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	6,780	N/A	6,780	7,458	8,136	8,814	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	5,340	N/A	5,340	5,874	6,408	6,942	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	5,340	N/A	5,340	5,874	6,408	6,942	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	5,340	N/A	5,340	5,874	6,408	6,942	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	5,170	N/A	5,170	5,687	6,204	6,721	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(C)/(F)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	5,170	N/A	5,170	5,687	6,204	6,721	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	5,170	N/A	5,170	5,687	6,204	6,721	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	4,960	N/A	4,960	5,456	5,952	6,448	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	4,610	N/A	4,610	5,071	5,532	5,993	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	4,610	N/A	4,610	5,071	5,532	5,993	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	4,610	N/A	4,610	5,071	5,532	5,993	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	4,610	N/A	4,610	5,071	5,532	5,993	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	4,610	N/A	4,610	5,071	5,532	5,993	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	5,120	N/A	5,120	5,632	6,144	6,656	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	5,120	N/A	5,120	5,632	6,144	6,656	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,860	N/A	4,860	5,346	5,832	6,318	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,860	N/A	4,860	5,346	5,832	6,318	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	5,290	N/A	5,290	5,819	6,348	6,877	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,860	N/A	4,860	5,346	5,832	6,318	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,780	N/A	4,780	5,258	5,736	6,214	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	5,340	N/A	5,340	5,874	6,408	6,942	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	5,420	N/A	5,420	5,962	6,504	7,046	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	4,860	N/A	4,860	5,346	5,832	6,318	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,860	N/A	4,860	5,346	5,832	6,318	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	4,960	N/A	4,960	5,456	5,952	6,448	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	4,960	N/A	4,960	5,456	5,952	6,448	
7307 19 90	Cast tube or pipe fittings of steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	5,150	N/A	5,150	5,665	6,180	6,695	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	5,150	N/A	5,150	5,665	6,180	6,695	

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	5,150	N/A	5,150	5,665	6,180	6,695	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	5,150	N/A	5,150	5,665	6,180	6,695	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	5,180	N/A	5,180	5,698	6,216	6,734	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 12 10	Wood screws of stainless steel (excl. coach screws)	4,610	N/A	4,610	5,071	5,532	5,993	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	4,610	N/A	4,610	5,071	5,532	5,993	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 16	Nuts of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 21 00	Spring washers and other lock washers, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7318 29 00	Non-threaded articles, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 30	Ladders and steps, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)

Kazakhstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	5,180	N/A	5,180	5,698	6,216	6,734	(C)
7326 90 98	Articles of iron or steel, n.e.s.	5,360	N/A	5,360	5,896	6,432	6,968	(C)

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,700	0,040	1,740	1,757	1,757	1,757	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,600	0,040	0,650	0,657	0,657	0,657	
2834 21 00	Nitrate of potassium	1,500	0,060	1,560	1,576	1,576	1,576	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,040	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,040	0,800	0,808	0,808	0,808	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,380	0,100	1,490	1,505	1,505	1,505	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,350	0,100	1,460	1,475	1,475	1,475	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,070	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,060	0,080	1,140	1,151	1,151	1,151	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,140	0,060	1,200	1,212	1,212	1,212	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,090	1,850	1,869	1,869	1,869	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,080	1,610	1,626	1,626	1,626	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,080	1,610	1,626	1,626	1,626	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,650	0,070	2,720	2,747	2,747	2,747	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,480	0,080	1,560	1,576	1,576	1,576	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,220	0,080	1,300	1,313	1,313	1,313	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,340	0,090	1,440	1,454	1,454	1,454	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,630	0,070	0,700	0,707	0,707	0,707	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,770	0,080	0,840	0,848	0,848	0,848	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,060	0,580	0,586	0,586	0,586	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,050	0,530	0,535	0,535	0,535	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,050	0,090	1,140	1,151	1,151	1,151	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,090	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,010	0,060	1,070	1,081	1,081	1,081	

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,040	0,560	0,566	0,566	0,566	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,800	N/A	0,800	0,880	0,960	1,040	(L)
7604 10 10	Bars and rods	1,020	N/A	1,020	1,122	1,224	1,326	(L)
7604 10 90	Profiles	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7604 21 00	Hollow profiles	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7604 29 10	Bars and rods	1,020	N/A	1,020	1,122	1,224	1,326	(L)
7604 29 90	Profiles	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7605	Aluminium wire	1,020	N/A	1,020	1,122	1,224	1,326	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,480	N/A	1,480	1,628	1,776	1,924	(L)

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,480	N/A	1,480	1,628	1,776	1,924	(L)
7608	Aluminium tubes and pipes	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7610 90	Other	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7610 90 90	Other	1,040	N/A	1,040	1,144	1,248	1,352	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,480	N/A	1,480	1,628	1,776	1,924	(L)

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,480	N/A	1,480	1,628	1,776	1,924	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,480	N/A	1,480	1,628	1,776	1,924	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,020	N/A	1,020	1,122	1,224	1,326	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,480	N/A	1,480	1,628	1,776	1,924	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,480	N/A	1,480	1,628	1,776	1,924	(L)
7616 99 10	Cast	0,800	N/A	0,800	0,880	0,960	1,040	(L)
7616 99 90	Other	1,480	N/A	1,480	1,628	1,776	1,924	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kenya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,830	0,040	0,870	0,957	1,044	1,131	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 29 00	Grey Portland cement	0,950	0,080	1,030	1,133	1,236	1,339	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,910	0,080	0,990	1,089	1,188	1,287	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,450	0,070	2,510	2,535	2,535	2,535	
2814 10 00	Anhydrous ammonia	1,960	0,140	2,100	2,121	2,121	2,121	
2814 20 00	Ammonia in aqueous solution	0,590	0,040	0,630	0,636	0,636	0,636	
2834 21 00	Nitrate of potassium	1,980	0,080	2,070	2,091	2,091	2,091	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,040	0,490	0,495	0,495	0,495	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,040	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,350	0,110	1,460	1,475	1,475	1,475	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,110	1,430	1,444	1,444	1,444	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,080	0,670	0,677	0,677	0,677	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,100	1,380	1,394	1,394	1,394	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,500	0,080	1,590	1,606	1,606	1,606	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,310	0,130	2,440	2,464	2,464	2,464	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,120	2,100	2,121	2,121	2,121	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,120	2,100	2,121	2,121	2,121	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,820	0,100	3,920	3,959	3,959	3,959	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,110	2,050	2,071	2,071	2,071	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,090	1,560	1,576	1,576	1,576	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,510	0,110	1,620	1,636	1,636	1,636	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,090	0,830	0,838	0,838	0,838	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,110	1,090	1,101	1,101	1,101	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,080	0,750	0,758	0,758	0,758	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,060	0,520	0,525	0,525	0,525	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,140	1,480	1,495	1,495	1,495	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,110	0,650	0,657	0,657	0,657	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,090	1,390	1,404	1,404	1,404	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,060	0,730	0,737	0,737	0,737	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	
7603	Aluminium powders and flakes	0,630	N/A	0,630	0,693	0,756	0,819	
7604 10 10	Bars and rods	0,860	N/A	0,860	0,946	1,032	1,118	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	0,870	N/A	0,870	0,957	1,044	1,131	
7604 21 00	Hollow profiles	0,870	N/A	0,870	0,957	1,044	1,131	
7604 29 10	Bars and rods	0,860	N/A	0,860	0,946	1,032	1,118	
7604 29 90	Profiles	0,870	N/A	0,870	0,957	1,044	1,131	
7605	Aluminium wire	0,860	N/A	0,860	0,946	1,032	1,118	
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,320	N/A	1,320	1,452	1,584	1,716	
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,320	N/A	1,320	1,452	1,584	1,716	
7608	Aluminium tubes and pipes	0,870	N/A	0,870	0,957	1,044	1,131	
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,870	N/A	0,870	0,957	1,044	1,131	
7610 10 00	Doors, windows and their frames and thresholds for doors	0,870	N/A	0,870	0,957	1,044	1,131	
7610 90	Other	0,870	N/A	0,870	0,957	1,044	1,131	
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,870	N/A	0,870	0,957	1,044	1,131	
7610 90 90	Other	0,870	N/A	0,870	0,957	1,044	1,131	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,320	N/A	1,320	1,452	1,584	1,716	
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,320	N/A	1,320	1,452	1,584	1,716	
7613 00 00	Aluminium containers for compressed or liquefied gas	1,320	N/A	1,320	1,452	1,584	1,716	
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,860	N/A	0,860	0,946	1,032	1,118	
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,320	N/A	1,320	1,452	1,584	1,716	

Kuwait								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,320	N/A	1,320	1,452	1,584	1,716	
7616 99 10	Cast	0,630	N/A	0,630	0,693	0,756	0,819	
7616 99 90	Other	1,320	N/A	1,320	1,452	1,584	1,716	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	13,450	N/A	13,450	14,795	16,140	17,485	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0	1,360	1,496	1,632	1,768	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,360	0,010	1,360	1,496	1,632	1,768	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,290	0,010	1,300	1,430	1,560	1,690	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,770	0,040	2,810	2,838	2,838	2,838	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,040	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	2,230	0,060	2,290	2,313	2,313	2,313	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,030	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,030	0,840	0,848	0,848	0,848	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,100	1,570	1,586	1,586	1,586	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,090	1,530	1,545	1,545	1,545	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,060	0,700	0,707	0,707	0,707	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,430	0,070	1,500	1,515	1,515	1,515	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,690	0,060	1,750	1,768	1,768	1,768	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,600	0,090	2,690	2,717	2,717	2,717	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,230	0,080	2,310	2,333	2,333	2,333	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,230	0,080	2,310	2,333	2,333	2,333	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,330	0,060	4,390	4,434	4,434	4,434	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,180	0,080	2,260	2,283	2,283	2,283	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,630	0,070	1,700	1,717	1,717	1,717	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,660	0,080	1,750	1,768	1,768	1,768	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,060	0,890	0,899	0,899	0,899	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,070	1,160	1,172	1,172	1,172	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,740	0,060	0,790	0,798	0,798	0,798	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,050	0,560	0,566	0,566	0,566	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,040	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,500	0,090	1,590	1,606	1,606	1,606	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,090	0,680	0,687	0,687	0,687	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,060	1,520	1,535	1,535	1,535	

Kyrgyzstan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,750	0,040	0,790	0,798	0,798	0,798	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Laos								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,070	1,360	1,496	1,632	1,768	(B)
2523 10 00	Grey clinker	0,830	0,050	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	1,270	0,160	1,430	1,573	1,716	1,859	
2523 29 00	Grey Portland cement	0,830	0,100	0,930	1,023	1,116	1,209	
2523 90 00	White hydraulic cements	1,310	0,210	1,520	1,672	1,824	1,976	(B)
2523 90 00	Grey hydraulic cements	0,790	0,100	0,890	0,979	1,068	1,157	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,580	0,060	2,640	2,666	2,666	2,666	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,640	0,060	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	2,100	0,090	2,190	2,212	2,212	2,212	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,480	0,050	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,800	0,050	0,850	0,859	0,859	0,859	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,450	0,140	1,600	1,616	1,616	1,616	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,420	0,140	1,560	1,576	1,576	1,576	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,630	0,110	0,740	0,747	0,747	0,747	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,360	0,120	1,480	1,495	1,495	1,495	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,590	0,090	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,450	0,140	2,590	2,616	2,616	2,616	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,100	0,130	2,230	2,252	2,252	2,252	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,100	0,130	2,230	2,252	2,252	2,252	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,030	0,090	4,120	4,161	4,161	4,161	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,060	0,120	2,180	2,202	2,202	2,202	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,560	0,110	1,670	1,687	1,687	1,687	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,610	0,130	1,740	1,757	1,757	1,757	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,790	0,110	0,900	0,909	0,909	0,909	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,030	0,130	1,160	1,172	1,172	1,172	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,700	0,100	0,800	0,808	0,808	0,808	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,080	0,580	0,586	0,586	0,586	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,060	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,420	0,160	1,580	1,596	1,596	1,596	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,130	0,710	0,717	0,717	0,717	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,390	0,100	1,480	1,495	1,495	1,495	

Lebanon								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,710	0,070	0,780	0,788	0,788	0,788	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,830	0,040	0,870	0,957	1,044	1,131	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,830	0,090	0,910	1,001	1,092	1,183	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,790	0,090	0,880	0,968	1,056	1,144	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,680	0,050	1,730	1,747	1,747	1,747	
2814 10 00	Anhydrous ammonia	2,010	0,160	2,170	2,192	2,192	2,192	
2814 20 00	Ammonia in aqueous solution	0,600	0,050	0,650	0,657	0,657	0,657	
2834 21 00	Nitrate of potassium	1,490	0,080	1,560	1,576	1,576	1,576	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,040	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,040	0,800	0,808	0,808	0,808	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,380	0,120	1,500	1,515	1,515	1,515	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,350	0,120	1,470	1,485	1,485	1,485	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,090	0,690	0,697	0,697	0,697	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,060	0,100	1,160	1,172	1,172	1,172	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,130	0,080	1,210	1,222	1,222	1,222	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,740	0,120	1,860	1,879	1,879	1,879	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,510	0,110	1,620	1,636	1,636	1,636	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,510	0,110	1,620	1,636	1,636	1,636	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,620	0,080	2,700	2,727	2,727	2,727	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,460	0,110	1,570	1,586	1,586	1,586	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,210	0,100	1,310	1,323	1,323	1,323	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,340	0,120	1,450	1,465	1,465	1,465	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,630	0,100	0,720	0,727	0,727	0,727	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,760	0,120	0,880	0,889	0,889	0,889	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,090	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,070	0,540	0,545	0,545	0,545	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,060	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,040	0,140	1,180	1,192	1,192	1,192	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,110	0,660	0,667	0,667	0,667	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1	0,090	1,090	1,101	1,101	1,101	

Libya								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,060	0,580	0,586	0,586	0,586	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0,050	1,290	1,419	1,548	1,677	(A)

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,080	1,330	1,463	1,596	1,729	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,180	0,080	1,270	1,397	1,524	1,651	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,060	1,860	1,879	1,879	1,879	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,710	0,050	0,760	0,768	0,768	0,768	
2834 21 00	Nitrate of potassium	1,600	0,060	1,670	1,687	1,687	1,687	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,030	0,480	0,485	0,485	0,485	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,030	0,770	0,778	0,778	0,778	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,350	0,090	1,440	1,454	1,454	1,454	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,090	1,410	1,424	1,424	1,424	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,040	0,650	0,657	0,657	0,657	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,110	0,060	1,160	1,172	1,172	1,172	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,200	0,050	1,250	1,263	1,263	1,263	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,840	0,080	1,920	1,939	1,939	1,939	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,060	1,600	1,616	1,616	1,616	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,060	1,600	1,616	1,616	1,616	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,810	0,090	2,900	2,929	2,929	2,929	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,060	1,600	1,616	1,616	1,616	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,260	0,060	1,330	1,343	1,343	1,343	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,350	0,080	1,420	1,434	1,434	1,434	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,640	0,030	0,680	0,687	0,687	0,687	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,760	0,030	0,800	0,808	0,808	0,808	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,020	0,530	0,535	0,535	0,535	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,040	0,560	0,566	0,566	0,566	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,020	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,050	0,040	1,090	1,101	1,101	1,101	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,040	0,580	0,586	0,586	0,586	

Madagascar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,040	1,090	1,101	1,101	1,101	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,020	0,550	0,556	0,556	0,556	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,060	1,340	1,474	1,608	1,742	(B)
2523 10 00	Grey clinker	0,870	0,040	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	1,260	0,140	1,400	1,540	1,680	1,820	
2523 29 00	Grey Portland cement	0,870	0,070	0,950	1,045	1,140	1,235	
2523 90 00	White hydraulic cements	1,290	0,180	1,470	1,617	1,764	1,911	(B)
2523 90 00	Grey hydraulic cements	0,830	0,080	0,910	1,001	1,092	1,183	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,150	0,060	2,210	2,232	2,232	2,232	
2814 10 00	Anhydrous ammonia	2,050	0,170	2,220	2,242	2,242	2,242	
2814 20 00	Ammonia in aqueous solution	0,620	0,050	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,810	0,080	1,890	1,909	1,909	1,909	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,040	0,510	0,515	0,515	0,515	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,040	0,820	0,828	0,828	0,828	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,130	1,540	1,555	1,555	1,555	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,130	1,500	1,515	1,515	1,515	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,100	0,700	0,707	0,707	0,707	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,210	0,110	1,330	1,343	1,343	1,343	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,370	0,090	1,460	1,475	1,475	1,475	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,110	0,130	2,240	2,262	2,262	2,262	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,820	0,120	1,940	1,959	1,959	1,959	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,820	0,120	1,940	1,959	1,959	1,959	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,360	0,090	3,450	3,485	3,485	3,485	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,770	0,120	1,890	1,909	1,909	1,909	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,390	0,100	1,490	1,505	1,505	1,505	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,120	1,590	1,606	1,606	1,606	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,710	0,100	0,810	0,818	0,818	0,818	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,900	0,120	1,020	1,030	1,030	1,030	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,090	0,710	0,717	0,717	0,717	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,070	0,560	0,566	0,566	0,566	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,060	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,240	0,150	1,390	1,404	1,404	1,404	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,120	0,680	0,687	0,687	0,687	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,200	0,090	1,290	1,303	1,303	1,303	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,620	0,060	0,680	0,687	0,687	0,687	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	2,409	N/A	2,409	2,650	2,891	3,131	(K)
7604 10 10	Bars and rods	2,694	N/A	2,694	2,963	3,232	3,502	(K)
7604 10 90	Profiles	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7604 21 00	Hollow profiles	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7604 29 10	Bars and rods	2,694	N/A	2,694	2,963	3,232	3,502	(K)
7604 29 90	Profiles	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7605	Aluminium wire	2,694	N/A	2,694	2,963	3,232	3,502	(K)

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7608	Aluminium tubes and pipes	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7610 90	Other	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7610 90 90	Other	2,720	N/A	2,720	2,992	3,264	3,535	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,289	N/A	3,289	3,618	3,947	4,276	(K)

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,694	N/A	2,694	2,963	3,232	3,502	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,289	N/A	3,289	3,618	3,947	4,276	(K)
7616 99 10	Cast	2,409	N/A	2,409	2,650	2,891	3,131	(K)
7616 99 90	Other	3,289	N/A	3,289	3,618	3,947	4,276	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Malaysia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	Grey clinker	0,850	0,050	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,910	0,080	0,980	1,078	1,176	1,274	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,860	0,080	0,940	1,034	1,128	1,222	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,740	0,050	1,790	1,808	1,808	1,808	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,660	0,050	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	1,530	0,060	1,590	1,606	1,606	1,606	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,500	0,040	0,540	0,545	0,545	0,545	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,820	0,040	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,490	0,120	1,610	1,626	1,626	1,626	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,460	0,120	1,580	1,596	1,596	1,596	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,040	0,610	0,616	0,616	0,616	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,050	0,050	1,100	1,111	1,111	1,111	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,140	0,040	1,190	1,202	1,202	1,202	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,070	1,830	1,848	1,848	1,848	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,060	1,530	1,545	1,545	1,545	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,060	1,530	1,545	1,545	1,545	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,720	0,080	2,790	2,818	2,818	2,818	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,060	1,530	1,545	1,545	1,545	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,270	0,070	1,350	1,364	1,364	1,364	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,390	0,090	1,480	1,495	1,495	1,495	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,610	0,030	0,640	0,646	0,646	0,646	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,730	0,030	0,760	0,768	0,768	0,768	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,020	0,500	0,505	0,505	0,505	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,030	0,520	0,525	0,525	0,525	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,020	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1	0,040	1,040	1,050	1,050	1,050	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,500	0,040	0,540	0,545	0,545	0,545	

Mali								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1	0,040	1,040	1,050	1,050	1,050	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,500	0,020	0,520	0,525	0,525	0,525	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	0	N/A	0	0	0	0	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,690	0,050	1,740	1,757	1,757	1,757	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,640	0,050	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	1,520	0,080	1,590	1,606	1,606	1,606	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,480	0,040	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,790	0,040	0,830	0,838	0,838	0,838	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,440	0,120	1,560	1,576	1,576	1,576	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,410	0,120	1,520	1,535	1,535	1,535	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,630	0,090	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,090	0,100	1,190	1,202	1,202	1,202	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,160	0,080	1,230	1,242	1,242	1,242	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,780	0,120	1,900	1,919	1,919	1,919	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,530	0,110	1,640	1,656	1,656	1,656	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,530	0,110	1,640	1,656	1,656	1,656	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,640	0,080	2,720	2,747	2,747	2,747	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,490	0,100	1,600	1,616	1,616	1,616	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,250	0,100	1,340	1,353	1,353	1,353	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,380	0,110	1,490	1,505	1,505	1,505	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,650	0,090	0,740	0,747	0,747	0,747	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,780	0,110	0,890	0,899	0,899	0,899	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,080	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,070	0,570	0,576	0,576	0,576	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,050	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,060	0,140	1,190	1,202	1,202	1,202	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,110	0,690	0,697	0,697	0,697	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,020	0,080	1,110	1,121	1,121	1,121	

Mauritius								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,530	0,060	0,590	0,596	0,596	0,596	

Mauritania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,100	0,090	1,190	1,309	1,428	1,547	

Mauritania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,050	0,090	1,140	1,254	1,368	1,482	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,880	0,040	1,920	1,939	1,939	1,939	
2814 10 00	Anhydrous ammonia	2,260	0,130	2,400	2,424	2,424	2,424	
2814 20 00	Ammonia in aqueous solution	0,680	0,040	0,720	0,727	0,727	0,727	
2834 21 00	Nitrate of potassium	1,660	0,060	1,730	1,747	1,747	1,747	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,030	0,540	0,545	0,545	0,545	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,030	0,870	0,879	0,879	0,879	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,100	1,630	1,646	1,646	1,646	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,100	1,590	1,606	1,606	1,606	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,070	0,730	0,737	0,737	0,737	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,080	1,260	1,273	1,273	1,273	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,270	0,060	1,330	1,343	1,343	1,343	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,100	2,040	2,060	2,060	2,060	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,680	0,090	1,770	1,788	1,788	1,788	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,680	0,090	1,770	1,788	1,788	1,788	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,930	0,060	3	3,030	3,030	3,030	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,080	1,720	1,737	1,737	1,737	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,350	0,080	1,430	1,444	1,444	1,444	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,090	1,580	1,596	1,596	1,596	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,070	0,770	0,778	0,778	0,778	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,850	0,090	0,930	0,939	0,939	0,939	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,070	0,640	0,646	0,646	0,646	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,050	0,580	0,586	0,586	0,586	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,040	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,150	0,110	1,260	1,273	1,273	1,273	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,100	0,710	0,717	0,717	0,717	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,120	0,070	1,180	1,192	1,192	1,192	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,580	0,050	0,620	0,626	0,626	0,626	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7604 10 10	Bars and rods	1,410	N/A	1,410	1,551	1,692	1,833	(L)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7604 21 00	Hollow profiles	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7604 29 10	Bars and rods	1,410	N/A	1,410	1,551	1,692	1,833	(L)
7604 29 90	Profiles	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7605	Aluminium wire	1,410	N/A	1,410	1,551	1,692	1,833	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7608	Aluminium tubes and pipes	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7610 90	Other	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,420	N/A	1,420	1,562	1,704	1,846	(L)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	1,420	N/A	1,420	1,562	1,704	1,846	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,410	N/A	1,410	1,551	1,692	1,833	(L)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,860	N/A	1,860	2,046	2,232	2,418	(L)
7616 99 10	Cast	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7616 99 90	Other	1,860	N/A	1,860	2,046	2,232	2,418	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,120	0,010	0,130	0,143	0,156	0,169	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,580	N/A	2,580	2,838	3,096	3,354	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	0,580	N/A	0,580	0,638	0,696	0,754	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,570	N/A	2,570	2,827	3,084	3,341	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,670	N/A	2,670	2,937	3,204	3,471	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,750	N/A	2,750	3,025	3,300	3,575	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,810	N/A	2,810	3,091	3,372	3,653	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,750	N/A	2,750	3,025	3,300	3,575	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,750	N/A	2,750	3,025	3,300	3,575	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,750	N/A	2,750	3,025	3,300	3,575	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,740	N/A	2,740	3,014	3,288	3,562	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,740	N/A	2,740	3,014	3,288	3,562	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,110	N/A	3,110	3,421	3,732	4,043	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,240	N/A	3,240	3,564	3,888	4,212	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,240	N/A	3,240	3,564	3,888	4,212	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,240	N/A	3,240	3,564	3,888	4,212	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,240	N/A	3,240	3,564	3,888	4,212	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,240	N/A	3,240	3,564	3,888	4,212	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,300	N/A	3,300	3,630	3,960	4,290	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,240	N/A	3,240	3,564	3,888	4,212	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,240	N/A	3,240	3,564	3,888	4,212	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,300	N/A	3,300	3,630	3,960	4,290	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,300	N/A	3,300	3,630	3,960	4,290	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,310	N/A	3,310	3,641	3,972	4,303	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,310	N/A	3,310	3,641	3,972	4,303	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,310	N/A	3,310	3,641	3,972	4,303	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,310	N/A	3,310	3,641	3,972	4,303	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,310	N/A	3,310	3,641	3,972	4,303	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,310	N/A	3,310	3,641	3,972	4,303	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 02	Semi-finished products of tool steel	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,790	N/A	4,790	5,269	5,748	6,227	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,650	N/A	3,650	4,015	4,380	4,745	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,790	N/A	4,790	5,269	5,748	6,227	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,650	N/A	3,650	4,015	4,380	4,745	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,710	N/A	3,710	4,081	4,452	4,823	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,650	N/A	3,650	4,015	4,380	4,745	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,710	N/A	3,710	4,081	4,452	4,823	(C)/(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,520	N/A	3,520	3,872	4,224	4,576	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,710	N/A	3,710	4,081	4,452	4,823	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,710	N/A	3,710	4,081	4,452	4,823	(C)/(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,960	N/A	2,960	3,256	3,552	3,848	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,800	N/A	2,800	3,080	3,360	3,640	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,210	N/A	3,210	3,531	3,852	4,173	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,210	N/A	3,210	3,531	3,852	4,173	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,210	N/A	3,210	3,531	3,852	4,173	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,770	N/A	2,770	3,047	3,324	3,601	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,660	N/A	2,660	2,926	3,192	3,458	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,660	N/A	2,660	2,926	3,192	3,458	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,300	N/A	3,300	3,630	3,960	4,290	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,300	N/A	3,300	3,630	3,960	4,290	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,750	N/A	2,750	3,025	3,300	3,575	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,300	N/A	3,300	3,630	3,960	4,290	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,240	N/A	3,240	3,564	3,888	4,212	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,760	N/A	2,760	3,036	3,312	3,588	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,700	N/A	2,700	2,970	3,240	3,510	(F)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,760	N/A	2,760	3,036	3,312	3,588	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,300	N/A	3,300	3,630	3,960	4,290	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,300	N/A	3,300	3,630	3,960	4,290	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,810	N/A	2,810	3,091	3,372	3,653	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,550	N/A	2,550	2,805	3,060	3,315	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,550	N/A	2,550	2,805	3,060	3,315	
7307 19 90	Cast tube or pipe fittings of steel	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,930	N/A	2,930	3,223	3,516	3,809	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,930	N/A	2,930	3,223	3,516	3,809	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,930	N/A	2,930	3,223	3,516	3,809	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,930	N/A	2,930	3,223	3,516	3,809	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,770	N/A	2,770	3,047	3,324	3,601	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,990	N/A	2,990	3,289	3,588	3,887	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,130	N/A	3,130	3,443	3,756	4,069	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,060	N/A	3,060	3,366	3,672	3,978	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,180	N/A	3,180	3,498	3,816	4,134	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,180	N/A	3,180	3,498	3,816	4,134	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,900	N/A	2,900	3,190	3,480	3,770	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,060	N/A	3,060	3,366	3,672	3,978	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,670	N/A	2,670	2,937	3,204	3,471	(C)

Mexico								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326 90 30	Ladders and steps, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,670	N/A	2,670	2,937	3,204	3,471	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,810	N/A	2,810	3,091	3,372	3,653	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,340	0,040	1,380	1,518	1,656	1,794	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,340	0,070	1,410	1,551	1,692	1,833	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,760	0,040	2,800	2,828	2,828	2,828	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,040	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	2,230	0,060	2,290	2,313	2,313	2,313	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,030	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,030	0,840	0,848	0,848	0,848	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,100	1,570	1,586	1,586	1,586	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,100	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,080	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,420	0,080	1,510	1,525	1,525	1,525	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,680	0,060	1,750	1,768	1,768	1,768	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,590	0,100	2,690	2,717	2,717	2,717	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,220	0,090	2,310	2,333	2,333	2,333	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,220	0,090	2,310	2,333	2,333	2,333	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,310	0,070	4,380	4,424	4,424	4,424	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,170	0,090	2,260	2,283	2,283	2,283	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,620	0,080	1,700	1,717	1,717	1,717	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,660	0,090	1,760	1,778	1,778	1,778	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,080	0,900	0,909	0,909	0,909	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,090	1,180	1,192	1,192	1,192	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,740	0,070	0,810	0,818	0,818	0,818	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,060	0,560	0,566	0,566	0,566	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,040	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,500	0,110	1,610	1,626	1,626	1,626	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,100	0,680	0,687	0,687	0,687	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,460	0,070	1,530	1,545	1,545	1,545	

Moldova								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,750	0,050	0,800	0,808	0,808	0,808	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,070	1,430	1,573	1,716	1,859	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,360	0,130	1,490	1,639	1,788	1,937	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,290	0,130	1,420	1,562	1,704	1,846	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,190	0,090	2,290	2,313	2,313	2,313	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,090	0,740	0,747	0,747	0,747	
2834 21 00	Nitrate of potassium	1,820	0,110	1,930	1,949	1,949	1,949	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,410	0,050	0,460	0,465	0,465	0,465	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,670	0,050	0,730	0,737	0,737	0,737	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,230	0,160	1,390	1,404	1,404	1,404	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,200	0,160	1,360	1,374	1,374	1,374	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,070	0,630	0,636	0,636	0,636	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,100	1,270	1,283	1,283	1,283	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,360	0,080	1,440	1,454	1,454	1,454	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,090	0,130	2,220	2,242	2,242	2,242	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,110	1,860	1,879	1,879	1,879	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,110	1,860	1,879	1,879	1,879	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,420	0,150	3,570	3,606	3,606	3,606	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,110	1,860	1,879	1,879	1,879	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,110	1,450	1,465	1,465	1,465	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,360	0,130	1,490	1,505	1,505	1,505	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,670	0,060	0,730	0,737	0,737	0,737	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,850	0,060	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,040	0,600	0,606	0,606	0,606	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,060	0,540	0,545	0,545	0,545	

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,040	0,330	0,333	0,333	0,333	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,180	0,080	1,250	1,263	1,263	1,263	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,490	0,070	0,560	0,566	0,566	0,566	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,180	0,080	1,250	1,263	1,263	1,263	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Mongolia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,590	0,040	0,630	0,636	0,636	0,636	

Montenegro								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 10 10	Bars and rods	2,280	N/A	2,280	2,508	2,736	2,964	(K)
7604 10 90	Profiles	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7604 21 00	Hollow profiles	2,290	N/A	2,290	2,519	2,748	2,977	(K)

Montenegro								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 29 10	Bars and rods	2,280	N/A	2,280	2,508	2,736	2,964	(K)
7604 29 90	Profiles	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7605	Aluminium wire	2,280	N/A	2,280	2,508	2,736	2,964	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7608	Aluminium tubes and pipes	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7610 90	Other	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,290	N/A	2,290	2,519	2,748	2,977	(K)
7610 90 90	Other	2,290	N/A	2,290	2,519	2,748	2,977	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Montenegro								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,280	N/A	2,280	2,508	2,736	2,964	(K)

Montenegro								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7616 99 10	Cast	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7616 99 90	Other	2,730	N/A	2,730	3,003	3,276	3,549	(K)
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,060	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	1,210	0,150	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	0,860	0,100	0,950	1,045	1,140	1,235	
2523 90 00	White hydraulic cements	1,250	0,200	1,450	1,595	1,740	1,885	(B)
2523 90 00	Grey hydraulic cements	0,820	0,100	0,910	1,001	1,092	1,183	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,480	0,060	2,540	2,565	2,565	2,565	
2814 10 00	Anhydrous ammonia	2,030	0,180	2,200	2,222	2,222	2,222	
2814 20 00	Ammonia in aqueous solution	0,610	0,050	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	2,020	0,090	2,100	2,121	2,121	2,121	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,050	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,750	0,050	0,790	0,798	0,798	0,798	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,360	0,140	1,500	1,515	1,515	1,515	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,330	0,140	1,460	1,475	1,475	1,475	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,110	0,700	0,707	0,707	0,707	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,300	0,120	1,420	1,434	1,434	1,434	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,530	0,090	1,620	1,636	1,636	1,636	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,350	0,140	2,490	2,515	2,515	2,515	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,010	0,130	2,140	2,161	2,161	2,161	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,010	0,130	2,140	2,161	2,161	2,161	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,880	0,090	3,970	4,010	4,010	4,010	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,120	2,090	2,111	2,111	2,111	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,480	0,110	1,590	1,606	1,606	1,606	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,520	0,130	1,650	1,667	1,667	1,667	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,750	0,110	0,860	0,869	0,869	0,869	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,990	0,130	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,670	0,100	0,770	0,778	0,778	0,778	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,080	0,550	0,556	0,556	0,556	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,060	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,360	0,160	1,520	1,535	1,535	1,535	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,120	0,670	0,677	0,677	0,677	

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,330	0,100	1,420	1,434	1,434	1,434	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,680	0,070	0,750	0,758	0,758	0,758	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,510	N/A	0,510	0,561	0,612	0,663	(L)
7604 10 10	Bars and rods	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 10 90	Profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7604 21 00	Hollow profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7604 29 10	Bars and rods	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 29 90	Profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7605	Aluminium wire	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,190	N/A	1,190	1,309	1,428	1,547	(L)

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90	Other	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90 90	Other	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,190	N/A	1,190	1,309	1,428	1,547	(L)

Morocco								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7616 99 10	Cast	0,510	N/A	0,510	0,561	0,612	0,663	(L)
7616 99 90	Other	1,190	N/A	1,190	1,309	1,428	1,547	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Mozambique								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	3,198	N/A	3,198	3,518	3,838	4,157	(K)
7603	Aluminium powders and flakes	3,712	N/A	3,712	4,083	4,454	4,825	(K)
7604 10 10	Bars and rods	4,124	N/A	4,124	4,536	4,949	5,361	(K)
7604 10 90	Profiles	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7604 21 00	Hollow profiles	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7604 29 10	Bars and rods	4,124	N/A	4,124	4,536	4,949	5,361	(K)
7604 29 90	Profiles	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7605	Aluminium wire	4,124	N/A	4,124	4,536	4,949	5,361	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7608	Aluminium tubes and pipes	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	4,161	N/A	4,161	4,578	4,994	5,410	(K)

Mozambique								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90	Other	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7610 90 90	Other	4,161	N/A	4,161	4,578	4,994	5,410	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	4,124	N/A	4,124	4,536	4,949	5,361	(K)

Mozambique								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	4,986	N/A	4,986	5,485	5,984	6,482	(K)
7616 99 10	Cast	3,712	N/A	3,712	4,083	4,454	4,825	(K)
7616 99 90	Other	4,986	N/A	4,986	5,485	5,984	6,482	(K)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,030	1,380	1,518	1,656	1,794	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,350	0,050	1,400	1,540	1,680	1,820	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,280	0,050	1,330	1,463	1,596	1,729	(A)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,140	0,030	2,170	2,192	2,192	2,192	
2814 10 00	Anhydrous ammonia	2,100	0,110	2,200	2,222	2,222	2,222	
2814 20 00	Ammonia in aqueous solution	0,630	0,030	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,800	0,050	1,860	1,879	1,879	1,879	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,480	0,030	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,790	0,030	0,820	0,828	0,828	0,828	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,430	0,080	1,520	1,535	1,535	1,535	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,400	0,080	1,480	1,495	1,495	1,495	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,060	0,680	0,687	0,687	0,687	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,220	0,070	1,290	1,303	1,303	1,303	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,370	0,050	1,420	1,434	1,434	1,434	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,110	0,080	2,190	2,212	2,212	2,212	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,820	0,080	1,890	1,909	1,909	1,909	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,820	0,080	1,890	1,909	1,909	1,909	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,340	0,050	3,390	3,424	3,424	3,424	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,770	0,070	1,840	1,858	1,858	1,858	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,400	0,060	1,460	1,475	1,475	1,475	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,480	0,080	1,560	1,576	1,576	1,576	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,720	0,060	0,780	0,788	0,788	0,788	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,900	0,080	0,980	0,990	0,990	0,990	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,060	0,670	0,677	0,677	0,677	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,490	0,050	0,540	0,545	0,545	0,545	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,040	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,240	0,090	1,330	1,343	1,343	1,343	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,090	0,660	0,667	0,667	0,667	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,200	0,060	1,260	1,273	1,273	1,273	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,620	0,040	0,660	0,667	0,667	0,667	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	–	–	–	–	–	–	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	–	–	–	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,350	N/A	1,350	1,485	1,620	1,755	(E)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,130	N/A	3,130	3,443	3,756	4,069	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,130	N/A	3,130	3,443	3,756	4,069	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,130	N/A	3,130	3,443	3,756	4,069	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,130	N/A	3,130	3,443	3,756	4,069	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,130	N/A	3,130	3,443	3,756	4,069	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,130	N/A	3,130	3,443	3,756	4,069	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,130	N/A	3,130	3,443	3,756	4,069	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,130	N/A	3,130	3,443	3,756	4,069	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,130	N/A	3,130	3,443	3,756	4,069	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,130	N/A	3,130	3,443	3,756	4,069	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,130	N/A	3,130	3,443	3,756	4,069	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,130	N/A	3,130	3,443	3,756	4,069	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,130	N/A	3,130	3,443	3,756	4,069	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,130	N/A	3,130	3,443	3,756	4,069	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7224 90 02	Semi-finished products of tool steel	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,530	N/A	4,530	4,983	5,436	5,889	(E)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,400	N/A	3,400	3,740	4,080	4,420	(E)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,530	N/A	4,530	4,983	5,436	5,889	(E)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,400	N/A	3,400	3,740	4,080	4,420	(E)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,400	N/A	3,400	3,740	4,080	4,420	(E)/(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(E)/(H)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,390	N/A	3,390	3,729	4,068	4,407	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(E)/(H)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,400	N/A	3,400	3,740	4,080	4,420	(H)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,400	N/A	3,400	3,740	4,080	4,420	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,400	N/A	3,400	3,740	4,080	4,420	(E)/(H)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	0,520	N/A	0,520	0,572	0,624	0,676	(E)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,510	N/A	2,510	2,761	3,012	3,263	(E)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,350	N/A	1,350	1,485	1,620	1,755	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,130	N/A	3,130	3,443	3,756	4,069	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,130	N/A	3,130	3,443	3,756	4,069	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	0,560	N/A	0,560	0,616	0,672	0,728	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,130	N/A	3,130	3,443	3,756	4,069	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,130	N/A	3,130	3,443	3,756	4,069	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,560	N/A	0,560	0,616	0,672	0,728	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,560	N/A	0,560	0,616	0,672	0,728	(E)/(H)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	0,560	N/A	0,560	0,616	0,672	0,728	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,130	N/A	3,130	3,443	3,756	4,069	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	0,560	N/A	0,560	0,616	0,672	0,728	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	0,560	N/A	0,560	0,616	0,672	0,728	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	0,560	N/A	0,560	0,616	0,672	0,728	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,130	N/A	3,130	3,443	3,756	4,069	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,130	N/A	3,130	3,443	3,756	4,069	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	0,560	N/A	0,560	0,616	0,672	0,728	(H)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	0,560	N/A	0,560	0,616	0,672	0,728	(H)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	0,560	N/A	0,560	0,616	0,672	0,728	(H)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,130	N/A	3,130	3,443	3,756	4,069	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	0,560	N/A	0,560	0,616	0,672	0,728	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,130	N/A	3,130	3,443	3,756	4,069	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	0,560	N/A	0,560	0,616	0,672	0,728	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	0,560	N/A	0,560	0,616	0,672	0,728	(E)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,350	N/A	1,350	1,485	1,620	1,755	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,350	N/A	1,350	1,485	1,620	1,755	
7307 19 90	Cast tube or pipe fittings of steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,640	N/A	2,640	2,904	3,168	3,432	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,640	N/A	2,640	2,904	3,168	3,432	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,640	N/A	2,640	2,904	3,168	3,432	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,640	N/A	2,640	2,904	3,168	3,432	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,700	N/A	2,700	2,970	3,240	3,510	(E)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,100	N/A	3,100	3,410	3,720	4,030	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	0,570	N/A	0,570	0,627	0,684	0,741	(E)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,100	N/A	3,100	3,410	3,720	4,030	(E)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,130	N/A	3,130	3,443	3,756	4,069	(E)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 13 00	Screw hooks and screw rings, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,130	N/A	3,130	3,443	3,756	4,069	(E)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,300	N/A	2,300	2,530	2,760	2,990	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	2,900	N/A	2,900	3,190	3,480	3,770	(E)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 21 00	Spring washers and other lock washers, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,290	N/A	1,290	1,419	1,548	1,677	(E)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,040	N/A	1,040	1,144	1,248	1,352	(E)
7318 24 00	Cotters and cotter pins, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7318 29 00	Non-threaded articles, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	0,470	N/A	0,470	0,517	0,564	0,611	(E)

Myanmar/Burma								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 20 00	Articles of iron or steel wire, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 30	Ladders and steps, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 50	Reels for cables, piping and the like, of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 96	Sintered articles of iron or steel, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)
7326 90 98	Articles of iron or steel, n.e.s.	0,470	N/A	0,470	0,517	0,564	0,611	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Namibia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,880	0	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,880	0,010	0,890	0,979	1,068	1,157	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,840	0,010	0,850	0,935	1,02	1,105	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,770	0,070	1,840	1,858	1,858	1,858	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,700	0,060	0,770	0,778	0,778	0,778	
2834 21 00	Nitrate of potassium	1,610	0,090	1,700	1,717	1,717	1,717	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,520	0,050	0,570	0,576	0,576	0,576	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,860	0,050	0,910	0,919	0,919	0,919	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,570	0,140	1,720	1,737	1,737	1,737	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,540	0,140	1,680	1,697	1,697	1,697	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,090	0,770	0,778	0,778	0,778	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,170	0,100	1,270	1,283	1,283	1,283	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,220	0,080	1,310	1,323	1,323	1,323	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,880	0,130	2,010	2,030	2,030	2,030	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,110	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,110	1,740	1,757	1,757	1,757	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,760	0,110	2,870	2,899	2,899	2,899	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,580	0,110	1,690	1,707	1,707	1,707	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,100	1,440	1,454	1,454	1,454	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,120	1,610	1,626	1,626	1,626	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,080	0,780	0,788	0,788	0,788	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,090	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,070	0,630	0,636	0,636	0,636	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,070	0,610	0,616	0,616	0,616	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,350	0,050	0,400	0,404	0,404	0,404	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,110	1,240	1,252	1,252	1,252	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,630	0,110	0,740	0,747	0,747	0,747	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,080	1,170	1,182	1,182	1,182	

Nepal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,010	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,890	0,030	0,920	1,012	1,104	1,196	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,590	0,030	1,620	1,636	1,636	1,636	
2814 10 00	Anhydrous ammonia	1,760	0,040	1,800	1,818	1,818	1,818	
2814 20 00	Ammonia in aqueous solution	0,530	0,010	0,540	0,545	0,545	0,545	
2834 21 00	Nitrate of potassium	1,380	0,030	1,420	1,434	1,434	1,434	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,400	0,010	0,420	0,424	0,424	0,424	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,670	0,010	0,680	0,687	0,687	0,687	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,220	0,040	1,250	1,263	1,263	1,263	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,190	0,040	1,230	1,242	1,242	1,242	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,030	0,550	0,556	0,556	0,556	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	0,970	0,040	1	1,010	1,010	1,010	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,050	0,030	1,090	1,101	1,101	1,101	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,050	1,670	1,687	1,687	1,687	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,400	0,040	1,450	1,465	1,465	1,465	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,400	0,040	1,450	1,465	1,465	1,465	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,480	0,050	2,530	2,555	2,555	2,555	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,360	0,040	1,400	1,414	1,414	1,414	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,110	0,040	1,140	1,151	1,151	1,151	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,210	0,040	1,240	1,252	1,252	1,252	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,570	0,030	0,610	0,616	0,616	0,616	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,040	0,750	0,758	0,758	0,758	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,030	0,510	0,515	0,515	0,515	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,420	0,020	0,440	0,444	0,444	0,444	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,270	0,020	0,290	0,293	0,293	0,293	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	0,960	0,050	1,010	1,020	1,020	1,020	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,490	0,060	0,550	0,556	0,556	0,556	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,930	0,030	0,960	0,970	0,970	0,970	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,480	0,020	0,500	0,505	0,505	0,505	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,070	0,040	0,100	0,110	0,120	0,130	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,310	N/A	2,310	2,541	2,772	3,003	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,320	N/A	2,320	2,552	2,784	3,016	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,360	N/A	3,360	3,696	4,032	4,368	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,380	N/A	3,380	3,718	4,056	4,394	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,380	N/A	3,380	3,718	4,056	4,394	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,360	N/A	3,360	3,696	4,032	4,368	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,380	N/A	3,380	3,718	4,056	4,394	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,360	N/A	3,360	3,696	4,032	4,368	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,380	N/A	3,380	3,718	4,056	4,394	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,380	N/A	3,380	3,718	4,056	4,394	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,390	N/A	3,390	3,729	4,068	4,407	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,390	N/A	3,390	3,729	4,068	4,407	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,390	N/A	3,390	3,729	4,068	4,407	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,390	N/A	3,390	3,729	4,068	4,407	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,390	N/A	3,390	3,729	4,068	4,407	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,390	N/A	3,390	3,729	4,068	4,407	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,380	N/A	3,380	3,718	4,056	4,394	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,390	N/A	3,390	3,729	4,068	4,407	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,390	N/A	3,390	3,729	4,068	4,407	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,360	N/A	3,360	3,696	4,032	4,368	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,360	N/A	3,360	3,696	4,032	4,368	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,360	N/A	3,360	3,696	4,032	4,368	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,360	N/A	3,360	3,696	4,032	4,368	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,360	N/A	3,360	3,696	4,032	4,368	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,360	N/A	3,360	3,696	4,032	4,368	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,360	N/A	3,360	3,696	4,032	4,368	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 02	Semi-finished products of tool steel	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,520	N/A	3,520	3,872	4,224	4,576	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,520	N/A	3,520	3,872	4,224	4,576	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,660	N/A	4,660	5,126	5,592	6,058	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,520	N/A	3,520	3,872	4,224	4,576	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,660	N/A	4,660	5,126	5,592	6,058	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,520	N/A	3,520	3,872	4,224	4,576	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,520	N/A	3,520	3,872	4,224	4,576	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,530	N/A	3,530	3,883	4,236	4,589	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,060	N/A	3,060	3,366	3,672	3,978	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,310	N/A	2,310	2,541	2,772	3,003	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,360	N/A	3,360	3,696	4,032	4,368	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,360	N/A	3,360	3,696	4,032	4,368	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,360	N/A	3,360	3,696	4,032	4,368	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,360	N/A	3,360	3,696	4,032	4,368	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,360	N/A	3,360	3,696	4,032	4,368	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,360	N/A	2,360	2,596	2,832	3,068	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,360	N/A	2,360	2,596	2,832	3,068	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,430	N/A	2,430	2,673	2,916	3,159	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,390	N/A	3,390	3,729	4,068	4,407	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,390	N/A	3,390	3,729	4,068	4,407	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,420	N/A	2,420	2,662	2,904	3,146	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,390	N/A	3,390	3,729	4,068	4,407	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,380	N/A	3,380	3,718	4,056	4,394	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,410	N/A	2,410	2,651	2,892	3,133	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,400	N/A	2,400	2,640	2,880	3,120	(F)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,410	N/A	2,410	2,651	2,892	3,133	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,390	N/A	3,390	3,729	4,068	4,407	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,390	N/A	3,390	3,729	4,068	4,407	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,430	N/A	2,430	2,673	2,916	3,159	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,310	N/A	2,310	2,541	2,772	3,003	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,310	N/A	2,310	2,541	2,772	3,003	
7307 19 90	Cast tube or pipe fittings of steel	2,410	N/A	2,410	2,651	2,892	3,133	
7307 21 00	Flanges of stainless steel (excl. cast products)	2,820	N/A	2,820	3,102	3,384	3,666	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,820	N/A	2,820	3,102	3,384	3,666	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,820	N/A	2,820	3,102	3,384	3,666	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,820	N/A	2,820	3,102	3,384	3,666	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,900	N/A	2,900	3,190	3,480	3,770	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,040	N/A	3,040	3,344	3,648	3,952	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,430	N/A	2,430	2,673	2,916	3,159	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,020	N/A	3,020	3,322	3,624	3,926	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,360	N/A	3,360	3,696	4,032	4,368	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,360	N/A	3,360	3,696	4,032	4,368	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,820	N/A	2,820	3,102	3,384	3,666	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,020	N/A	3,020	3,322	3,624	3,926	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,470	N/A	2,470	2,717	2,964	3,211	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

New Zealand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 30	Ladders and steps, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,430	N/A	2,430	2,673	2,916	3,159	(C)

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,810	0,070	1,880	1,899	1,899	1,899	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,070	0,750	0,758	0,758	0,758	
2834 21 00	Nitrate of potassium	1,620	0,110	1,730	1,747	1,747	1,747	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,060	0,900	0,909	0,909	0,909	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,180	1,700	1,717	1,717	1,717	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,170	1,670	1,687	1,687	1,687	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,130	0,790	0,798	0,798	0,798	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,140	1,300	1,313	1,313	1,313	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,110	1,340	1,353	1,353	1,353	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,900	0,170	2,060	2,081	2,081	2,081	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,160	1,800	1,818	1,818	1,818	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,640	0,160	1,800	1,818	1,818	1,818	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,820	0,120	2,940	2,969	2,969	2,969	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,150	1,740	1,757	1,757	1,757	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,330	0,140	1,470	1,485	1,485	1,485	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,160	1,630	1,646	1,646	1,646	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,130	0,820	0,828	0,828	0,828	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,150	0,980	0,990	0,990	0,990	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,120	0,680	0,687	0,687	0,687	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,100	0,630	0,636	0,636	0,636	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,080	0,410	0,414	0,414	0,414	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,130	0,190	1,320	1,333	1,333	1,333	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,140	0,750	0,758	0,758	0,758	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,120	1,210	1,222	1,222	1,222	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,080	0,640	0,646	0,646	0,646	

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7604 10 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 10 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 21 00	Hollow profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 29 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7605	Aluminium wire	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Nicaragua								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 99 10	Cast	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7616 99 90	Other	1,150	N/A	1,150	1,265	1,380	1,495	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Niger								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0,080	1,320	1,452	1,584	1,716	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,220	0,130	1,350	1,485	1,620	1,755	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,160	0,130	1,290	1,419	1,548	1,677	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0,030	1,280	1,408	1,536	1,664	(A)

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,050	1,300	1,430	1,560	1,690	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,180	0,060	1,240	1,364	1,488	1,612	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,610	0,030	1,650	1,667	1,667	1,667	
2814 10 00	Anhydrous ammonia	2,010	0,100	2,110	2,131	2,131	2,131	
2814 20 00	Ammonia in aqueous solution	0,600	0,030	0,630	0,636	0,636	0,636	
2834 21 00	Nitrate of potassium	1,450	0,050	1,500	1,515	1,515	1,515	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,030	0,490	0,495	0,495	0,495	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,030	0,790	0,798	0,798	0,798	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,380	0,080	1,460	1,475	1,475	1,475	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,350	0,080	1,430	1,444	1,444	1,444	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,060	0,660	0,667	0,667	0,667	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,040	0,070	1,110	1,121	1,121	1,121	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,100	0,050	1,150	1,162	1,162	1,162	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,080	1,770	1,788	1,788	1,788	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,070	1,540	1,555	1,555	1,555	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,070	1,540	1,555	1,555	1,555	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,520	0,050	2,570	2,596	2,596	2,596	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,420	0,070	1,490	1,505	1,505	1,505	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,200	0,060	1,260	1,273	1,273	1,273	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,320	0,070	1,400	1,414	1,414	1,414	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,620	0,060	0,680	0,687	0,687	0,687	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,750	0,070	0,820	0,828	0,828	0,828	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,040	0,520	0,525	0,525	0,525	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,010	0,090	1,100	1,111	1,111	1,111	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,080	0,640	0,646	0,646	0,646	

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,050	1,030	1,040	1,040	1,040	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,510	0,040	0,540	0,545	0,545	0,545	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,100	N/A	1,100	1,210	1,320	1,430	(L)
7604 10 10	Bars and rods	1,330	N/A	1,330	1,463	1,596	1,729	(L)

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7604 21 00	Hollow profiles	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7604 29 10	Bars and rods	1,330	N/A	1,330	1,463	1,596	1,729	(L)
7604 29 90	Profiles	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7605	Aluminium wire	1,330	N/A	1,330	1,463	1,596	1,729	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7608	Aluminium tubes and pipes	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7610 90	Other	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,340	N/A	1,340	1,474	1,608	1,742	(L)

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	1,340	N/A	1,340	1,474	1,608	1,742	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,330	N/A	1,330	1,463	1,596	1,729	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Nigeria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,790	N/A	1,790	1,969	2,148	2,327	(L)
7616 99 10	Cast	1,100	N/A	1,100	1,210	1,320	1,430	(L)
7616 99 90	Other	1,790	N/A	1,790	1,969	2,148	2,327	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,040	1,390	1,529	1,668	1,807	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,360	0,070	1,420	1,562	1,704	1,846	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,290	0,070	1,360	1,496	1,632	1,768	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,080	0,050	2,130	2,151	2,151	2,151	
2814 10 00	Anhydrous ammonia	2,050	0,150	2,200	2,222	2,222	2,222	
2814 20 00	Ammonia in aqueous solution	0,620	0,040	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,750	0,070	1,820	1,838	1,838	1,838	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,040	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,040	0,770	0,778	0,778	0,778	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,340	0,120	1,450	1,465	1,465	1,465	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,310	0,110	1,420	1,434	1,434	1,434	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,090	0,680	0,687	0,687	0,687	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,180	0,100	1,270	1,283	1,283	1,283	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,330	0,070	1,400	1,414	1,414	1,414	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,040	0,110	2,160	2,182	2,182	2,182	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,100	1,850	1,869	1,869	1,869	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,100	1,850	1,869	1,869	1,869	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,250	0,070	3,320	3,353	3,353	3,353	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,710	0,100	1,810	1,828	1,828	1,828	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,090	1,430	1,444	1,444	1,444	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,410	0,110	1,520	1,535	1,535	1,535	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,090	0,780	0,788	0,788	0,788	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,870	0,110	0,970	0,980	0,980	0,980	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,080	0,670	0,677	0,677	0,677	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,060	0,540	0,545	0,545	0,545	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,190	0,130	1,320	1,333	1,333	1,333	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,100	0,650	0,657	0,657	0,657	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,160	0,080	1,240	1,252	1,252	1,252	

North Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,600	0,060	0,650	0,657	0,657	0,657	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,050	0,910	1,001	1,092	1,183	(A)

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,090	0,960	1,056	1,152	1,248	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,090	0,920	1,012	1,104	1,196	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,740	0,060	2,790	2,818	2,818	2,818	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,050	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	2,190	0,080	2,270	2,293	2,293	2,293	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,040	0,480	0,485	0,485	0,485	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,040	0,770	0,778	0,778	0,778	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,310	0,140	1,450	1,465	1,465	1,465	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,280	0,130	1,420	1,434	1,434	1,434	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,100	0,700	0,707	0,707	0,707	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,380	0,110	1,500	1,515	1,515	1,515	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,650	0,090	1,740	1,757	1,757	1,757	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,540	0,130	2,670	2,697	2,697	2,697	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,120	2,270	2,293	2,293	2,293	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,120	2,270	2,293	2,293	2,293	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,270	0,090	4,360	4,404	4,404	4,404	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,130	0,120	2,240	2,262	2,262	2,262	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,550	0,100	1,660	1,677	1,677	1,677	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,560	0,120	1,680	1,697	1,697	1,697	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,790	0,100	0,890	0,899	0,899	0,899	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,120	1,170	1,182	1,182	1,182	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,090	0,800	0,808	0,808	0,808	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,080	0,570	0,576	0,576	0,576	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,060	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,440	0,150	1,590	1,606	1,606	1,606	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,110	0,670	0,677	0,677	0,677	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,090	1,520	1,535	1,535	1,535	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,060	0,790	0,798	0,798	0,798	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	–	–	–	–	–	–	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	–	–	–	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,630	N/A	1,630	1,793	1,956	2,119	
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,510	N/A	1,510	1,661	1,812	1,963	
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,530	N/A	1,530	1,683	1,836	1,989	
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,510	N/A	1,510	1,661	1,812	1,963	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	1,510	N/A	1,510	1,661	1,812	1,963	
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,510	N/A	1,510	1,661	1,812	1,963	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,530	N/A	1,530	1,683	1,836	1,989	
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	1,510	N/A	1,510	1,661	1,812	1,963	
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	1,510	N/A	1,510	1,661	1,812	1,963	
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	1,510	N/A	1,510	1,661	1,812	1,963	
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,530	N/A	1,530	1,683	1,836	1,989	
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,530	N/A	1,530	1,683	1,836	1,989	
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	1,530	N/A	1,530	1,683	1,836	1,989	
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,530	N/A	1,530	1,683	1,836	1,989	
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,530	N/A	1,530	1,683	1,836	1,989	
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,530	N/A	1,530	1,683	1,836	1,989	
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,530	N/A	1,530	1,683	1,836	1,989	
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	1,530	N/A	1,530	1,683	1,836	1,989	
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	1,530	N/A	1,530	1,683	1,836	1,989	
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,530	N/A	1,530	1,683	1,836	1,989	
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,530	N/A	1,530	1,683	1,836	1,989	
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,510	N/A	1,510	1,661	1,812	1,963	
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,530	N/A	1,530	1,683	1,836	1,989	
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,530	N/A	1,530	1,683	1,836	1,989	
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,530	N/A	1,530	1,683	1,836	1,989	
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,530	N/A	1,530	1,683	1,836	1,989	
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,922	N/A	1,922	2,114	2,306	2,499	
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,530	N/A	1,530	1,683	1,836	1,989	
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,530	N/A	1,530	1,683	1,836	1,989	
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,530	N/A	1,530	1,683	1,836	1,989	
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,900	N/A	2,900	3,190	3,480	3,770	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	2,910	N/A	2,910	3,201	3,492	3,783	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	2,900	N/A	2,900	3,190	3,480	3,770	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	2,910	N/A	2,910	3,201	3,492	3,783	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	2,900	N/A	2,900	3,190	3,480	3,770	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,910	N/A	2,910	3,201	3,492	3,783	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,910	N/A	2,910	3,201	3,492	3,783	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	2,910	N/A	2,910	3,201	3,492	3,783	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	2,910	N/A	2,910	3,201	3,492	3,783	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	2,910	N/A	2,910	3,201	3,492	3,783	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	2,910	N/A	2,910	3,201	3,492	3,783	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	2,900	N/A	2,900	3,190	3,480	3,770	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	2,910	N/A	2,910	3,201	3,492	3,783	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	2,910	N/A	2,910	3,201	3,492	3,783	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,420	N/A	3,420	3,762	4,104	4,446	
7224 90 02	Semi-finished products of tool steel	3,440	N/A	3,440	3,784	4,128	4,472	
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,440	N/A	3,440	3,784	4,128	4,472	
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,440	N/A	3,440	3,784	4,128	4,472	
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,420	N/A	3,420	3,762	4,104	4,446	
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,440	N/A	3,440	3,784	4,128	4,472	
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,440	N/A	3,440	3,784	4,128	4,472	
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,420	N/A	3,420	3,762	4,104	4,446	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,550	N/A	4,550	5,005	5,460	5,915	
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,440	N/A	3,440	3,784	4,128	4,472	
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,440	N/A	3,440	3,784	4,128	4,472	
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,550	N/A	4,550	5,005	5,460	5,915	
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,440	N/A	3,440	3,784	4,128	4,472	
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,440	N/A	3,440	3,784	4,128	4,472	
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,440	N/A	3,440	3,784	4,128	4,472	
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,440	N/A	3,440	3,784	4,128	4,472	
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,440	N/A	3,440	3,784	4,128	4,472	
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,440	N/A	3,440	3,784	4,128	4,472	
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,440	N/A	3,440	3,784	4,128	4,472	
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,440	N/A	3,440	3,784	4,128	4,472	
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	1,550	N/A	1,550	1,705	1,860	2,015	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,580	N/A	2,580	2,838	3,096	3,354	
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,640	N/A	1,640	1,804	1,968	2,132	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,910	N/A	2,910	3,201	3,492	3,783	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,560	N/A	1,560	1,716	1,872	2,028	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,910	N/A	2,910	3,201	3,492	3,783	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,560	N/A	1,560	1,716	1,872	2,028	
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,910	N/A	2,910	3,201	3,492	3,783	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,560	N/A	1,560	1,716	1,872	2,028	
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,560	N/A	1,560	1,716	1,872	2,028	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,560	N/A	1,560	1,716	1,872	2,028	
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,910	N/A	2,910	3,201	3,492	3,783	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,570	N/A	1,570	1,727	1,884	2,041	
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,570	N/A	1,570	1,727	1,884	2,041	
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,560	N/A	1,560	1,716	1,872	2,028	
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	1,570	N/A	1,570	1,727	1,884	2,041	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,910	N/A	2,910	3,201	3,492	3,783	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,898	N/A	1,898	2,088	2,278	2,467	
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,898	N/A	1,898	2,088	2,278	2,467	
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	1,898	N/A	1,898	2,088	2,278	2,467	
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	1,898	N/A	1,898	2,088	2,278	2,467	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	1,898	N/A	1,898	2,088	2,278	2,467	
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	1,898	N/A	1,898	2,088	2,278	2,467	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	1,898	N/A	1,898	2,088	2,278	2,467	
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	1,898	N/A	1,898	2,088	2,278	2,467	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	1,898	N/A	1,898	2,088	2,278	2,467	
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,910	N/A	2,910	3,201	3,492	3,783	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,910	N/A	2,910	3,201	3,492	3,783	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	1,898	N/A	1,898	2,088	2,278	2,467	
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	1,898	N/A	1,898	2,088	2,278	2,467	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	1,898	N/A	1,898	2,088	2,278	2,467	
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,910	N/A	2,910	3,201	3,492	3,783	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	1,898	N/A	1,898	2,088	2,278	2,467	
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	1,898	N/A	1,898	2,088	2,278	2,467	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,910	N/A	2,910	3,201	3,492	3,783	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	1,898	N/A	1,898	2,088	2,278	2,467	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	1,898	N/A	1,898	2,088	2,278	2,467	
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,630	N/A	1,630	1,793	1,956	2,119	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,630	N/A	1,630	1,793	1,956	2,119	
7307 19 90	Cast tube or pipe fittings of steel	1,510	N/A	1,510	1,661	1,812	1,963	
7307 21 00	Flanges of stainless steel (excl. cast products)	2,630	N/A	2,630	2,893	3,156	3,419	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,630	N/A	2,630	2,893	3,156	3,419	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,630	N/A	2,630	2,893	3,156	3,419	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,630	N/A	2,630	2,893	3,156	3,419	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,530	N/A	1,530	1,683	1,836	1,989	
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,530	N/A	1,530	1,683	1,836	1,989	
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,530	N/A	1,530	1,683	1,836	1,989	
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,530	N/A	1,530	1,683	1,836	1,989	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,690	N/A	2,690	2,959	3,228	3,497	
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,900	N/A	2,900	3,190	3,480	3,770	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	1,580	N/A	1,580	1,738	1,896	2,054	
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,900	N/A	2,900	3,190	3,480	3,770	
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,910	N/A	2,910	3,201	3,492	3,783	
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	1,530	N/A	1,530	1,683	1,836	1,989	
7318 13 00	Screw hooks and screw rings, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,910	N/A	2,910	3,201	3,492	3,783	
7318 14 91	Spaced-thread screws of iron or steel other than stainless	1,530	N/A	1,530	1,683	1,836	1,989	
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	1,530	N/A	1,530	1,683	1,836	1,989	
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,480	N/A	2,480	2,728	2,976	3,224	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	2,860	N/A	2,860	3,146	3,432	3,718	
7318 19 00	Threaded articles, of iron or steel, n.e.s.	1,530	N/A	1,530	1,683	1,836	1,989	
7318 21 00	Spring washers and other lock washers, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,830	N/A	1,830	2,013	2,196	2,379	
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,740	N/A	1,740	1,914	2,088	2,262	
7318 24 00	Cotters and cotter pins, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7318 29 00	Non-threaded articles, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,510	N/A	1,510	1,661	1,812	1,963	
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,510	N/A	1,510	1,661	1,812	1,963	

North Macedonia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	1,530	N/A	1,530	1,683	1,836	1,989	
7326 90 30	Ladders and steps, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,530	N/A	1,530	1,683	1,836	1,989	
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	1,510	N/A	1,510	1,661	1,812	1,963	
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	1,510	N/A	1,510	1,661	1,812	1,963	
7326 90 96	Sintered articles of iron or steel, n.e.s.	1,510	N/A	1,510	1,661	1,812	1,963	
7326 90 98	Articles of iron or steel, n.e.s.	1,530	N/A	1,530	1,683	1,836	1,989	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Oman								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,830	0,030	0,860	0,946	1,032	1,118	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,860	0,060	0,920	1,012	1,104	1,196	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)

Oman								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)

Oman								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)

Oman								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,250	0,040	1,290	1,419	1,548	1,677	(B)
2523 10 00	Grey clinker	1,280	0,020	1,300	1,430	1,560	1,690	(A)
2523 21 00	White Portland cement	1,290	0,120	1,410	1,551	1,692	1,833	
2523 29 00	Grey Portland cement	1,280	0,050	1,320	1,452	1,584	1,716	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,770	0,040	1,800	1,818	1,818	1,818	
2814 10 00	Anhydrous ammonia	2,340	0,120	2,460	2,485	2,485	2,485	
2814 20 00	Ammonia in aqueous solution	0,700	0,040	0,740	0,747	0,747	0,747	
2834 21 00	Nitrate of potassium	1,610	0,050	1,660	1,677	1,677	1,677	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,520	0,030	0,550	0,556	0,556	0,556	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,860	0,030	0,890	0,899	0,899	0,899	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,560	0,090	1,650	1,667	1,667	1,667	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,530	0,090	1,620	1,636	1,636	1,636	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,060	0,750	0,758	0,758	0,758	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,070	1,240	1,252	1,252	1,252	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,220	0,060	1,280	1,293	1,293	1,293	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,880	0,080	1,960	1,980	1,980	1,980	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,080	1,700	1,717	1,717	1,717	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,080	1,700	1,717	1,717	1,717	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,760	0,060	2,820	2,848	2,848	2,848	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,580	0,080	1,650	1,667	1,667	1,667	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,340	0,070	1,400	1,414	1,414	1,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,480	0,080	1,560	1,576	1,576	1,576	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,060	0,760	0,768	0,768	0,768	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,080	0,900	0,909	0,909	0,909	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,060	0,620	0,626	0,626	0,626	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,050	0,600	0,606	0,606	0,606	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,350	0,040	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,100	1,210	1,222	1,222	1,222	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,630	0,090	0,720	0,727	0,727	0,727	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,060	1,140	1,151	1,151	1,151	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,040	0,600	0,606	0,606	0,606	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 10 10	Bars and rods	1,520	N/A	1,520	1,672	1,824	1,976	(L)
7604 10 90	Profiles	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7604 21 00	Hollow profiles	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7604 29 10	Bars and rods	1,520	N/A	1,520	1,672	1,824	1,976	(L)
7604 29 90	Profiles	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7605	Aluminium wire	1,520	N/A	1,520	1,672	1,824	1,976	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,970	N/A	1,970	2,167	2,364	2,561	(L)

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7608	Aluminium tubes and pipes	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7610 90	Other	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7610 90 90	Other	1,530	N/A	1,530	1,683	1,836	1,989	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,970	N/A	1,970	2,167	2,364	2,561	(L)

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,520	N/A	1,520	1,672	1,824	1,976	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,970	N/A	1,970	2,167	2,364	2,561	(L)
7616 99 10	Cast	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7616 99 90	Other	1,970	N/A	1,970	2,167	2,364	2,561	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Pakistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Papua New Guinea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,020	0,890	0,979	1,068	1,157	(A)
2523 21 00	White Portland cement	1,220	0,130	1,350	1,485	1,620	1,755	
2523 29 00	Grey Portland cement	0,890	0,040	0,940	1,034	1,128	1,222	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,830	0,030	1,860	1,879	1,879	1,879	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,030	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	1,600	0,040	1,640	1,656	1,656	1,656	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,430	0,020	0,450	0,455	0,455	0,455	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,710	0,020	0,730	0,737	0,737	0,737	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,280	0,060	1,350	1,364	1,364	1,364	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,260	0,060	1,320	1,333	1,333	1,333	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,030	0,610	0,616	0,616	0,616	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,090	0,040	1,120	1,131	1,131	1,131	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,190	0,030	1,220	1,232	1,232	1,232	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,840	0,050	1,880	1,899	1,899	1,899	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,040	1,580	1,596	1,596	1,596	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,040	1,580	1,596	1,596	1,596	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,850	0,050	2,900	2,929	2,929	2,929	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,540	0,040	1,580	1,596	1,596	1,596	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,240	0,040	1,280	1,293	1,293	1,293	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,310	0,050	1,360	1,374	1,374	1,374	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,630	0,020	0,650	0,657	0,657	0,657	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,760	0,020	0,780	0,788	0,788	0,788	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,010	0,520	0,525	0,525	0,525	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,020	0,520	0,525	0,525	0,525	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,010	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,040	0,030	1,070	1,081	1,081	1,081	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,520	0,020	0,540	0,545	0,545	0,545	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,040	0,030	1,070	1,081	1,081	1,081	

Panama								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,010	0,540	0,545	0,545	0,545	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,910	0	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,910	0	0,910	1,001	1,092	1,183	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,910	0,020	1,930	1,949	1,949	1,949	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,690	0,030	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	1,660	0,030	1,690	1,707	1,707	1,707	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,430	0,020	0,450	0,455	0,455	0,455	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,020	0,730	0,737	0,737	0,737	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,300	0,050	1,350	1,364	1,364	1,364	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,270	0,050	1,320	1,333	1,333	1,333	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,020	0,610	0,616	0,616	0,616	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,120	0,030	1,150	1,162	1,162	1,162	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,020	1,260	1,273	1,273	1,273	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,910	0,040	1,940	1,959	1,959	1,959	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,030	1,620	1,636	1,636	1,636	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,030	1,620	1,636	1,636	1,636	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,980	0,040	3,020	3,050	3,050	3,050	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,590	0,030	1,620	1,636	1,636	1,636	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,280	0,030	1,310	1,323	1,323	1,323	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,340	0,040	1,380	1,394	1,394	1,394	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,650	0,020	0,670	0,677	0,677	0,677	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,780	0,020	0,800	0,808	0,808	0,808	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,010	0,530	0,535	0,535	0,535	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,020	0,520	0,525	0,525	0,525	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,010	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,080	0,020	1,100	1,111	1,111	1,111	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,520	0,020	0,540	0,545	0,545	0,545	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,020	1,100	1,111	1,111	1,111	

Paraguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,540	0,010	0,550	0,556	0,556	0,556	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,230	0,050	0,280	0,308	0,336	0,364	(A)
2523 10 00	White clinker	1,290	0,020	1,310	1,441	1,572	1,703	(B)
2523 10 00	Grey clinker	1,090	0,020	1,110	1,221	1,332	1,443	(A)

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	1,250	0,110	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	1,070	0,030	1,110	1,221	1,332	1,443	
2523 90 00	White hydraulic cements	1,280	0,130	1,410	1,551	1,692	1,833	(B)
2523 90 00	Grey hydraulic cements	1,020	0,040	1,060	1,166	1,272	1,378	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,900	0,020	1,920	1,939	1,939	1,939	
2814 10 00	Anhydrous ammonia	2,260	0,060	2,330	2,353	2,353	2,353	
2814 20 00	Ammonia in aqueous solution	0,680	0,020	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,680	0,030	1,710	1,727	1,727	1,727	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,510	0,020	0,520	0,525	0,525	0,525	

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,020	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,530	0,050	1,580	1,596	1,596	1,596	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,500	0,050	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,040	0,700	0,707	0,707	0,707	

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,190	0,040	1,230	1,242	1,242	1,242	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,280	0,030	1,310	1,323	1,323	1,323	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,960	0,050	2,010	2,030	2,030	2,030	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,040	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,040	1,740	1,757	1,757	1,757	

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,960	0,030	3	3,030	3,030	3,030	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,650	0,040	1,690	1,707	1,707	1,707	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,040	1,400	1,414	1,414	1,414	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,490	0,040	1,540	1,555	1,555	1,555	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,040	0,740	0,747	0,747	0,747	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,850	0,040	0,900	0,909	0,909	0,909	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,030	0,610	0,616	0,616	0,616	

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,030	0,560	0,566	0,566	0,566	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,020	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,160	0,050	1,210	1,222	1,222	1,222	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,060	0,680	0,687	0,687	0,687	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,130	0,030	1,160	1,172	1,172	1,172	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,580	0,020	0,600	0,606	0,606	0,606	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,840	N/A	1,840	2,024	2,208	2,392	(L)
7604 10 10	Bars and rods	2,060	N/A	2,060	2,266	2,472	2,678	(L)

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7604 21 00	Hollow profiles	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7604 29 10	Bars and rods	2,060	N/A	2,060	2,266	2,472	2,678	(L)
7604 29 90	Profiles	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7605	Aluminium wire	2,060	N/A	2,060	2,266	2,472	2,678	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7608	Aluminium tubes and pipes	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7610 90	Other	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,080	N/A	2,080	2,288	2,496	2,704	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,080	N/A	2,080	2,288	2,496	2,704	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,060	N/A	2,060	2,266	2,472	2,678	(L)

Peru								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,520	N/A	2,520	2,772	3,024	3,276	(L)
7616 99 10	Cast	1,840	N/A	1,840	2,024	2,208	2,392	(L)
7616 99 90	Other	2,520	N/A	2,520	2,772	3,024	3,276	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,330	0,050	1,380	1,518	1,656	1,794	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,270	0,090	1,360	1,496	1,632	1,768	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,210	0,090	1,300	1,430	1,560	1,690	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,180	0,060	2,250	2,273	2,273	2,273	
2814 10 00	Anhydrous ammonia	2,130	0,200	2,330	2,353	2,353	2,353	
2814 20 00	Ammonia in aqueous solution	0,640	0,060	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,840	0,100	1,940	1,959	1,959	1,959	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,480	0,050	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,800	0,050	0,850	0,859	0,859	0,859	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,450	0,160	1,610	1,626	1,626	1,626	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,420	0,150	1,570	1,586	1,586	1,586	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,630	0,120	0,740	0,747	0,747	0,747	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,240	0,130	1,370	1,384	1,384	1,384	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,400	0,100	1,500	1,515	1,515	1,515	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,150	2,300	2,323	2,323	2,323	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,850	0,140	1,990	2,010	2,010	2,010	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,850	0,140	1,990	2,010	2,010	2,010	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,410	0,100	3,510	3,545	3,545	3,545	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,800	0,130	1,940	1,959	1,959	1,959	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,420	0,120	1,540	1,555	1,555	1,555	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,510	0,140	1,650	1,667	1,667	1,667	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,730	0,120	0,850	0,859	0,859	0,859	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,920	0,140	1,060	1,071	1,071	1,071	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,110	0,730	0,737	0,737	0,737	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,090	0,590	0,596	0,596	0,596	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,070	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,260	0,180	1,440	1,454	1,454	1,454	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,130	0,710	0,717	0,717	0,717	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,220	0,110	1,330	1,343	1,343	1,343	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,630	0,080	0,700	0,707	0,707	0,707	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7604 10 10	Bars and rods	0,710	N/A	0,710	0,781	0,852	0,923	(L)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 21 00	Hollow profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 29 10	Bars and rods	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7605	Aluminium wire	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7608	Aluminium tubes and pipes	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,170	N/A	1,170	1,287	1,404	1,521	(L)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7616 99 10	Cast	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7616 99 90	Other	1,170	N/A	1,170	1,287	1,404	1,521	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,120	0,070	0,190	0,209	0,228	0,247	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	–	–	–	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,650	N/A	1,650	1,815	1,980	2,145	(E)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	2,920	N/A	2,920	3,212	3,504	3,796	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	2,920	N/A	2,920	3,212	3,504	3,796	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	2,920	N/A	2,920	3,212	3,504	3,796	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	2,920	N/A	2,920	3,212	3,504	3,796	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	2,920	N/A	2,920	3,212	3,504	3,796	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	2,920	N/A	2,920	3,212	3,504	3,796	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,920	N/A	2,920	3,212	3,504	3,796	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	2,920	N/A	2,920	3,212	3,504	3,796	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,920	N/A	2,920	3,212	3,504	3,796	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	2,930	N/A	2,930	3,223	3,516	3,809	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	2,930	N/A	2,930	3,223	3,516	3,809	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	2,930	N/A	2,930	3,223	3,516	3,809	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	2,930	N/A	2,930	3,223	3,516	3,809	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	2,920	N/A	2,920	3,212	3,504	3,796	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	2,930	N/A	2,930	3,223	3,516	3,809	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	2,930	N/A	2,930	3,223	3,516	3,809	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 02	Semi-finished products of tool steel	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	3,950	N/A	3,950	4,345	4,740	5,135	(E)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	2,650	N/A	2,650	2,915	3,180	3,445	(E)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	3,950	N/A	3,950	4,345	4,740	5,135	(E)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	2,650	N/A	2,650	2,915	3,180	3,445	(E)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	2,660	N/A	2,660	2,926	3,192	3,458	(E)/(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(H)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,650	N/A	2,650	2,915	3,180	3,445	(H)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(H)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(E)/(H)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,650	N/A	2,650	2,915	3,180	3,445	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(E)/(H)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,660	N/A	2,660	2,926	3,192	3,458	(H)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	2,660	N/A	2,660	2,926	3,192	3,458	(H)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	2,660	N/A	2,660	2,926	3,192	3,458	(H)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	2,660	N/A	2,660	2,926	3,192	3,458	(E)/(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	0,790	N/A	0,790	0,869	0,948	1,027	(E)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,260	N/A	2,260	2,486	2,712	2,938	(E)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,650	N/A	1,650	1,815	1,980	2,145	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,920	N/A	2,920	3,212	3,504	3,796	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,920	N/A	2,920	3,212	3,504	3,796	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	0,830	N/A	0,830	0,913	0,996	1,079	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,830	N/A	0,830	0,913	0,996	1,079	(H)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	0,830	N/A	0,830	0,913	0,996	1,079	(E)/(H)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	0,830	N/A	0,830	0,913	0,996	1,079	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,920	N/A	2,920	3,212	3,504	3,796	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,920	N/A	2,920	3,212	3,504	3,796	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	0,830	N/A	0,830	0,913	0,996	1,079	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	0,830	N/A	0,830	0,913	0,996	1,079	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	0,830	N/A	0,830	0,913	0,996	1,079	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,920	N/A	2,920	3,212	3,504	3,796	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	0,830	N/A	0,830	0,913	0,996	1,079	(H)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	0,830	N/A	0,830	0,913	0,996	1,079	(H)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	0,830	N/A	0,830	0,913	0,996	1,079	(H)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,920	N/A	2,920	3,212	3,504	3,796	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	0,830	N/A	0,830	0,913	0,996	1,079	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,920	N/A	2,920	3,212	3,504	3,796	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	0,830	N/A	0,830	0,913	0,996	1,079	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	0,830	N/A	0,830	0,913	0,996	1,079	(E)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,650	N/A	1,650	1,815	1,980	2,145	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,650	N/A	1,650	1,815	1,980	2,145	
7307 19 90	Cast tube or pipe fittings of steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,360	N/A	2,360	2,596	2,832	3,068	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,180	N/A	2,180	2,398	2,616	2,834	(E)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,020	N/A	2,020	2,222	2,424	2,626	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	0,840	N/A	0,840	0,924	1,008	1,092	(E)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,310	N/A	2,310	2,541	2,772	3,003	(E)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,920	N/A	2,920	3,212	3,504	3,796	(E)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 13 00	Screw hooks and screw rings, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,920	N/A	2,920	3,212	3,504	3,796	(E)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	1,370	N/A	1,370	1,507	1,644	1,781	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	1,370	N/A	1,370	1,507	1,644	1,781	(E)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 21 00	Spring washers and other lock washers, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,400	N/A	1,400	1,540	1,680	1,820	(E)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,200	N/A	1,200	1,320	1,440	1,560	(E)
7318 24 00	Cotters and cotter pins, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7318 29 00	Non-threaded articles, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Philippines								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 30	Ladders and steps, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 50	Reels for cables, piping and the like, of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 96	Sintered articles of iron or steel, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)
7326 90 98	Articles of iron or steel, n.e.s.	0,740	N/A	0,740	0,814	0,888	0,962	(E)

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,830	0,030	0,860	0,946	1,032	1,118	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0,060	0,910	1,001	1,092	1,183	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,810	0,070	0,880	0,968	1,056	1,144	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,480	0,040	2,520	2,545	2,545	2,545	
2814 10 00	Anhydrous ammonia	1,960	0,120	2,070	2,091	2,091	2,091	
2814 20 00	Ammonia in aqueous solution	0,590	0,040	0,620	0,626	0,626	0,626	
2834 21 00	Nitrate of potassium	2	0,060	2,050	2,071	2,071	2,071	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,420	0,030	0,460	0,465	0,465	0,465	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,700	0,030	0,740	0,747	0,747	0,747	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,280	0,090	1,370	1,384	1,384	1,384	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,250	0,090	1,340	1,353	1,353	1,353	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,070	0,640	0,646	0,646	0,646	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,270	0,080	1,350	1,364	1,364	1,364	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,510	0,060	1,570	1,586	1,586	1,586	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,320	0,090	2,420	2,444	2,444	2,444	

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,090	2,070	2,091	2,091	2,091	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,980	0,090	2,070	2,091	2,091	2,091	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,870	0,060	3,930	3,969	3,969	3,969	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,950	0,080	2,030	2,050	2,050	2,050	

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,440	0,070	1,520	1,535	1,535	1,535	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,090	1,560	1,576	1,576	1,576	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,070	0,810	0,818	0,818	0,818	

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,090	1,060	1,071	1,071	1,071	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,070	0,720	0,727	0,727	0,727	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,050	0,510	0,515	0,515	0,515	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,110	1,440	1,454	1,454	1,454	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,520	0,090	0,620	0,626	0,626	0,626	

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,060	1,380	1,394	1,394	1,394	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,050	0,720	0,727	0,727	0,727	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Qatar								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,030	N/A	2,030	2,233	2,436	2,639	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/(A	10,820	11,902	12,984	14,066	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,330	0,040	1,360	1,496	1,632	1,768	(B)
2523 10 00	Grey clinker	1,330	0,030	1,360	1,496	1,632	1,768	(A)
2523 21 00	White Portland cement	1,310	0,130	1,440	1,584	1,728	1,872	
2523 29 00	Grey Portland cement	1,330	0,050	1,380	1,518	1,656	1,794	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,700	0,030	2,730	2,757	2,757	2,757	
2814 10 00	Anhydrous ammonia	2,160	0,100	2,260	2,283	2,283	2,283	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,170	0,040	2,220	2,242	2,242	2,242	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,020	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,020	0,790	0,798	0,798	0,798	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,400	0,070	1,470	1,485	1,485	1,485	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,370	0,070	1,440	1,454	1,454	1,454	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,050	0,670	0,677	0,677	0,677	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,060	1,450	1,465	1,465	1,465	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,050	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,070	2,600	2,626	2,626	2,626	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,070	2,220	2,242	2,242	2,242	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,070	2,220	2,242	2,242	2,242	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,210	0,050	4,260	4,303	4,303	4,303	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,060	2,180	2,202	2,202	2,202	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,570	0,060	1,630	1,646	1,646	1,646	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,600	0,070	1,670	1,687	1,687	1,687	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,060	0,860	0,869	0,869	0,869	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,070	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,050	0,760	0,768	0,768	0,768	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,040	0,550	0,556	0,556	0,556	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,080	1,530	1,545	1,545	1,545	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,080	0,650	0,657	0,657	0,657	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,050	1,480	1,495	1,495	1,495	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,040	0,760	0,768	0,768	0,768	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	2,160	N/A	2,160	2,376	2,592	2,808	(K)
7603	Aluminium powders and flakes	2,270	N/A	2,270	2,497	2,724	2,951	(K)
7604 10 10	Bars and rods	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7604 10 90	Profiles	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7604 21 00	Hollow profiles	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7604 29 10	Bars and rods	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7604 29 90	Profiles	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7605	Aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,950	N/A	2,950	3,245	3,540	3,835	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,950	N/A	2,950	3,245	3,540	3,835	(K)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7610 90	Other	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7610 90 90	Other	2,510	N/A	2,510	2,761	3,012	3,263	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,950	N/A	2,950	3,245	3,540	3,835	(K)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,950	N/A	2,950	3,245	3,540	3,835	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,950	N/A	2,950	3,245	3,540	3,835	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,950	N/A	2,950	3,245	3,540	3,835	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,950	N/A	2,950	3,245	3,540	3,835	(K)
7616 99 10	Cast	2,270	N/A	2,270	2,497	2,724	2,951	(K)
7616 99 90	Other	2,950	N/A	2,950	3,245	3,540	3,835	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	1,570	0,040	1,610	1,771	1,932	2,093	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	3,040	N/A	3,040	3,344	3,648	3,952	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	2,010	N/A	2,010	2,211	2,412	2,613	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	3,090	N/A	3,090	3,399	3,708	4,017	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	3,430	N/A	3,430	3,773	4,116	4,459	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	3,430	N/A	3,430	3,773	4,116	4,459	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	3,430	N/A	3,430	3,773	4,116	4,459	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	3,430	N/A	3,430	3,773	4,116	4,459	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,180	N/A	3,180	3,498	3,816	4,134	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,550	N/A	3,550	3,905	4,260	4,615	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,550	N/A	3,550	3,905	4,260	4,615	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,180	N/A	3,180	3,498	3,816	4,134	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,550	N/A	3,550	3,905	4,260	4,615	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,180	N/A	3,180	3,498	3,816	4,134	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,550	N/A	3,550	3,905	4,260	4,615	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,550	N/A	3,550	3,905	4,260	4,615	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,710	N/A	3,710	4,081	4,452	4,823	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,710	N/A	3,710	4,081	4,452	4,823	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,710	N/A	3,710	4,081	4,452	4,823	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,710	N/A	3,710	4,081	4,452	4,823	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,710	N/A	3,710	4,081	4,452	4,823	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,710	N/A	3,710	4,081	4,452	4,823	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,550	N/A	3,550	3,905	4,260	4,615	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,550	N/A	3,550	3,905	4,260	4,615	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,710	N/A	3,710	4,081	4,452	4,823	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,710	N/A	3,710	4,081	4,452	4,823	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,180	N/A	3,180	3,498	3,816	4,134	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,180	N/A	3,180	3,498	3,816	4,134	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,180	N/A	3,180	3,498	3,816	4,134	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,180	N/A	3,180	3,498	3,816	4,134	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,180	N/A	3,180	3,498	3,816	4,134	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,180	N/A	3,180	3,498	3,816	4,134	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,180	N/A	3,180	3,498	3,816	4,134	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 02	Semi-finished products of tool steel	3,830	N/A	3,830	4,213	4,596	4,979	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,830	N/A	3,830	4,213	4,596	4,979	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,830	N/A	3,830	4,213	4,596	4,979	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,950	N/A	4,950	5,445	5,940	6,435	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,830	N/A	3,830	4,213	4,596	4,979	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,830	N/A	3,830	4,213	4,596	4,979	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,950	N/A	4,950	5,445	5,940	6,435	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,830	N/A	3,830	4,213	4,596	4,979	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,990	N/A	3,990	4,389	4,788	5,187	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,830	N/A	3,830	4,213	4,596	4,979	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,990	N/A	3,990	4,389	4,788	5,187	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,460	N/A	3,460	3,806	4,152	4,498	(C)/(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,460	N/A	3,460	3,806	4,152	4,498	(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,460	N/A	3,460	3,806	4,152	4,498	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	6,960	N/A	6,960	7,656	8,352	9,048	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,460	N/A	3,460	3,806	4,152	4,498	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,460	N/A	3,460	3,806	4,152	4,498	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,460	N/A	3,460	3,806	4,152	4,498	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	3,490	N/A	3,490	3,839	4,188	4,537	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,460	N/A	3,460	3,806	4,152	4,498	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,460	N/A	3,460	3,806	4,152	4,498	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,350	N/A	3,350	3,685	4,020	4,355	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,350	N/A	3,350	3,685	4,020	4,355	(C)/(F)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,710	N/A	3,710	4,081	4,452	4,823	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,710	N/A	3,710	4,081	4,452	4,823	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	3,430	N/A	3,430	3,773	4,116	4,459	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,710	N/A	3,710	4,081	4,452	4,823	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,550	N/A	3,550	3,905	4,260	4,615	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	3,620	N/A	3,620	3,982	4,344	4,706	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	3,460	N/A	3,460	3,806	4,152	4,498	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,710	N/A	3,710	4,081	4,452	4,823	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,710	N/A	3,710	4,081	4,452	4,823	

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,030	N/A	3,030	3,333	3,636	3,939	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,030	N/A	3,030	3,333	3,636	3,939	
7307 19 90	Cast tube or pipe fittings of steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,360	N/A	3,360	3,696	4,032	4,368	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,360	N/A	3,360	3,696	4,032	4,368	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,360	N/A	3,360	3,696	4,032	4,368	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,360	N/A	3,360	3,696	4,032	4,368	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	3,490	N/A	3,490	3,839	4,188	4,537	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	3,490	N/A	3,490	3,839	4,188	4,537	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	3,590	N/A	3,590	3,949	4,308	4,667	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,180	N/A	3,180	3,498	3,816	4,134	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,180	N/A	3,180	3,498	3,816	4,134	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 16	Nuts of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7318 29 00	Non-threaded articles, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 30	Ladders and steps, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)

Russia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(C)
7326 90 98	Articles of iron or steel, n.e.s.	3,590	N/A	3,590	3,949	4,308	4,667	(C)

Rwanda								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	

Rwanda								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 10 00	Grey clinker	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,050	0,910	1,001	1,092	1,183	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,830	0,050	0,880	0,968	1,056	1,144	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,450	0,050	2,500	2,525	2,525	2,525	
2814 10 00	Anhydrous ammonia	1,960	0,150	2,100	2,121	2,121	2,121	
2814 20 00	Ammonia in aqueous solution	0,590	0,040	0,630	0,636	0,636	0,636	
2834 21 00	Nitrate of potassium	1,980	0,070	2,060	2,081	2,081	2,081	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,040	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,040	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,350	0,120	1,470	1,485	1,485	1,485	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,120	1,440	1,454	1,454	1,454	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,090	0,670	0,677	0,677	0,677	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,100	1,380	1,394	1,394	1,394	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,500	0,080	1,580	1,596	1,596	1,596	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,310	0,120	2,430	2,454	2,454	2,454	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,110	2,100	2,121	2,121	2,121	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,110	2,100	2,121	2,121	2,121	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,820	0,080	3,900	3,939	3,939	3,939	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,100	2,040	2,060	2,060	2,060	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,090	1,550	1,566	1,566	1,566	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,510	0,110	1,620	1,636	1,636	1,636	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,090	0,830	0,838	0,838	0,838	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,110	1,090	1,101	1,101	1,101	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,080	0,750	0,758	0,758	0,758	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,070	0,530	0,535	0,535	0,535	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,140	1,480	1,495	1,495	1,495	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,110	0,650	0,657	0,657	0,657	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,080	1,390	1,404	1,404	1,404	

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,060	0,730	0,737	0,737	0,737	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Saudi Arabia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	13,450	N/A	13,450	14,795	16,140	17,485	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	(A)
2523 10 00	White clinker	–	–	–	–	–	–	(B)
2523 10 00	Grey clinker	1,240	0,050	1,300	1,430	1,560	1,690	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,230	0,090	1,320	1,452	1,584	1,716	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	(B)
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,670	0,060	1,720	1,737	1,737	1,737	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,640	0,050	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	1,500	0,080	1,580	1,596	1,596	1,596	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,040	0,510	0,515	0,515	0,515	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,780	0,040	0,820	0,828	0,828	0,828	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,140	1,550	1,566	1,566	1,566	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,130	1,520	1,535	1,535	1,535	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,100	0,720	0,727	0,727	0,727	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,080	0,120	1,190	1,202	1,202	1,202	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,140	0,090	1,230	1,242	1,242	1,242	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,130	1,890	1,909	1,909	1,909	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,510	0,120	1,630	1,646	1,646	1,646	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,510	0,120	1,630	1,646	1,646	1,646	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,600	0,090	2,690	2,717	2,717	2,717	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,120	1,590	1,606	1,606	1,606	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,230	0,110	1,340	1,353	1,353	1,353	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,360	0,130	1,480	1,495	1,495	1,495	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,640	0,100	0,750	0,758	0,758	0,758	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,760	0,130	0,890	0,899	0,899	0,899	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,100	0,620	0,626	0,626	0,626	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,080	0,570	0,576	0,576	0,576	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,060	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,040	0,160	1,200	1,212	1,212	1,212	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,120	0,690	0,697	0,697	0,697	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,010	0,090	1,100	1,111	1,111	1,111	

Senegal								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,070	0,590	0,596	0,596	0,596	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,330	0,060	1,380	1,518	1,656	1,794	(A)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,310	0,100	1,410	1,551	1,692	1,833	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,240	0,100	1,350	1,485	1,620	1,755	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,700	0,030	2,730	2,757	2,757	2,757	
2814 10 00	Anhydrous ammonia	2,160	0,100	2,260	2,283	2,283	2,283	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,180	0,050	2,220	2,242	2,242	2,242	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,020	0,490	0,495	0,495	0,495	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,020	0,790	0,798	0,798	0,798	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,390	0,080	1,460	1,475	1,475	1,475	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,360	0,070	1,430	1,444	1,444	1,444	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,060	0,670	0,677	0,677	0,677	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,060	1,450	1,465	1,465	1,465	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,050	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,070	2,600	2,626	2,626	2,626	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,070	2,220	2,242	2,242	2,242	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,070	2,220	2,242	2,242	2,242	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,220	0,050	4,270	4,313	4,313	4,313	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,060	2,180	2,202	2,202	2,202	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,570	0,060	1,630	1,646	1,646	1,646	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,600	0,070	1,660	1,677	1,677	1,677	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,060	0,860	0,869	0,869	0,869	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,070	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,050	0,760	0,768	0,768	0,768	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,040	0,540	0,545	0,545	0,545	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,080	1,530	1,545	1,545	1,545	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,080	0,650	0,657	0,657	0,657	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,050	1,480	1,495	1,495	1,495	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,040	0,760	0,768	0,768	0,768	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,513	N/A	1,513	1,664	1,816	1,967	(L)
7604 10 10	Bars and rods	2,238	N/A	2,238	2,462	2,686	2,909	(L)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7604 21 00	Hollow profiles	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7604 29 10	Bars and rods	2,238	N/A	2,238	2,462	2,686	2,909	(L)
7604 29 90	Profiles	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7605	Aluminium wire	2,238	N/A	2,238	2,462	2,686	2,909	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7608	Aluminium tubes and pipes	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7610 90	Other	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,270	N/A	2,270	2,496	2,723	2,950	(L)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,270	N/A	2,270	2,496	2,723	2,950	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,544	N/A	1,544	1,698	1,853	2,007	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,238	N/A	2,238	2,462	2,686	2,909	(L)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,688	N/A	3,688	4,057	4,426	4,794	(L)
7616 99 10	Cast	1,513	N/A	1,513	1,664	1,816	1,967	(L)
7616 99 90	Other	3,688	N/A	3,688	4,057	4,426	4,794	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,120	0,110	0,220	0,242	0,264	0,286	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,160	N/A	2,160	2,376	2,592	2,808	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,400	N/A	2,400	2,640	2,880	3,120	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,641	N/A	2,641	2,905	3,169	3,433	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,580	N/A	2,580	2,838	3,096	3,354	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	2,590	N/A	2,590	2,849	3,108	3,367	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	2,590	N/A	2,590	2,849	3,108	3,367	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	2,580	N/A	2,580	2,838	3,096	3,354	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	2,590	N/A	2,590	2,849	3,108	3,367	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	2,580	N/A	2,580	2,838	3,096	3,354	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,590	N/A	2,590	2,849	3,108	3,367	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	2,590	N/A	2,590	2,849	3,108	3,367	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	2,590	N/A	2,590	2,849	3,108	3,367	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	2,590	N/A	2,590	2,849	3,108	3,367	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	2,590	N/A	2,590	2,849	3,108	3,367	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	2,590	N/A	2,590	2,849	3,108	3,367	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	2,580	N/A	2,580	2,838	3,096	3,354	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	2,590	N/A	2,590	2,849	3,108	3,367	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	2,590	N/A	2,590	2,849	3,108	3,367	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,550	N/A	2,550	2,805	3,060	3,315	(F)
7224 90 02	Semi-finished products of tool steel	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	2,550	N/A	2,550	2,805	3,060	3,315	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	2,550	N/A	2,550	2,805	3,060	3,315	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	3,390	N/A	3,390	3,729	4,068	4,407	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	2,560	N/A	2,560	2,816	3,072	3,328	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	3,390	N/A	3,390	3,729	4,068	4,407	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	2,560	N/A	2,560	2,816	3,072	3,328	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	2,560	N/A	2,560	2,816	3,072	3,328	(C)/(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,550	N/A	2,550	2,805	3,060	3,315	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,550	N/A	2,550	2,805	3,060	3,315	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	2,560	N/A	2,560	2,816	3,072	3,328	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	2,560	N/A	2,560	2,816	3,072	3,328	(F)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	2,560	N/A	2,560	2,816	3,072	3,328	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,460	N/A	2,460	2,706	2,952	3,198	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,230	N/A	2,230	2,453	2,676	2,899	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,590	N/A	2,590	2,849	3,108	3,367	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,590	N/A	2,590	2,849	3,108	3,367	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,590	N/A	2,590	2,849	3,108	3,367	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,590	N/A	2,590	2,849	3,108	3,367	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,310	N/A	2,310	2,541	2,772	3,003	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,310	N/A	2,310	2,541	2,772	3,003	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,590	N/A	2,590	2,849	3,108	3,367	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,410	N/A	2,410	2,651	2,892	3,133	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,590	N/A	2,590	2,849	3,108	3,367	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,320	N/A	2,320	2,552	2,784	3,016	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,320	N/A	2,320	2,552	2,784	3,016	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,320	N/A	2,320	2,552	2,784	3,016	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,590	N/A	2,590	2,849	3,108	3,367	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,220	N/A	2,220	2,442	2,664	2,886	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,220	N/A	2,220	2,442	2,664	2,886	
7307 19 90	Cast tube or pipe fittings of steel	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,480	N/A	2,480	2,728	2,976	3,224	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,480	N/A	2,480	2,728	2,976	3,224	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,480	N/A	2,480	2,728	2,976	3,224	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,480	N/A	2,480	2,728	2,976	3,224	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,480	N/A	2,480	2,728	2,976	3,224	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,590	N/A	2,590	2,849	3,108	3,367	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,590	N/A	2,590	2,849	3,108	3,367	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7318 16	Nuts of iron or steel	2,440	N/A	2,440	2,684	2,928	3,172	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,450	N/A	2,450	2,695	2,940	3,185	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 30	Ladders and steps, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Serbia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,410	N/A	2,410	2,651	2,892	3,133	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,400	N/A	2,400	2,640	2,880	3,120	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,410	N/A	2,410	2,651	2,892	3,133	(C)

Sierra Leone								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Singapore								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,030	0,060	1,090	1,199	1,308	1,417	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,990	0,060	1,050	1,155	1,260	1,365	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,780	N/A	1,780	1,958	2,136	2,314	(L)
7604 10 10	Bars and rods	2,010	N/A	2,010	2,211	2,412	2,613	(L)
7604 10 90	Profiles	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7604 21 00	Hollow profiles	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7604 29 10	Bars and rods	2,010	N/A	2,010	2,211	2,412	2,613	(L)
7604 29 90	Profiles	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7605	Aluminium wire	2,010	N/A	2,010	2,211	2,412	2,613	(L)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Singapore								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7608	Aluminium tubes and pipes	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7610 90	Other	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7610 90 90	Other	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,460	N/A	2,460	2,706	2,952	3,198	(L)

Singapore								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,010	N/A	2,010	2,211	2,412	2,613	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,460	N/A	2,460	2,706	2,952	3,198	(L)
7616 99 10	Cast	1,780	N/A	1,780	1,958	2,136	2,314	(L)
7616 99 90	Other	2,460	N/A	2,460	2,706	2,952	3,198	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	

Singapore

Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

South Africa

Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,020	0,080	2,100	2,121	2,121	2,121	
2814 10 00	Anhydrous ammonia	3,390	0,250	3,640	3,676	3,676	3,676	
2814 20 00	Ammonia in aqueous solution	1,020	0,070	1,090	1,101	1,101	1,101	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2834 21 00	Nitrate of potassium	1,950	0,120	2,070	2,091	2,091	2,091	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,720	0,060	0,780	0,788	0,788	0,788	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,190	0,060	1,260	1,273	1,273	1,273	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,160	0,200	2,360	2,384	2,384	2,384	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,120	0,190	2,310	2,333	2,333	2,333	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,150	1,120	1,131	1,131	1,131	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,500	0,170	1,670	1,687	1,687	1,687	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,490	0,130	1,620	1,636	1,636	1,636	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,300	0,190	2,490	2,515	2,515	2,515	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,180	2,150	2,172	2,172	2,172	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,970	0,180	2,150	2,172	2,172	2,172	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,140	0,130	3,270	3,303	3,303	3,303	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,930	0,170	2,100	2,121	2,121	2,121	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,710	0,150	1,860	1,879	1,879	1,879	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,950	0,180	2,140	2,161	2,161	2,161	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,910	0,150	1,060	1,071	1,071	1,071	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,020	0,180	1,200	1,212	1,212	1,212	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,700	0,140	0,840	0,848	0,848	0,848	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,790	0,110	0,900	0,909	0,909	0,909	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,090	0,590	0,596	0,596	0,596	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,380	0,220	1,600	1,616	1,616	1,616	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,900	0,180	1,070	1,081	1,081	1,081	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,340	0,140	1,480	1,495	1,495	1,495	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,690	0,100	0,790	0,798	0,798	0,798	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	2,358	N/A	2,358	2,594	2,830	3,066	(K)
7603	Aluminium powders and flakes	1,990	N/A	1,990	2,189	2,388	2,587	(K)
7604 10 10	Bars and rods	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7604 10 90	Profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7604 21 00	Hollow profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7604 29 10	Bars and rods	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7604 29 90	Profiles	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7605	Aluminium wire	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,670	N/A	2,670	2,937	3,204	3,471	(K)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7608	Aluminium tubes and pipes	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90	Other	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7610 90 90	Other	2,230	N/A	2,230	2,453	2,676	2,899	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,670	N/A	2,670	2,937	3,204	3,471	(K)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,210	N/A	2,210	2,431	2,652	2,873	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,670	N/A	2,670	2,937	3,204	3,471	(K)
7616 99 10	Cast	1,990	N/A	1,990	2,189	2,388	2,587	(K)
7616 99 90	Other	2,670	N/A	2,670	2,937	3,204	3,471	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	25,940	N/A	25,940	28,534	31,128	33,722	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	–	–	–	–	–	–	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	3,470	N/A	3,470	3,817	4,164	4,511	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	2,870	N/A	2,870	3,157	3,444	3,731	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	0,760	N/A	0,760	0,836	0,912	0,988	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	3,890	N/A	3,890	4,279	4,668	5,057	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	4,140	N/A	4,140	4,554	4,968	5,382	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	4,140	N/A	4,140	4,554	4,968	5,382	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	4,140	N/A	4,140	4,554	4,968	5,382	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	4,140	N/A	4,140	4,554	4,968	5,382	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,620	N/A	3,620	3,982	4,344	4,706	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,810	N/A	3,810	4,191	4,572	4,953	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,810	N/A	3,810	4,191	4,572	4,953	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,620	N/A	3,620	3,982	4,344	4,706	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,810	N/A	3,810	4,191	4,572	4,953	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,620	N/A	3,620	3,982	4,344	4,706	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,810	N/A	3,810	4,191	4,572	4,953	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,810	N/A	3,810	4,191	4,572	4,953	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,890	N/A	3,890	4,279	4,668	5,057	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,890	N/A	3,890	4,279	4,668	5,057	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,810	N/A	3,810	4,191	4,572	4,953	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,890	N/A	3,890	4,279	4,668	5,057	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,890	N/A	3,890	4,279	4,668	5,057	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,620	N/A	3,620	3,982	4,344	4,706	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,620	N/A	3,620	3,982	4,344	4,706	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,620	N/A	3,620	3,982	4,344	4,706	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,620	N/A	3,620	3,982	4,344	4,706	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,620	N/A	3,620	3,982	4,344	4,706	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,620	N/A	3,620	3,982	4,344	4,706	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,620	N/A	3,620	3,982	4,344	4,706	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7224 90 02	Semi-finished products of tool steel	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	4,080	N/A	4,080	4,488	4,896	5,304	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	4,080	N/A	4,080	4,488	4,896	5,304	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,890	N/A	3,890	4,279	4,668	5,057	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	5,340	N/A	5,340	5,874	6,408	6,942	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	4,080	N/A	4,080	4,488	4,896	5,304	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	4,080	N/A	4,080	4,488	4,896	5,304	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	5,340	N/A	5,340	5,874	6,408	6,942	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	4,080	N/A	4,080	4,488	4,896	5,304	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	4,080	N/A	4,080	4,488	4,896	5,304	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,890	N/A	3,890	4,279	4,668	5,057	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(C)/(F)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,890	N/A	3,890	4,279	4,668	5,057	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,890	N/A	3,890	4,279	4,668	5,057	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	3,480	N/A	3,480	3,828	4,176	4,524	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,620	N/A	3,620	3,982	4,344	4,706	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,620	N/A	3,620	3,982	4,344	4,706	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,620	N/A	3,620	3,982	4,344	4,706	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,620	N/A	3,620	3,982	4,344	4,706	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,620	N/A	3,620	3,982	4,344	4,706	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,850	N/A	3,850	4,235	4,620	5,005	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,850	N/A	3,850	4,235	4,620	5,005	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,890	N/A	3,890	4,279	4,668	5,057	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	4,140	N/A	4,140	4,554	4,968	5,382	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	4,220	N/A	4,220	4,642	5,064	5,486	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,890	N/A	3,890	4,279	4,668	5,057	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,810	N/A	3,810	4,191	4,572	4,953	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	4,080	N/A	4,080	4,488	4,896	5,304	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	4,160	N/A	4,160	4,576	4,992	5,408	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,890	N/A	3,890	4,279	4,668	5,057	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,890	N/A	3,890	4,279	4,668	5,057	

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 11	Tube or pipe fittings of non-malleable cast iron	3,480	N/A	3,480	3,828	4,176	4,524	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,480	N/A	3,480	3,828	4,176	4,524	
7307 19 90	Cast tube or pipe fittings of steel	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,870	N/A	3,870	4,257	4,644	5,031	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,870	N/A	3,870	4,257	4,644	5,031	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,870	N/A	3,870	4,257	4,644	5,031	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,870	N/A	3,870	4,257	4,644	5,031	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	4,220	N/A	4,220	4,642	5,064	5,486	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,620	N/A	3,620	3,982	4,344	4,706	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,620	N/A	3,620	3,982	4,344	4,706	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 16	Nuts of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	4,030	N/A	4,030	4,433	4,836	5,239	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 24 00	Cotters and cotter pins, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7318 29 00	Non-threaded articles, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326 90 30	Ladders and steps, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	4,020	N/A	4,020	4,422	4,824	5,226	(C)

South Africa								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	4,020	N/A	4,020	4,422	4,824	5,226	(C)
7326 90 98	Articles of iron or steel, n.e.s.	4,220	N/A	4,220	4,642	5,064	5,486	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,190	0,040	1,230	1,353	1,476	1,599	
2523 10 00	Grey clinker	0,880	0,030	0,920	1,012	1,104	1,196	(A)
2523 21 00	White Portland cement	1,230	0,130	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	0,890	0,060	0,940	1,034	1,128	1,222	
2523 90 00	White hydraulic cements	1,260	0,160	1,420	1,562	1,704	1,846	
2523 90 00	Grey hydraulic cements	0,840	0,060	0,910	1,001	1,092	1,183	(A)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,130	0,060	2,190	2,212	2,212	2,212	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,620	0,060	0,670	0,677	0,677	0,677	
2834 21 00	Nitrate of potassium	1,790	0,080	1,880	1,899	1,899	1,899	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,040	0,510	0,515	0,515	0,515	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,040	0,820	0,828	0,828	0,828	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,140	1,540	1,555	1,555	1,555	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,130	1,510	1,525	1,525	1,525	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,090	0,700	0,707	0,707	0,707	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,210	0,100	1,310	1,323	1,323	1,323	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,360	0,080	1,440	1,454	1,454	1,454	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,090	0,130	2,220	2,242	2,242	2,242	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,800	0,110	1,920	1,939	1,939	1,939	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,800	0,110	1,920	1,939	1,939	1,939	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,320	0,090	3,420	3,454	3,454	3,454	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,760	0,110	1,860	1,879	1,879	1,879	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,380	0,100	1,480	1,495	1,495	1,495	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,470	0,120	1,590	1,606	1,606	1,606	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,710	0,090	0,800	0,808	0,808	0,808	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,900	0,100	1	1,010	1,010	1,010	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,080	0,690	0,697	0,697	0,697	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,070	0,550	0,556	0,556	0,556	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,230	0,130	1,360	1,374	1,374	1,374	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,110	0,670	0,677	0,677	0,677	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,190	0,080	1,280	1,293	1,293	1,293	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,610	0,060	0,670	0,677	0,677	0,677	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,260	N/A	1,260	1,386	1,512	1,638	(L)
7604 10 10	Bars and rods	1,490	N/A	1,490	1,639	1,788	1,937	(L)
7604 10 90	Profiles	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7604 21 00	Hollow profiles	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7604 29 10	Bars and rods	1,490	N/A	1,490	1,639	1,788	1,937	(L)
7604 29 90	Profiles	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7605	Aluminium wire	1,490	N/A	1,490	1,639	1,788	1,937	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,950	N/A	1,950	2,145	2,340	2,535	(L)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,950	N/A	1,950	2,145	2,340	2,535	(L)
7608	Aluminium tubes and pipes	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7610 90	Other	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7610 90 90	Other	1,500	N/A	1,500	1,650	1,800	1,950	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,950	N/A	1,950	2,145	2,340	2,535	(L)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,950	N/A	1,950	2,145	2,340	2,535	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,950	N/A	1,950	2,145	2,340	2,535	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,490	N/A	1,490	1,639	1,788	1,937	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,950	N/A	1,950	2,145	2,340	2,535	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,950	N/A	1,950	2,145	2,340	2,535	(L)
7616 99 10	Cast	1,260	N/A	1,260	1,386	1,512	1,638	(L)
7616 99 90	Other	1,950	N/A	1,950	2,145	2,340	2,535	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	14,030	N/A	14,030	15,433	16,836	18,239	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,100	0,040	0,130	0,143	0,156	0,169	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,540	N/A	1,540	1,694	1,848	2,002	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	N/A	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,580	N/A	1,580	1,738	1,896	2,054	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,640	N/A	1,640	1,804	1,968	2,132	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,118	N/A	2,118	2,330	2,542	2,754	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,144	N/A	2,144	2,358	2,573	2,787	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,144	N/A	2,144	2,358	2,573	2,787	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,144	N/A	2,144	2,358	2,573	2,787	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,144	N/A	2,144	2,358	2,573	2,787	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,144	N/A	2,144	2,358	2,573	2,787	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,144	N/A	2,144	2,358	2,573	2,787	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,118	N/A	2,118	2,330	2,542	2,754	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,118	N/A	2,118	2,330	2,542	2,754	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,760	N/A	3,760	4,136	4,512	4,888	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,630	N/A	3,630	3,993	4,356	4,719	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,630	N/A	3,630	3,993	4,356	4,719	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,760	N/A	3,760	4,136	4,512	4,888	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,630	N/A	3,630	3,993	4,356	4,719	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,760	N/A	3,760	4,136	4,512	4,888	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,630	N/A	3,630	3,993	4,356	4,719	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,650	N/A	3,650	4,015	4,380	4,745	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,650	N/A	3,650	4,015	4,380	4,745	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,650	N/A	3,650	4,015	4,380	4,745	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,650	N/A	3,650	4,015	4,380	4,745	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,650	N/A	3,650	4,015	4,380	4,745	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,650	N/A	3,650	4,015	4,380	4,745	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,630	N/A	3,630	3,993	4,356	4,719	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,650	N/A	3,650	4,015	4,380	4,745	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,650	N/A	3,650	4,015	4,380	4,745	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,650	N/A	3,650	4,015	4,380	4,745	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,650	N/A	3,650	4,015	4,380	4,745	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,650	N/A	3,650	4,015	4,380	4,745	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,650	N/A	3,650	4,015	4,380	4,745	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,760	N/A	3,760	4,136	4,512	4,888	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,650	N/A	3,650	4,015	4,380	4,745	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,650	N/A	3,650	4,015	4,380	4,745	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	4,150	N/A	4,150	4,565	4,980	5,395	(F)
7224 90 02	Semi-finished products of tool steel	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	4,030	N/A	4,030	4,433	4,836	5,239	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	4,030	N/A	4,030	4,433	4,836	5,239	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	4,150	N/A	4,150	4,565	4,980	5,395	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	4,150	N/A	4,150	4,565	4,980	5,395	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	5,320	N/A	5,320	5,852	6,384	6,916	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	4,030	N/A	4,030	4,433	4,836	5,239	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	5,320	N/A	5,320	5,852	6,384	6,916	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	4,030	N/A	4,030	4,433	4,836	5,239	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	4,030	N/A	4,030	4,433	4,836	5,239	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	4,030	N/A	4,030	4,433	4,836	5,239	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	4,050	N/A	4,050	4,455	4,860	5,265	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,150	N/A	4,150	4,565	4,980	5,395	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,150	N/A	4,150	4,565	4,980	5,395	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(C)/(F)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	4,050	N/A	4,050	4,455	4,860	5,265	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	4,050	N/A	4,050	4,455	4,860	5,265	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,144	N/A	2,144	2,358	2,573	2,787	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,674	N/A	3,674	4,041	4,409	4,776	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,154	N/A	2,154	2,369	2,585	2,800	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	4,084	N/A	4,084	4,492	4,901	5,309	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	4,084	N/A	4,084	4,492	4,901	5,309	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	4,084	N/A	4,084	4,492	4,901	5,309	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,154	N/A	2,154	2,369	2,585	2,800	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	4,084	N/A	4,084	4,492	4,901	5,309	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	4,084	N/A	4,084	4,492	4,901	5,309	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,144	N/A	2,144	2,358	2,573	2,787	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,144	N/A	2,144	2,358	2,573	2,787	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,154	N/A	2,154	2,369	2,585	2,800	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,114	N/A	4,114	4,525	4,937	5,348	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,114	N/A	4,114	4,525	4,937	5,348	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,164	N/A	2,164	2,380	2,597	2,813	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,144	N/A	2,144	2,358	2,573	2,787	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,164	N/A	2,164	2,380	2,597	2,813	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,164	N/A	2,164	2,380	2,597	2,813	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,114	N/A	4,114	4,525	4,937	5,348	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,094	N/A	4,094	4,503	4,913	5,322	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,184	N/A	2,184	2,402	2,621	2,839	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,164	N/A	2,164	2,380	2,597	2,813	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,184	N/A	2,184	2,402	2,621	2,839	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	4,114	N/A	4,114	4,525	4,937	5,348	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,114	N/A	4,114	4,525	4,937	5,348	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,164	N/A	2,164	2,380	2,597	2,813	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,194	N/A	2,194	2,413	2,633	2,852	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,194	N/A	2,194	2,413	2,633	2,852	
7307 19 90	Cast tube or pipe fittings of steel	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,774	N/A	3,774	4,151	4,529	4,906	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,774	N/A	3,774	4,151	4,529	4,906	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,774	N/A	3,774	4,151	4,529	4,906	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,774	N/A	3,774	4,151	4,529	4,906	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,134	N/A	2,134	2,347	2,561	2,774	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,134	N/A	2,134	2,347	2,561	2,774	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,134	N/A	2,134	2,347	2,561	2,774	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,134	N/A	2,134	2,347	2,561	2,774	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,864	N/A	3,864	4,250	4,637	5,023	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	4,124	N/A	4,124	4,536	4,949	5,361	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,164	N/A	2,164	2,380	2,597	2,813	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	4,104	N/A	4,104	4,514	4,925	5,335	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	4,074	N/A	4,074	4,481	4,889	5,296	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	4,074	N/A	4,074	4,481	4,889	5,296	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3,474	N/A	3,474	3,821	4,169	4,516	(C)
7318 16	Nuts of iron or steel	4,104	N/A	4,104	4,514	4,925	5,335	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,484	N/A	2,484	2,732	2,981	3,229	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,344	N/A	2,344	2,578	2,813	3,047	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,124	N/A	2,124	2,336	2,549	2,761	(C)

South Korea								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 30	Ladders and steps, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,124	N/A	2,124	2,336	2,549	2,761	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,274	N/A	2,274	2,501	2,729	2,956	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,144	N/A	2,144	2,358	2,573	2,787	(C)

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,040	0,900	0,990	1,080	1,170	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1	0,060	1,060	1,166	1,272	1,378	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,950	0,070	1,020	1,122	1,224	1,326	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,040	0,070	2,110	2,131	2,131	2,131	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,700	0,060	0,770	0,778	0,778	0,778	
2834 21 00	Nitrate of potassium	1,780	0,100	1,880	1,899	1,899	1,899	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,520	0,050	0,570	0,576	0,576	0,576	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,860	0,050	0,920	0,929	0,929	0,929	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,570	0,150	1,720	1,737	1,737	1,737	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,540	0,150	1,690	1,707	1,707	1,707	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,100	0,790	0,798	0,798	0,798	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,250	0,120	1,370	1,384	1,384	1,384	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,360	0,090	1,450	1,465	1,465	1,465	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,080	0,140	2,230	2,252	2,252	2,252	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,800	0,130	1,920	1,939	1,939	1,939	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,800	0,130	1,920	1,939	1,939	1,939	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,180	0,100	3,290	3,323	3,323	3,323	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,750	0,120	1,870	1,889	1,889	1,889	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,430	0,120	1,550	1,566	1,566	1,566	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,560	0,140	1,690	1,707	1,707	1,707	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,100	0,840	0,848	0,848	0,848	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,900	0,120	1,020	1,030	1,030	1,030	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,090	0,700	0,707	0,707	0,707	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,080	0,630	0,636	0,636	0,636	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,350	0,060	0,410	0,414	0,414	0,414	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,230	0,150	1,380	1,394	1,394	1,394	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,630	0,120	0,750	0,758	0,758	0,758	

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,190	0,100	1,290	1,303	1,303	1,303	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,610	0,060	0,680	0,687	0,687	0,687	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7604 10 10	Bars and rods	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 21 00	Hollow profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 29 10	Bars and rods	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7604 29 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7605	Aluminium wire	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7608	Aluminium tubes and pipes	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,290	N/A	1,290	1,419	1,548	1,677	(L)

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Sri Lanka								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7616 99 10	Cast	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7616 99 90	Other	1,730	N/A	1,730	1,903	2,076	2,249	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,020	0,870	0,957	1,044	1,131	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,860	0,040	0,900	0,990	1,080	1,170	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,820	0,040	0,870	0,957	1,044	1,131	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,920	0,040	1,960	1,980	1,980	1,980	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,610	0,030	0,640	0,646	0,646	0,646	
2834 21 00	Nitrate of potassium	1,650	0,050	1,700	1,717	1,717	1,717	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,030	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,030	0,790	0,798	0,798	0,798	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,400	0,080	1,480	1,495	1,495	1,495	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,360	0,080	1,440	1,454	1,454	1,454	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,050	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,140	0,060	1,200	1,212	1,212	1,212	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,260	0,050	1,300	1,313	1,313	1,313	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,930	0,070	2,010	2,030	2,030	2,030	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,670	0,070	1,740	1,757	1,757	1,757	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,670	0,070	1,740	1,757	1,757	1,757	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3	0,060	3,060	3,091	3,091	3,091	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,620	0,060	1,680	1,697	1,697	1,697	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,300	0,060	1,360	1,374	1,374	1,374	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,410	0,070	1,480	1,495	1,495	1,495	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,670	0,050	0,730	0,737	0,737	0,737	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,060	0,900	0,909	0,909	0,909	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,570	0,050	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,040	0,520	0,525	0,525	0,525	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,030	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,140	0,080	1,220	1,232	1,232	1,232	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,080	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,050	1,150	1,162	1,162	1,162	

Sudan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,570	0,030	0,600	0,606	0,606	0,606	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,180	0,060	1,240	1,364	1,488	1,612	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,120	0,060	1,180	1,298	1,416	1,534	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,040	1,840	1,858	1,858	1,858	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,680	0,040	0,720	0,727	0,727	0,727	
2834 21 00	Nitrate of potassium	1,580	0,060	1,630	1,646	1,646	1,646	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,430	0,030	0,450	0,455	0,455	0,455	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,710	0,030	0,730	0,737	0,737	0,737	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,280	0,080	1,360	1,374	1,374	1,374	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,260	0,080	1,340	1,353	1,353	1,353	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,040	0,620	0,626	0,626	0,626	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,080	0,050	1,130	1,141	1,141	1,141	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,180	0,040	1,220	1,232	1,232	1,232	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,810	0,060	1,880	1,899	1,899	1,899	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,050	1,570	1,586	1,586	1,586	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,050	1,570	1,586	1,586	1,586	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,800	0,070	2,870	2,899	2,899	2,899	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,050	1,570	1,586	1,586	1,586	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,230	0,050	1,280	1,293	1,293	1,293	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,300	0,060	1,370	1,384	1,384	1,384	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,630	0,030	0,660	0,667	0,667	0,667	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,750	0,030	0,780	0,788	0,788	0,788	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,020	0,520	0,525	0,525	0,525	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,030	0,530	0,535	0,535	0,535	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,020	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,030	0,040	1,070	1,081	1,081	1,081	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,520	0,030	0,550	0,556	0,556	0,556	

Suriname								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,030	0,040	1,070	1,081	1,081	1,081	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,520	0,020	0,530	0,535	0,535	0,535	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,280	0,050	1,330	1,463	1,596	1,729	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,280	0,100	1,380	1,518	1,656	1,794	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,220	0,100	1,320	1,452	1,584	1,716	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,460	0,060	2,520	2,545	2,545	2,545	
2814 10 00	Anhydrous ammonia	1,970	0,180	2,140	2,161	2,161	2,161	
2814 20 00	Ammonia in aqueous solution	0,590	0,050	0,640	0,646	0,646	0,646	
2834 21 00	Nitrate of potassium	1,990	0,080	2,080	2,101	2,101	2,101	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,050	0,490	0,495	0,495	0,495	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,050	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,340	0,140	1,480	1,495	1,495	1,495	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,310	0,140	1,450	1,465	1,465	1,465	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,110	0,690	0,697	0,697	0,697	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,280	0,120	1,400	1,414	1,414	1,414	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,510	0,090	1,600	1,616	1,616	1,616	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,320	0,140	2,460	2,485	2,485	2,485	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,130	2,120	2,141	2,141	2,141	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,990	0,130	2,120	2,141	2,141	2,141	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,840	0,090	3,930	3,969	3,969	3,969	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,940	0,120	2,070	2,091	2,091	2,091	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,460	0,110	1,570	1,586	1,586	1,586	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,500	0,130	1,630	1,646	1,646	1,646	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,740	0,110	0,850	0,859	0,859	0,859	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,130	1,110	1,121	1,121	1,121	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,100	0,760	0,768	0,768	0,768	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,080	0,540	0,545	0,545	0,545	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,060	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,160	1,510	1,525	1,525	1,525	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,120	0,660	0,667	0,667	0,667	

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,310	0,100	1,410	1,424	1,424	1,424	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,070	0,740	0,747	0,747	0,747	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7604 10 10	Bars and rods	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 10 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 21 00	Hollow profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 29 10	Bars and rods	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7605	Aluminium wire	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,170	N/A	1,170	1,287	1,404	1,521	(L)

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,170	N/A	1,170	1,287	1,404	1,521	(L)

Syria								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,170	N/A	1,170	1,287	1,404	1,521	(L)
7616 99 10	Cast	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7616 99 90	Other	1,170	N/A	1,170	1,287	1,404	1,521	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,830	0,040	0,860	0,946	1,032	1,118	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,830	0,070	0,890	0,979	1,068	1,157	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,110	0,050	2,160	2,182	2,182	2,182	
2814 10 00	Anhydrous ammonia	2,050	0,150	2,200	2,222	2,222	2,222	
2814 20 00	Ammonia in aqueous solution	0,620	0,040	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,760	0,070	1,830	1,848	1,848	1,848	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,420	0,040	0,460	0,465	0,465	0,465	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,700	0,040	0,740	0,747	0,747	0,747	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,270	0,120	1,390	1,404	1,404	1,404	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,240	0,120	1,360	1,374	1,374	1,374	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,090	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,170	0,100	1,270	1,283	1,283	1,283	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,330	0,080	1,410	1,424	1,424	1,424	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,050	0,120	2,170	2,192	2,192	2,192	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,740	0,110	1,850	1,869	1,869	1,869	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,740	0,110	1,850	1,869	1,869	1,869	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,300	0,080	3,370	3,404	3,404	3,404	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,720	0,100	1,820	1,838	1,838	1,838	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,320	0,090	1,410	1,424	1,424	1,424	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,370	0,110	1,480	1,495	1,495	1,495	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,680	0,090	0,770	0,778	0,778	0,778	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,860	0,110	0,970	0,980	0,980	0,980	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,080	0,670	0,677	0,677	0,677	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,070	0,540	0,545	0,545	0,545	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,180	0,130	1,320	1,333	1,333	1,333	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,530	0,100	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,160	0,080	1,250	1,263	1,263	1,263	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,600	0,060	0,650	0,657	0,657	0,657	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7604 10 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 10 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 21 00	Hollow profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7604 29 10	Bars and rods	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7604 29 90	Profiles	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7605	Aluminium wire	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7608	Aluminium tubes and pipes	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7610 90 90	Other	0,710	N/A	0,710	0,781	0,852	0,923	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,690	N/A	0,690	0,759	0,828	0,897	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,150	N/A	1,150	1,265	1,380	1,495	(L)
7616 99 10	Cast	0,470	N/A	0,470	0,517	0,564	0,611	(L)
7616 99 90	Other	1,150	N/A	1,150	1,265	1,380	1,495	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,180	0,040	0,220	0,242	0,264	0,286	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,860	N/A	1,860	2,046	2,232	2,418	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,870	N/A	1,870	2,057	2,244	2,431	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,940	N/A	1,940	2,134	2,328	2,522	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,298	N/A	2,298	2,528	2,757	2,987	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,474	N/A	2,474	2,721	2,968	3,216	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,310	N/A	2,310	2,541	2,771	3,002	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,310	N/A	2,310	2,541	2,771	3,002	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,310	N/A	2,310	2,541	2,771	3,002	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,310	N/A	2,310	2,541	2,771	3,002	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,474	N/A	2,474	2,721	2,968	3,216	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,298	N/A	2,298	2,528	2,757	2,987	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,298	N/A	2,298	2,528	2,757	2,987	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	8,670	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	8,670	N/A	8,670	9,537	10,404	11,271	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	8,670	N/A	8,670	9,537	10,404	11,271	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	8,670	N/A	8,670	9,537	10,404	11,271	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	8,670	N/A	8,670	9,537	10,404	11,271	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	8,690	N/A	8,690	9,559	10,428	11,297	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	see below	N/A	see below	#VALUE!	#VALUE!	#VALUE!	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	8,670	N/A	8,670	9,537	10,404	11,271	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	8,670	N/A	8,670	9,537	10,404	11,271	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	see below	N/A	see below	#VALUE!	#VALUE!	#VALUE!	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	N/A	8,690	9,559	10,428	11,297	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	8,630	N/A	8,630	9,493	10,356	11,219	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	8,690	N/A	8,690	9,559	10,428	11,297	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	see below	N/A	see below	#VALUE!	#VALUE!	#VALUE!	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	N/A	8,690	9,559	10,428	11,297	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	see below	N/A	see below	#VALUE!	#VALUE!	#VALUE!	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	10	N/A	10	11	12	13	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	10	N/A	10	11	12	13	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	10	N/A	10	11	12	13	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	10	N/A	10	11	12	13	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	10	N/A	10	11	12	13	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	10	N/A	10	11	12	13	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	2,280	N/A	2,280	2,508	2,736	2,964	(F)
7224 90 02	Semi-finished products of tool steel	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	2,150	N/A	2,150	2,365	2,580	2,795	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	2,150	N/A	2,150	2,365	2,580	2,795	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	2,280	N/A	2,280	2,508	2,736	2,964	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	2,280	N/A	2,280	2,508	2,736	2,964	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	2,830	N/A	2,830	3,113	3,396	3,679	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	2,364	N/A	2,364	2,600	2,837	3,073	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	2,364	N/A	2,364	2,600	2,837	3,073	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	2,364	N/A	2,364	2,600	2,837	3,073	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	2,830	N/A	2,830	3,113	3,396	3,679	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	2,150	N/A	2,150	2,365	2,580	2,795	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	2,150	N/A	2,150	2,365	2,580	2,795	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	2,150	N/A	2,150	2,365	2,580	2,795	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	2,170	N/A	2,170	2,387	2,604	2,821	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,280	N/A	2,280	2,508	2,736	2,964	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,280	N/A	2,280	2,508	2,736	2,964	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(C)/(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	2,170	N/A	2,170	2,387	2,604	2,821	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	2,170	N/A	2,170	2,387	2,604	2,821	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,383	N/A	2,383	2,621	2,860	3,098	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,473	N/A	2,473	2,720	2,968	3,215	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	2,513	N/A	2,513	2,764	3,016	3,267	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	2,513	N/A	2,513	2,764	3,016	3,267	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	2,513	N/A	2,513	2,764	3,016	3,267	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,313	N/A	2,313	2,544	2,776	3,007	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,513	N/A	2,513	2,764	3,016	3,267	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	2,513	N/A	2,513	2,764	3,016	3,267	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,233	N/A	2,233	2,456	2,680	2,903	(F)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,233	N/A	2,233	2,456	2,680	2,903	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,543	N/A	2,543	2,797	3,052	3,306	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	2,543	N/A	2,543	2,797	3,052	3,306	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,313	N/A	2,313	2,544	2,776	3,007	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,333	N/A	2,333	2,566	2,800	3,033	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,543	N/A	2,543	2,797	3,052	3,306	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	2,523	N/A	2,523	2,775	3,028	3,280	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,273	N/A	2,273	2,500	2,728	2,955	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,253	N/A	2,253	2,478	2,704	2,929	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,273	N/A	2,273	2,500	2,728	2,955	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	2,543	N/A	2,543	2,797	3,052	3,306	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,543	N/A	2,543	2,797	3,052	3,306	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,373	N/A	2,373	2,610	2,848	3,085	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,373	N/A	2,373	2,610	2,848	3,085	
7307 19 90	Cast tube or pipe fittings of steel	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,543	N/A	2,543	2,797	3,052	3,306	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,543	N/A	2,543	2,797	3,052	3,306	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,543	N/A	2,543	2,797	3,052	3,306	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,543	N/A	2,543	2,797	3,052	3,306	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,313	N/A	2,313	2,544	2,776	3,007	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,313	N/A	2,313	2,544	2,776	3,007	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,423	N/A	2,423	2,665	2,908	3,150	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,443	N/A	2,443	2,687	2,932	3,176	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,333	N/A	2,333	2,566	2,800	3,033	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	2,707	N/A	2,707	2,978	3,249	3,519	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 16	Nuts of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,707	N/A	2,707	2,978	3,249	3,519	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,707	N/A	2,707	2,978	3,249	3,519	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,303	N/A	2,303	2,533	2,764	2,994	(C)
7326 90 30	Ladders and steps, of iron or steel	2,303	N/A	2,303	2,533	2,764	2,994	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,303	N/A	2,303	2,533	2,764	2,994	(C)

Taiwan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,303	N/A	2,303	2,533	2,764	2,994	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,303	N/A	2,303	2,533	2,764	2,994	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,453	N/A	2,453	2,698	2,944	3,189	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,333	N/A	2,333	2,566	2,800	3,033	(C)

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0	1,360	1,496	1,632	1,768	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 29 00	Grey Portland cement	1,360	0,010	1,360	1,496	1,632	1,768	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,290	0,010	1,300	1,430	1,560	1,690	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,700	0,040	2,740	2,767	2,767	2,767	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,650	0,040	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	2,180	0,050	2,230	2,252	2,252	2,252	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,030	0,490	0,495	0,495	0,495	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,030	0,800	0,808	0,808	0,808	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,080	1,490	1,505	1,505	1,505	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,080	1,450	1,465	1,465	1,465	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,040	0,660	0,667	0,667	0,667	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,050	1,440	1,454	1,454	1,454	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,650	0,040	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,540	0,060	2,600	2,626	2,626	2,626	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,050	2,210	2,232	2,232	2,232	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,050	2,210	2,232	2,232	2,232	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,220	0,060	4,280	4,323	4,323	4,323	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,050	2,180	2,202	2,202	2,202	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,580	0,050	1,630	1,646	1,646	1,646	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,610	0,060	1,670	1,687	1,687	1,687	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,040	0,840	0,848	0,848	0,848	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,060	0,030	1,090	1,101	1,101	1,101	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,020	0,740	0,747	0,747	0,747	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,030	0,540	0,545	0,545	0,545	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,020	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,460	0,040	1,500	1,515	1,515	1,515	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,070	0,640	0,646	0,646	0,646	

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,040	1,470	1,485	1,485	1,485	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,020	0,750	0,758	0,758	0,758	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,040	N/A	2,040	2,244	2,448	2,652	(K)

Tajikistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,850	0,050	0,900	0,990	1,080	1,170	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,810	0,050	0,860	0,946	1,032	1,118	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**			
2808 00 00	Nitric acid; sulphonitric acids	1,640	0,050	1,680	1,697	1,697	1,697	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,600	0,050	0,650	0,657	0,657	0,657	
2834 21 00	Nitrate of potassium	1,460	0,070	1,520	1,535	1,535	1,535	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,440	0,040	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,730	0,040	0,770	0,778	0,778	0,778	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,330	0,110	1,440	1,454	1,454	1,454	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,300	0,100	1,410	1,424	1,424	1,424	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,580	0,070	0,650	0,657	0,657	0,657	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,040	0,080	1,120	1,131	1,131	1,131	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,110	0,060	1,170	1,182	1,182	1,182	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,700	0,100	1,800	1,818	1,818	1,818	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,090	1,550	1,566	1,566	1,566	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,470	0,090	1,550	1,566	1,566	1,566	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,560	0,070	2,630	2,656	2,656	2,656	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,080	1,510	1,525	1,525	1,525	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,180	0,080	1,260	1,273	1,273	1,273	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,300	0,090	1,390	1,404	1,404	1,404	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,620	0,070	0,680	0,687	0,687	0,687	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,740	0,080	0,820	0,828	0,828	0,828	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,060	0,560	0,566	0,566	0,566	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,050	0,520	0,525	0,525	0,525	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,010	0,100	1,100	1,111	1,111	1,111	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,090	0,630	0,636	0,636	0,636	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,060	1,040	1,050	1,050	1,050	

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,510	0,040	0,550	0,556	0,556	0,556	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,600	N/A	0,600	0,660	0,720	0,780	(L)
7604 10 10	Bars and rods	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7604 10 90	Profiles	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7604 21 00	Hollow profiles	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7604 29 10	Bars and rods	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7604 29 90	Profiles	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7605	Aluminium wire	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7608	Aluminium tubes and pipes	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7610 90	Other	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7610 90 90	Other	0,840	N/A	0,840	0,924	1,008	1,092	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Tanzania								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,280	N/A	1,280	1,408	1,536	1,664	(L)
7616 99 10	Cast	0,600	N/A	0,600	0,660	0,720	0,780	(L)
7616 99 90	Other	1,280	N/A	1,280	1,408	1,536	1,664	(L)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,080	0,060	2,130	2,151	2,151	2,151	
2814 10 00	Anhydrous ammonia	2,060	0,180	2,240	2,262	2,262	2,262	
2814 20 00	Ammonia in aqueous solution	0,620	0,050	0,670	0,677	0,677	0,677	
2834 21 00	Nitrate of potassium	1,760	0,080	1,840	1,858	1,858	1,858	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,050	0,510	0,515	0,515	0,515	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,050	0,820	0,828	0,828	0,828	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,400	0,140	1,540	1,555	1,555	1,555	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,370	0,140	1,510	1,525	1,525	1,525	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,100	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,190	0,120	1,310	1,323	1,323	1,323	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,330	0,090	1,420	1,434	1,434	1,434	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,050	0,140	2,190	2,212	2,212	2,212	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,770	0,130	1,890	1,909	1,909	1,909	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,770	0,130	1,890	1,909	1,909	1,909	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,240	0,090	3,330	3,363	3,363	3,363	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,720	0,120	1,840	1,858	1,858	1,858	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,360	0,110	1,470	1,485	1,485	1,485	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,450	0,130	1,580	1,596	1,596	1,596	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,700	0,110	0,800	0,808	0,808	0,808	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,880	0,130	1,010	1,020	1,020	1,020	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,100	0,700	0,707	0,707	0,707	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,080	0,560	0,566	0,566	0,566	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,060	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,200	0,160	1,360	1,374	1,374	1,374	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,560	0,120	0,680	0,687	0,687	0,687	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,170	0,100	1,260	1,273	1,273	1,273	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,600	0,070	0,670	0,677	0,677	0,677	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7604 10 10	Bars and rods	1,270	N/A	1,270	1,397	1,524	1,651	(L)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7604 10 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 21 00	Hollow profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 29 10	Bars and rods	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7604 29 90	Profiles	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7605	Aluminium wire	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7608	Aluminium tubes and pipes	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,290	N/A	1,290	1,419	1,548	1,677	(L)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90 90	Other	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,270	N/A	1,270	1,397	1,524	1,651	(L)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,730	N/A	1,730	1,903	2,076	2,249	(L)
7616 99 10	Cast	1,050	N/A	1,050	1,155	1,260	1,365	(L)
7616 99 90	Other	1,730	N/A	1,730	1,903	2,076	2,249	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	1,130	0,070	1,190	1,309	1,428	1,547	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	–	–	–	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,430	N/A	1,430	1,573	1,716	1,859	(E)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	0,210	N/A	0,210	0,231	0,252	0,273	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	0,210	N/A	0,210	0,231	0,252	0,273	(E)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,331	N/A	2,331	2,564	2,797	3,030	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,331	N/A	2,331	2,564	2,797	3,030	(E)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,331	N/A	2,331	2,564	2,797	3,030	(E)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,331	N/A	2,331	2,564	2,797	3,030	(E)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,331	N/A	2,331	2,564	2,797	3,030	(E)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,331	N/A	2,331	2,564	2,797	3,030	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,440	N/A	1,440	1,584	1,728	1,872	(E)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	–	–	–	–	–	–	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	–	–	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	–	–	–	–	–	–	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	–	–	–	–	–	–	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	–	–	–	–	–	–	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	–	–	–	–	–	–	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	–	–	–	–	–	–	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	–	–	–	–	–	–	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	–	–	–	–	–	–	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	–	–	–	–	–	–	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	–	–	–	–	–	–	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	–	–	–	–	–	–	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	–	–	–	–	–	–	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	–	–	–	–	–	–	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	–	–	–	–	–	–	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	–	–	–	–	–	–	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	–	–	–	–	–	–	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	–	–	–	–	–	–	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	–	–	–	–	–	–	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	–	–	–	–	–	–	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	–	–	–	–	–	–	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	–	–	–	–	–	–	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	–	–	–	–	–	–	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	–	–	–	–	–	–	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	–	–	–	–	–	–	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	–	–	–	–	–	–	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	–	–	–	–	–	–	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	–	–	–	–	–	–	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	–	–	–	–	–	–	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	–	–	–	–	–	–	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	–	–	–	–	–	–	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	–	–	–	–	–	–	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	–	–	–	–	–	–	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	–	–	–	–	–	–	
7223	Wire of stainless steel, in coils (excl. bars and rods)	–	–	–	–	–	–	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	–	–	–	–	–	–	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7224 90 02	Semi-finished products of tool steel	3,520	N/A	3,520	3,872	4,224	4,576	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,520	N/A	3,520	3,872	4,224	4,576	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,520	N/A	3,520	3,872	4,224	4,576	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,660	N/A	4,660	5,126	5,592	6,058	(E)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,520	N/A	3,520	3,872	4,224	4,576	(E)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,660	N/A	4,660	5,126	5,592	6,058	(E)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,520	N/A	3,520	3,872	4,224	4,576	(E)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,570	N/A	3,570	3,927	4,284	4,641	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,520	N/A	3,520	3,872	4,224	4,576	(H)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,570	N/A	3,570	3,927	4,284	4,641	(H)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,580	N/A	3,580	3,938	4,296	4,654	(E)/(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(H)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,390	N/A	3,390	3,729	4,068	4,407	(H)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(H)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(E)/(H)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,390	N/A	3,390	3,729	4,068	4,407	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(E)/(H)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,580	N/A	3,580	3,938	4,296	4,654	(H)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,580	N/A	3,580	3,938	4,296	4,654	(H)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,580	N/A	3,580	3,938	4,296	4,654	(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,580	N/A	3,580	3,938	4,296	4,654	(E)/(H)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,040	N/A	2,040	2,243	2,447	2,651	(E)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,950	N/A	3,950	4,344	4,739	5,134	(E)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	3,070	N/A	3,070	3,376	3,683	3,990	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	4,630	N/A	4,630	5,092	5,555	6,018	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	4,630	N/A	4,630	5,092	5,555	6,018	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	4,630	N/A	4,630	5,092	5,555	6,018	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	4,630	N/A	4,630	5,092	5,555	6,018	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	4,630	N/A	4,630	5,092	5,555	6,018	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,950	N/A	1,950	2,144	2,339	2,534	(H)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,950	N/A	1,950	2,144	2,339	2,534	(E)/(H)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,960	N/A	1,960	2,155	2,351	2,547	(E)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,810	N/A	4,810	5,290	5,771	6,252	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	4,810	N/A	4,810	5,290	5,771	6,252	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,080	N/A	2,080	2,287	2,495	2,703	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,030	N/A	2,030	2,232	2,435	2,638	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,080	N/A	2,080	2,287	2,495	2,703	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,080	N/A	2,080	2,287	2,495	2,703	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,810	N/A	4,810	5,290	5,771	6,252	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	4,750	N/A	4,750	5,224	5,699	6,174	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,130	N/A	2,130	2,342	2,555	2,768	(H)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,080	N/A	2,080	2,287	2,495	2,703	(H)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,130	N/A	2,130	2,342	2,555	2,768	(H)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	4,810	N/A	4,810	5,290	5,771	6,252	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,810	N/A	4,810	5,290	5,771	6,252	

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,080	N/A	2,080	2,287	2,495	2,703	(E)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,080	N/A	2,080	2,287	2,495	2,703	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,070	N/A	3,070	3,376	3,683	3,990	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,070	N/A	3,070	3,376	3,683	3,990	
7307 19 90	Cast tube or pipe fittings of steel	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7307 21 00	Flanges of stainless steel (excl. cast products)	4,110	N/A	4,110	4,520	4,931	5,342	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	4,110	N/A	4,110	4,520	4,931	5,342	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	4,110	N/A	4,110	4,520	4,931	5,342	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	4,110	N/A	4,110	4,520	4,931	5,342	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	4,290	N/A	4,290	4,718	5,147	5,576	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	4,640	N/A	4,640	5,103	5,567	6,031	(E)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,090	N/A	2,090	2,298	2,507	2,716	(E)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	4,570	N/A	4,570	5,026	5,483	5,940	(E)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	4,690	N/A	4,690	5,158	5,627	6,096	(E)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,408	N/A	2,408	2,649	2,890	3,130	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	4,690	N/A	4,690	5,158	5,627	6,096	(E)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 16	Nuts of iron or steel	4,450	N/A	4,450	4,894	5,339	5,784	(E)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,408	N/A	2,408	2,649	2,890	3,130	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 24 00	Cotters and cotter pins, of iron or steel	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7318 29 00	Non-threaded articles, of iron or steel	2,408	N/A	2,408	2,649	2,890	3,130	(E)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7326 20 00	Articles of iron or steel wire, n.e.s.	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7326 90 30	Ladders and steps, of iron or steel	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,920	N/A	1,920	2,111	2,303	2,495	(E)

Thailand								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,920	N/A	1,920	2,111	2,303	2,495	(E)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7326 90 96	Sintered articles of iron or steel, n.e.s.	1,850	N/A	1,850	2,034	2,219	2,404	(E)
7326 90 98	Articles of iron or steel, n.e.s.	1,980	N/A	1,980	2,177	2,375	2,573	(E)

Togo								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,950	0,060	1	1,100	1,200	1,300	

Togo								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,900	0,060	0,960	1,056	1,152	1,248	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,870	0,040	0,910	1,001	1,092	1,183	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,870	0,070	0,950	1,045	1,140	1,235	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,840	0,080	0,910	1,001	1,092	1,183	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,870	0,050	1,920	1,939	1,939	1,939	
2814 10 00	Anhydrous ammonia	2,260	0,150	2,420	2,444	2,444	2,444	
2814 20 00	Ammonia in aqueous solution	0,680	0,050	0,730	0,737	0,737	0,737	
2834 21 00	Nitrate of potassium	1,640	0,070	1,710	1,727	1,727	1,727	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,500	0,040	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,820	0,040	0,860	0,869	0,869	0,869	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,490	0,120	1,610	1,626	1,626	1,626	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,460	0,110	1,570	1,586	1,586	1,586	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,080	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,140	0,100	1,240	1,252	1,252	1,252	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,240	0,070	1,310	1,323	1,323	1,323	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,910	0,110	2,020	2,040	2,040	2,040	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,610	0,100	1,720	1,737	1,737	1,737	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,610	0,100	1,720	1,737	1,737	1,737	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,920	0,080	3	3,030	3,030	3,030	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,600	0,100	1,700	1,717	1,717	1,717	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,330	0,090	1,420	1,434	1,434	1,434	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,440	0,110	1,550	1,566	1,566	1,566	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,670	0,090	0,760	0,768	0,768	0,768	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,810	0,100	0,910	0,919	0,919	0,919	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,080	0,630	0,636	0,636	0,636	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,060	0,580	0,586	0,586	0,586	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,330	0,050	0,380	0,384	0,384	0,384	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,100	0,130	1,230	1,242	1,242	1,242	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,100	0,670	0,677	0,677	0,677	

Trinidad and Tobago								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,080	1,170	1,182	1,182	1,182	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,050	1,330	1,463	1,596	1,729	(B)
2523 10 00	Grey clinker	0,850	0,030	0,880	0,968	1,056	1,144	(A)
2523 21 00	White Portland cement	1,260	0,140	1,390	1,529	1,668	1,807	
2523 29 00	Grey Portland cement	0,860	0,060	0,910	1,001	1,092	1,183	
2523 90 00	White hydraulic cements	1,300	0,160	1,460	1,606	1,752	1,898	(B)
2523 90 00	Grey hydraulic cements	0,820	0,060	0,880	0,968	1,056	1,144	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,570	0,030	2,600	2,626	2,626	2,626	
2814 10 00	Anhydrous ammonia	2	0,100	2,100	2,121	2,121	2,121	
2814 20 00	Ammonia in aqueous solution	0,600	0,030	0,630	0,636	0,636	0,636	
2834 21 00	Nitrate of potassium	2,070	0,050	2,120	2,141	2,141	2,141	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,030	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,030	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,380	0,080	1,460	1,475	1,475	1,475	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,340	0,080	1,430	1,444	1,444	1,444	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,060	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,330	0,070	1,400	1,414	1,414	1,414	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,570	0,050	1,620	1,636	1,636	1,636	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,410	0,080	2,490	2,515	2,515	2,515	

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,070	0,080	2,150	2,172	2,172	2,172	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,070	0,080	2,150	2,172	2,172	2,172	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,010	0,050	4,060	4,101	4,101	4,101	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,020	0,070	2,090	2,111	2,111	2,111	

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,510	0,060	1,580	1,596	1,596	1,596	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,550	0,080	1,630	1,646	1,646	1,646	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,760	0,060	0,830	0,838	0,838	0,838	

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,010	0,080	1,090	1,101	1,101	1,101	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,690	0,060	0,750	0,758	0,758	0,758	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,470	0,050	0,520	0,525	0,525	0,525	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,040	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,400	0,100	1,490	1,505	1,505	1,505	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,090	0,640	0,646	0,646	0,646	

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,360	0,060	1,420	1,434	1,434	1,434	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,700	0,040	0,740	0,747	0,747	0,747	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium								
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,760	N/A	0,760	0,836	0,912	0,988	(L)
7604 10 10	Bars and rods	0,980	N/A	0,980	1,078	1,176	1,274	(L)
7604 10 90	Profiles	1	N/A	1	1,100	1,200	1,300	(L)
7604 21 00	Hollow profiles	1	N/A	1	1,100	1,200	1,300	(L)
7604 29 10	Bars and rods	0,980	N/A	0,980	1,078	1,176	1,274	(L)
7604 29 90	Profiles	1	N/A	1	1,100	1,200	1,300	(L)
7605	Aluminium wire	0,980	N/A	0,980	1,078	1,176	1,274	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,440	N/A	1,440	1,584	1,728	1,872	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,440	N/A	1,440	1,584	1,728	1,872	(L)

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	1	N/A	1	1,100	1,200	1,300	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1	N/A	1	1,100	1,200	1,300	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1	N/A	1	1,100	1,200	1,300	(L)
7610 90	Other	1	N/A	1	1,100	1,200	1,300	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1	N/A	1	1,100	1,200	1,300	(L)
7610 90 90	Other	1	N/A	1	1,100	1,200	1,300	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,440	N/A	1,440	1,584	1,728	1,872	(L)

Tunisia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,440	N/A	1,440	1,584	1,728	1,872	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,440	N/A	1,440	1,584	1,728	1,872	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,980	N/A	0,980	1,078	1,176	1,274	(L)
7615 10 10	Cast	1,440	N/A	1,440	1,584	1,728	1,872	(L)
7615 10 30	Manufactured from foil of a thickness not exceeding 0,2 mm	1,440	N/A	1,440	1,584	1,728	1,872	(L)
7615 10 80	Other	0,760	N/A	0,760	0,836	0,912	0,988	(L)
7615 20 00	Sanitary ware and parts thereof	1,440	N/A	1,440	1,584	1,728	1,872	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	–	–	–	–	–	–	
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	–	–	–	–	–	–	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	–	–	–	–	–	–	
2523 30 00	Aluminous cement	1,820	0,140	1,950	2,145	2,340	2,535	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,680	0,030	2,720	2,747	2,747	2,747	
2814 10 00	Anhydrous ammonia	2,170	0,100	2,270	2,293	2,293	2,293	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,170	0,050	2,220	2,242	2,242	2,242	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,480	0,020	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,790	0,020	0,820	0,828	0,828	0,828	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,440	0,080	1,510	1,525	1,525	1,525	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,400	0,080	1,480	1,495	1,495	1,495	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,630	0,060	0,680	0,687	0,687	0,687	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,400	0,060	1,460	1,475	1,475	1,475	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,050	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,070	2,600	2,626	2,626	2,626	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,070	2,230	2,252	2,252	2,252	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,160	0,070	2,230	2,252	2,252	2,252	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,190	0,050	4,240	4,282	4,282	4,282	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,060	2,180	2,202	2,202	2,202	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,580	0,060	1,640	1,656	1,656	1,656	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,620	0,070	1,690	1,707	1,707	1,707	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,060	0,860	0,869	0,869	0,869	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,060	0,060	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,720	0,050	0,770	0,778	0,778	0,778	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,040	0,550	0,556	0,556	0,556	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,460	0,080	1,540	1,555	1,555	1,555	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,580	0,080	0,660	0,667	0,667	0,667	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,050	1,480	1,495	1,495	1,495	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,040	0,760	0,768	0,768	0,768	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	3,369	N/A	3,369	3,706	4,043	4,380	(K)
7604 10 10	Bars and rods	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7604 10 90	Profiles	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7604 21 00	Hollow profiles	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7604 29 10	Bars and rods	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7604 29 90	Profiles	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7605	Aluminium wire	3,424	N/A	3,424	3,766	4,109	4,451	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,714	N/A	2,714	2,985	3,257	3,528	(K)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,071	N/A	3,071	3,378	3,685	3,992	(K)
7608	Aluminium tubes and pipes	2,754	N/A	2,754	3,029	3,304	3,580	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	3,775	N/A	3,775	4,153	4,530	4,908	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,674	N/A	2,674	2,941	3,209	3,476	(K)
7610 90	Other	2,674	N/A	2,674	2,941	3,209	3,476	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,674	N/A	2,674	2,941	3,209	3,476	(K)
7610 90 90	Other	2,674	N/A	2,674	2,941	3,209	3,476	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,520	N/A	4,520	4,972	5,424	5,876	(K)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,520	N/A	4,520	4,972	5,424	5,876	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	4,520	N/A	4,520	4,972	5,424	5,876	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	3,741	N/A	3,741	4,116	4,490	4,864	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,060	N/A	3,060	3,366	3,672	3,978	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,060	N/A	3,060	3,366	3,672	3,978	(K)
7616 99 10	Cast	3,060	N/A	3,060	3,366	3,672	3,978	(K)
7616 99 90	Other	3,060	N/A	3,060	3,366	3,672	3,978	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,180	0,030	0,210	0,231	0,252	0,273	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,850	N/A	1,850	2,035	2,220	2,405	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,890	N/A	1,890	2,079	2,268	2,457	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,960	N/A	1,960	2,156	2,352	2,548	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,960	N/A	1,960	2,156	2,352	2,548	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3,087	N/A	3,087	3,396	3,705	4,014	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,428	N/A	2,428	2,670	2,913	3,156	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,428	N/A	2,428	2,670	2,913	3,156	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,428	N/A	2,428	2,670	2,913	3,156	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,428	N/A	2,428	2,670	2,913	3,156	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,510	N/A	2,510	2,761	3,012	3,263	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,510	N/A	2,510	2,761	3,012	3,263	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3,087	N/A	3,087	3,396	3,705	4,014	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	5,970	N/A	5,970	6,567	7,164	7,761	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	5,470	N/A	5,470	6,017	6,564	7,111	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	5,470	N/A	5,470	6,017	6,564	7,111	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	5,970	N/A	5,970	6,567	7,164	7,761	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	5,470	N/A	5,470	6,017	6,564	7,111	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	5,970	N/A	5,970	6,567	7,164	7,761	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	5,470	N/A	5,470	6,017	6,564	7,111	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	5,470	N/A	5,470	6,017	6,564	7,111	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	5,540	N/A	5,540	6,094	6,648	7,202	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	5,540	N/A	5,540	6,094	6,648	7,202	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	5,540	N/A	5,540	6,094	6,648	7,202	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	5,540	N/A	5,540	6,094	6,648	7,202	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	5,540	N/A	5,540	6,094	6,648	7,202	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,540	N/A	5,540	6,094	6,648	7,202	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	5,470	N/A	5,470	6,017	6,564	7,111	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	5,540	N/A	5,540	6,094	6,648	7,202	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,540	N/A	5,540	6,094	6,648	7,202	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	5,310	N/A	5,310	5,841	6,372	6,903	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	5,310	N/A	5,310	5,841	6,372	6,903	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	5,310	N/A	5,310	5,841	6,372	6,903	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	5,310	N/A	5,310	5,841	6,372	6,903	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	5,970	N/A	5,970	6,567	7,164	7,761	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	5,310	N/A	5,310	5,841	6,372	6,903	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	5,310	N/A	5,310	5,841	6,372	6,903	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	6,950	N/A	6,950	7,645	8,340	9,035	(F)
7224 90 02	Semi-finished products of tool steel	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	6,450	N/A	6,450	7,095	7,740	8,385	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	6,450	N/A	6,450	7,095	7,740	8,385	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	6,950	N/A	6,950	7,645	8,340	9,035	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	6,950	N/A	6,950	7,645	8,340	9,035	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	8,500	N/A	8,500	9,350	10,200	11,050	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	6,450	N/A	6,450	7,095	7,740	8,385	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	6,450	N/A	6,450	7,095	7,740	8,385	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	8,500	N/A	8,500	9,350	10,200	11,050	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	6,450	N/A	6,450	7,095	7,740	8,385	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	6,450	N/A	6,450	7,095	7,740	8,385	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	6,450	N/A	6,450	7,095	7,740	8,385	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	6,520	N/A	6,520	7,172	7,824	8,476	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	6,290	N/A	6,290	6,919	7,548	8,177	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,950	N/A	6,950	7,645	8,340	9,035	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,950	N/A	6,950	7,645	8,340	9,035	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(C)/(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	6,290	N/A	6,290	6,919	7,548	8,177	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	6,290	N/A	6,290	6,919	7,548	8,177	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	6,290	N/A	6,290	6,919	7,548	8,177	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	6,290	N/A	6,290	6,919	7,548	8,177	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,510	N/A	2,510	2,761	3,012	3,263	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	5,360	N/A	5,360	5,896	6,432	6,968	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,480	N/A	2,480	2,728	2,976	3,224	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	5,690	N/A	5,690	6,259	6,828	7,397	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	5,690	N/A	5,690	6,259	6,828	7,397	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	5,690	N/A	5,690	6,259	6,828	7,397	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,340	N/A	2,340	2,574	2,808	3,042	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	5,690	N/A	5,690	6,259	6,828	7,397	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	5,690	N/A	5,690	6,259	6,828	7,397	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,360	N/A	2,360	2,596	2,832	3,068	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,360	N/A	2,360	2,596	2,832	3,068	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,340	N/A	2,340	2,574	2,808	3,042	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,182	N/A	2,182	2,400	2,618	2,837	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	5,920	N/A	5,920	6,512	7,104	7,696	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	5,920	N/A	5,920	6,512	7,104	7,696	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,244	N/A	2,244	2,468	2,693	2,917	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,244	N/A	2,244	2,468	2,693	2,917	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,244	N/A	2,244	2,468	2,693	2,917	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	5,920	N/A	5,920	6,512	7,104	7,696	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	5,850	N/A	5,850	6,435	7,020	7,605	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,244	N/A	2,244	2,468	2,693	2,917	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,244	N/A	2,244	2,468	2,693	2,917	(F)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,244	N/A	2,244	2,468	2,693	2,917	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	5,920	N/A	5,920	6,512	7,104	7,696	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,244	N/A	2,244	2,468	2,693	2,917	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	5,920	N/A	5,920	6,512	7,104	7,696	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,244	N/A	2,244	2,468	2,693	2,917	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,244	N/A	2,244	2,468	2,693	2,917	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,151	N/A	3,151	3,466	3,781	4,096	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,151	N/A	3,151	3,466	3,781	4,096	
7307 19 90	Cast tube or pipe fittings of steel	3,151	N/A	3,151	3,466	3,781	4,096	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,710	N/A	3,710	4,081	4,452	4,823	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,710	N/A	3,710	4,081	4,452	4,823	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,710	N/A	3,710	4,081	4,452	4,823	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,710	N/A	3,710	4,081	4,452	4,823	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	3,151	N/A	3,151	3,466	3,781	4,096	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	3,151	N/A	3,151	3,466	3,781	4,096	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	3,151	N/A	3,151	3,466	3,781	4,096	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	3,151	N/A	3,151	3,466	3,781	4,096	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	5,520	N/A	5,520	6,072	6,624	7,176	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	5,600	N/A	5,600	6,160	6,720	7,280	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	3,030	N/A	3,030	3,333	3,636	3,939	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	5,430	N/A	5,430	5,973	6,516	7,059	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	5,690	N/A	5,690	6,259	6,828	7,397	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	5,690	N/A	5,690	6,259	6,828	7,397	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	5,430	N/A	5,430	5,973	6,516	7,059	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,790	N/A	3,790	4,169	4,548	4,927	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	3,430	N/A	3,430	3,773	4,116	4,459	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,832	N/A	2,832	3,115	3,398	3,682	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3	N/A	3	3,300	3,600	3,900	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3	N/A	3	3,300	3,600	3,900	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,583	N/A	2,583	2,841	3,100	3,358	(C)
7326 90 30	Ladders and steps, of iron or steel	2,583	N/A	2,583	2,841	3,100	3,358	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,583	N/A	2,583	2,841	3,100	3,358	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,583	N/A	2,583	2,841	3,100	3,358	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,583	N/A	2,583	2,841	3,100	3,358	(C)

Türkiye								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3	N/A	3	3,300	3,600	3,900	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,583	N/A	2,583	2,841	3,100	3,358	(C)

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,050	1,400	1,540	1,680	1,820	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,360	0,090	1,440	1,584	1,728	1,872	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2523 90 00	Grey hydraulic cements	1,290	0,090	1,380	1,518	1,656	1,794	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,690	0,070	2,760	2,788	2,788	2,788	
2814 10 00	Anhydrous ammonia	2,160	0,210	2,370	2,394	2,394	2,394	
2814 20 00	Ammonia in aqueous solution	0,650	0,060	0,710	0,717	0,717	0,717	
2834 21 00	Nitrate of potassium	2,170	0,100	2,270	2,293	2,293	2,293	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,470	0,050	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,050	0,830	0,838	0,838	0,838	

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,410	0,160	1,570	1,586	1,586	1,586	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,380	0,160	1,530	1,545	1,545	1,545	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,120	0,740	0,747	0,747	0,747	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,130	1,520	1,535	1,535	1,535	

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,100	1,750	1,768	1,768	1,768	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,160	2,690	2,717	2,717	2,717	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,140	2,300	2,323	2,323	2,323	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,140	2,300	2,323	2,323	2,323	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,200	0,100	4,310	4,353	4,353	4,353	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,140	2,260	2,283	2,283	2,283	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,580	0,120	1,700	1,717	1,717	1,717	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,600	0,150	1,750	1,768	1,768	1,768	

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,120	0,920	0,929	0,929	0,929	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,140	1,200	1,212	1,212	1,212	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,110	0,820	0,828	0,828	0,828	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,090	0,590	0,596	0,596	0,596	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,070	0,390	0,394	0,394	0,394	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,180	1,630	1,646	1,646	1,646	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,130	0,710	0,717	0,717	0,717	

Turkmenistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,110	1,540	1,555	1,555	1,555	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,080	0,810	0,818	0,818	0,818	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uganda								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,950	0,010	0,950	1,045	1,140	1,235	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,990	0,020	1,010	1,111	1,212	1,313	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,940	0,030	0,970	1,067	1,164	1,261	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,510	N/A	0,510	0,561	0,612	0,663	(L)
7604 10 10	Bars and rods	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 10 90	Profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7604 21 00	Hollow profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7604 29 10	Bars and rods	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 29 90	Profiles	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7605	Aluminium wire	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,190	N/A	1,190	1,309	1,428	1,547	(L)

Uganda								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7608	Aluminium tubes and pipes	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90	Other	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7610 90 90	Other	0,750	N/A	0,750	0,825	0,900	0,975	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,190	N/A	1,190	1,309	1,428	1,547	(L)

Uganda								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,190	N/A	1,190	1,309	1,428	1,547	(L)
7616 99 10	Cast	0,510	N/A	0,510	0,561	0,612	0,663	(L)
7616 99 90	Other	1,190	N/A	1,190	1,309	1,428	1,547	(L)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,340	0,030	1,370	1,507	1,644	1,781	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,340	0,050	1,380	1,518	1,656	1,794	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,270	0,050	1,320	1,452	1,584	1,716	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,700	0,030	2,730	2,757	2,757	2,757	
2814 10 00	Anhydrous ammonia	2,160	0,090	2,250	2,273	2,273	2,273	
2814 20 00	Ammonia in aqueous solution	0,650	0,030	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	2,180	0,040	2,220	2,242	2,242	2,242	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,020	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,020	0,780	0,788	0,788	0,788	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,380	0,070	1,450	1,465	1,465	1,465	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,350	0,070	1,420	1,434	1,434	1,434	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,620	0,050	0,670	0,677	0,677	0,677	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,390	0,060	1,450	1,465	1,465	1,465	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,640	0,040	1,690	1,707	1,707	1,707	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,530	0,070	2,600	2,626	2,626	2,626	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,060	2,220	2,242	2,242	2,242	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,060	2,220	2,242	2,242	2,242	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,220	0,050	4,270	4,313	4,313	4,313	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,120	0,060	2,180	2,202	2,202	2,202	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,570	0,060	1,630	1,646	1,646	1,646	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,590	0,060	1,660	1,677	1,677	1,677	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,800	0,050	0,850	0,859	0,859	0,859	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	0,060	1,120	1,131	1,131	1,131	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,050	0,760	0,768	0,768	0,768	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,040	0,540	0,545	0,545	0,545	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,030	0,350	0,354	0,354	0,354	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,450	0,080	1,530	1,545	1,545	1,545	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,570	0,080	0,640	0,646	0,646	0,646	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,430	0,050	1,480	1,495	1,495	1,495	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,730	0,030	0,760	0,768	0,768	0,768	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7604 10 10	Bars and rods	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7604 10 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 21 00	Hollow profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7604 29 10	Bars and rods	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7604 29 90	Profiles	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7605	Aluminium wire	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,180	N/A	1,180	1,298	1,416	1,534	(L)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7608	Aluminium tubes and pipes	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7610 90 90	Other	0,730	N/A	0,730	0,803	0,876	0,949	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,180	N/A	1,180	1,298	1,416	1,534	(L)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,180	N/A	1,180	1,298	1,416	1,534	(L)
7616 99 10	Cast	0,490	N/A	0,490	0,539	0,588	0,637	(L)
7616 99 90	Other	1,180	N/A	1,180	1,298	1,416	1,534	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,080	0,050	0,120	0,132	0,144	0,156	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,173	N/A	2,173	2,390	2,608	2,825	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	1,910	N/A	1,910	2,101	2,292	2,483	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,970	N/A	1,970	2,167	2,364	2,561	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,970	N/A	1,970	2,167	2,364	2,561	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,483	N/A	2,483	2,731	2,979	3,227	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,544	N/A	2,544	2,798	3,052	3,307	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,544	N/A	2,544	2,798	3,052	3,307	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,483	N/A	2,483	2,731	2,979	3,227	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,483	N/A	2,483	2,731	2,979	3,227	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,483	N/A	2,483	2,731	2,979	3,227	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,544	N/A	2,544	2,798	3,052	3,307	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,544	N/A	2,544	2,798	3,052	3,307	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,544	N/A	2,544	2,798	3,052	3,307	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,544	N/A	2,544	2,798	3,052	3,307	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,397	N/A	2,397	2,637	2,877	3,117	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,397	N/A	2,397	2,637	2,877	3,117	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,110	N/A	3,110	3,421	3,732	4,043	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,230	N/A	3,230	3,553	3,876	4,199	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,230	N/A	3,230	3,553	3,876	4,199	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,110	N/A	3,110	3,421	3,732	4,043	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,230	N/A	3,230	3,553	3,876	4,199	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,230	N/A	3,230	3,553	3,876	4,199	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,230	N/A	3,230	3,553	3,876	4,199	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,280	N/A	3,280	3,608	3,936	4,264	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,280	N/A	3,280	3,608	3,936	4,264	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,280	N/A	3,280	3,608	3,936	4,264	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,280	N/A	3,280	3,608	3,936	4,264	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,280	N/A	3,280	3,608	3,936	4,264	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,280	N/A	3,280	3,608	3,936	4,264	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,230	N/A	3,230	3,553	3,876	4,199	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,280	N/A	3,280	3,608	3,936	4,264	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,280	N/A	3,280	3,608	3,936	4,264	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,110	N/A	3,110	3,421	3,732	4,043	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,110	N/A	3,110	3,421	3,732	4,043	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,110	N/A	3,110	3,421	3,732	4,043	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,110	N/A	3,110	3,421	3,732	4,043	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7224 90 02	Semi-finished products of tool steel	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,540	N/A	3,540	3,894	4,248	4,602	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,540	N/A	3,540	3,894	4,248	4,602	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,420	N/A	3,420	3,762	4,104	4,446	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,650	N/A	4,650	5,115	5,580	6,045	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,540	N/A	3,540	3,894	4,248	4,602	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,540	N/A	3,540	3,894	4,248	4,602	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,650	N/A	4,650	5,115	5,580	6,045	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,540	N/A	3,540	3,894	4,248	4,602	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,540	N/A	3,540	3,894	4,248	4,602	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,540	N/A	3,540	3,894	4,248	4,602	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,420	N/A	3,420	3,762	4,104	4,446	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,420	N/A	3,420	3,762	4,104	4,446	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,543	N/A	2,543	2,797	3,052	3,306	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,213	N/A	3,213	3,534	3,856	4,177	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,183	N/A	2,183	2,401	2,620	2,838	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,563	N/A	3,563	3,919	4,276	4,632	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,596	N/A	2,596	2,856	3,116	3,375	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,563	N/A	3,563	3,919	4,276	4,632	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,596	N/A	2,596	2,856	3,116	3,375	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,563	N/A	3,563	3,919	4,276	4,632	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,596	N/A	2,596	2,856	3,116	3,375	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,596	N/A	2,596	2,856	3,116	3,375	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,596	N/A	2,596	2,856	3,116	3,375	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,563	N/A	3,563	3,919	4,276	4,632	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,563	N/A	3,563	3,919	4,276	4,632	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,596	N/A	2,596	2,856	3,116	3,375	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,596	N/A	2,596	2,856	3,116	3,375	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,596	N/A	2,596	2,856	3,116	3,375	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,543	N/A	2,543	2,797	3,052	3,306	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,733	N/A	3,733	4,106	4,480	4,853	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,733	N/A	3,733	4,106	4,480	4,853	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,371	N/A	2,371	2,608	2,845	3,082	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,371	N/A	2,371	2,608	2,845	3,082	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,371	N/A	2,371	2,608	2,845	3,082	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,733	N/A	3,733	4,106	4,480	4,853	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,683	N/A	3,683	4,051	4,420	4,788	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,371	N/A	2,371	2,608	2,845	3,082	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,371	N/A	2,371	2,608	2,845	3,082	(F)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,371	N/A	2,371	2,608	2,845	3,082	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,733	N/A	3,733	4,106	4,480	4,853	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,371	N/A	2,371	2,608	2,845	3,082	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,733	N/A	3,733	4,106	4,480	4,853	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,371	N/A	2,371	2,608	2,845	3,082	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,371	N/A	2,371	2,608	2,845	3,082	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,173	N/A	2,173	2,390	2,608	2,825	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,173	N/A	2,173	2,390	2,608	2,825	
7307 19 90	Cast tube or pipe fittings of steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,223	N/A	3,223	3,545	3,868	4,190	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,223	N/A	3,223	3,545	3,868	4,190	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,223	N/A	3,223	3,545	3,868	4,190	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,223	N/A	3,223	3,545	3,868	4,190	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,423	N/A	2,423	2,665	2,908	3,150	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,413	N/A	3,413	3,754	4,096	4,437	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,663	N/A	3,663	4,029	4,396	4,762	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,543	N/A	2,543	2,797	3,052	3,306	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,543	N/A	3,543	3,897	4,252	4,606	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,563	N/A	3,563	3,919	4,276	4,632	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,563	N/A	3,563	3,919	4,276	4,632	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3,153	N/A	3,153	3,468	3,784	4,099	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,443	N/A	3,443	3,787	4,132	4,476	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,633	N/A	2,633	2,896	3,160	3,423	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,563	N/A	2,563	2,819	3,076	3,332	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,423	N/A	2,423	2,665	2,908	3,150	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 30	Ladders and steps, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,423	N/A	2,423	2,665	2,908	3,150	(C)

Ukraine								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,423	N/A	2,423	2,665	2,908	3,150	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,543	N/A	2,543	2,797	3,052	3,306	(C)

United Arab Emirates								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	1,290	0,050	1,340	1,474	1,608	1,742	(B)
2523 10 00	Grey clinker	0,830	0,040	0,860	0,946	1,032	1,118	(A)
2523 21 00	White Portland cement	1,300	0,140	1,440	1,584	1,728	1,872	
2523 29 00	Grey Portland cement	0,840	0,070	0,900	0,990	1,080	1,170	
2523 90 00	White hydraulic cements	1,330	0,170	1,510	1,661	1,812	1,963	(B)
2523 90 00	Grey hydraulic cements	0,800	0,070	0,870	0,957	1,044	1,131	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	

United Arab Emirates								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	1,980	N/A	1,980	2,178	2,376	2,574	(K)
7604 10 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(K)
7604 10 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7604 21 00	Hollow profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7604 29 10	Bars and rods	2,200	N/A	2,200	2,420	2,640	2,860	(K)
7604 29 90	Profiles	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7605	Aluminium wire	2,200	N/A	2,200	2,420	2,640	2,860	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7608	Aluminium tubes and pipes	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,220	N/A	2,220	2,442	2,664	2,886	(K)

United Arab Emirates								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7610 90 90	Other	2,220	N/A	2,220	2,442	2,664	2,886	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,200	N/A	2,200	2,420	2,640	2,860	(K)

United Arab Emirates								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,660	N/A	2,660	2,926	3,192	3,458	(K)
7616 99 10	Cast	1,980	N/A	1,980	2,178	2,376	2,574	(K)
7616 99 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	0,930	0,020	0,950	1,045	1,140	1,235	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	0,940	0,040	0,980	1,078	1,176	1,274	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	0,900	0,050	0,940	1,034	1,128	1,222	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	0,720	0,030	0,750	0,758	0,758	0,758	
2814 10 00	Anhydrous ammonia	1,970	0,090	2,050	2,071	2,071	2,071	
2814 20 00	Ammonia in aqueous solution	0,590	0,030	0,620	0,626	0,626	0,626	
2834 21 00	Nitrate of potassium	0,830	0,040	0,870	0,879	0,879	0,879	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,400	0,020	0,420	0,424	0,424	0,424	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,650	0,020	0,680	0,687	0,687	0,687	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,190	0,070	1,260	1,273	1,273	1,273	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,160	0,060	1,230	1,242	1,242	1,242	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,550	0,050	0,590	0,596	0,596	0,596	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	0,720	0,050	0,780	0,788	0,788	0,788	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	0,640	0,040	0,680	0,687	0,687	0,687	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,060	1,050	1,061	1,061	1,061	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,060	0,900	0,909	0,909	0,909	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,840	0,060	0,900	0,909	0,909	0,909	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,130	0,040	1,170	1,182	1,182	1,182	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,830	0,060	0,880	0,889	0,889	0,889	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	0,820	0,050	0,870	0,879	0,879	0,879	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	0,980	0,060	1,040	1,050	1,050	1,050	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,450	0,050	0,500	0,505	0,505	0,505	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,450	0,060	0,510	0,515	0,515	0,515	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,310	0,040	0,350	0,354	0,354	0,354	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,460	0,040	0,490	0,495	0,495	0,495	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammoniumhydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,290	0,030	0,320	0,323	0,323	0,323	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	0,600	0,070	0,670	0,677	0,677	0,677	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,510	0,070	0,570	0,576	0,576	0,576	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,040	0,630	0,636	0,636	0,636	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,310	0,030	0,340	0,343	0,343	0,343	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,870	N/A	1,870	2,057	2,244	2,431	(K)
7603	Aluminium powders and flakes	1,930	N/A	1,930	2,123	2,316	2,509	(K)
7604 10 10	Bars and rods	2,150	N/A	2,150	2,365	2,580	2,795	(K)
7604 10 90	Profiles	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7604 21 00	Hollow profiles	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7604 29 10	Bars and rods	2,150	N/A	2,150	2,365	2,580	2,795	(K)
7604 29 90	Profiles	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7605	Aluminium wire	2,150	N/A	2,150	2,365	2,580	2,795	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,610	N/A	2,610	2,871	3,132	3,393	(K)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,610	N/A	2,610	2,871	3,132	3,393	(K)
7608	Aluminium tubes and pipes	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7610 90	Other	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7610 90 90	Other	2,170	N/A	2,170	2,387	2,604	2,821	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,610	N/A	2,610	2,871	3,132	3,393	(K)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,610	N/A	2,610	2,871	3,132	3,393	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,610	N/A	2,610	2,871	3,132	3,393	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,150	N/A	2,150	2,365	2,580	2,795	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,610	N/A	2,610	2,871	3,132	3,393	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,610	N/A	2,610	2,871	3,132	3,393	(K)
7616 99 10	Cast	1,930	N/A	1,930	2,123	2,316	2,509	(K)
7616 99 90	Other	2,610	N/A	2,610	2,871	3,132	3,393	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,270	0,010	0,280	0,308	0,336	0,364	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,170	N/A	2,170	2,387	2,604	2,821	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,220	N/A	2,220	2,442	2,664	2,886	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,500	N/A	2,500	2,750	3	3,250	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,500	N/A	2,500	2,750	3	3,250	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,420	N/A	2,420	2,662	2,904	3,146	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,500	N/A	2,500	2,750	3	3,250	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,500	N/A	2,500	2,750	3	3,250	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,500	N/A	2,500	2,750	3	3,250	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,500	N/A	2,500	2,750	3	3,250	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,840	N/A	3,840	4,224	4,608	4,992	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,290	N/A	3,290	3,619	3,948	4,277	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,290	N/A	3,290	3,619	3,948	4,277	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,840	N/A	3,840	4,224	4,608	4,992	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,290	N/A	3,290	3,619	3,948	4,277	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,840	N/A	3,840	4,224	4,608	4,992	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,290	N/A	3,290	3,619	3,948	4,277	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,370	N/A	3,370	3,707	4,044	4,381	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,370	N/A	3,370	3,707	4,044	4,381	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,370	N/A	3,370	3,707	4,044	4,381	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,370	N/A	3,370	3,707	4,044	4,381	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,370	N/A	3,370	3,707	4,044	4,381	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,370	N/A	3,370	3,707	4,044	4,381	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	–	–	–	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,290	N/A	3,290	3,619	3,948	4,277	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,370	N/A	3,370	3,707	4,044	4,381	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,370	N/A	3,370	3,707	4,044	4,381	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,110	N/A	3,110	3,421	3,732	4,043	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,110	N/A	3,110	3,421	3,732	4,043	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,110	N/A	3,110	3,421	3,732	4,043	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,840	N/A	3,840	4,224	4,608	4,992	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,110	N/A	3,110	3,421	3,732	4,043	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	4,170	N/A	4,170	4,587	5,004	5,421	(F)
7224 90 02	Semi-finished products of tool steel	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,620	N/A	3,620	3,982	4,344	4,706	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,620	N/A	3,620	3,982	4,344	4,706	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	4,170	N/A	4,170	4,587	5,004	5,421	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	4,170	N/A	4,170	4,587	5,004	5,421	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,740	N/A	4,740	5,214	5,688	6,162	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,620	N/A	3,620	3,982	4,344	4,706	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,620	N/A	3,620	3,982	4,344	4,706	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,740	N/A	4,740	5,214	5,688	6,162	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,620	N/A	3,620	3,982	4,344	4,706	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,620	N/A	3,620	3,982	4,344	4,706	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,620	N/A	3,620	3,982	4,344	4,706	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,700	N/A	3,700	4,070	4,440	4,810	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,170	N/A	4,170	4,587	5,004	5,421	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	4,170	N/A	4,170	4,587	5,004	5,421	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,440	N/A	3,440	3,784	4,128	4,472	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,810	N/A	2,810	3,091	3,372	3,653	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,730	N/A	2,730	3,003	3,276	3,549	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,110	N/A	3,110	3,421	3,732	4,043	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,110	N/A	3,110	3,421	3,732	4,043	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,110	N/A	3,110	3,421	3,732	4,043	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,110	N/A	3,110	3,421	3,732	4,043	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,110	N/A	3,110	3,421	3,732	4,043	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,230	N/A	2,230	2,453	2,676	2,899	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,230	N/A	2,230	2,453	2,676	2,899	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	–	–	–	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,370	N/A	3,370	3,707	4,044	4,381	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,370	N/A	3,370	3,707	4,044	4,381	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,420	N/A	2,420	2,662	2,904	3,146	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,370	N/A	3,370	3,707	4,044	4,381	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,290	N/A	3,290	3,619	3,948	4,277	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,490	N/A	2,490	2,739	2,988	3,237	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,410	N/A	2,410	2,651	2,892	3,133	(F)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,490	N/A	2,490	2,739	2,988	3,237	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,370	N/A	3,370	3,707	4,044	4,381	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,500	N/A	2,500	2,750	3	3,250	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,370	N/A	3,370	3,707	4,044	4,381	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,500	N/A	2,500	2,750	3	3,250	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,500	N/A	2,500	2,750	3	3,250	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,930	N/A	2,930	3,223	3,516	3,809	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,930	N/A	2,930	3,223	3,516	3,809	
7307 19 90	Cast tube or pipe fittings of steel	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,780	N/A	2,780	3,058	3,336	3,614	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,780	N/A	2,780	3,058	3,336	3,614	

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,780	N/A	2,780	3,058	3,336	3,614	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,780	N/A	2,780	3,058	3,336	3,614	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,310	N/A	2,310	2,541	2,772	3,003	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,210	N/A	3,210	3,531	3,852	4,173	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,500	N/A	2,500	2,750	3	3,250	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,030	N/A	3,030	3,333	3,636	3,939	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,110	N/A	3,110	3,421	3,732	4,043	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,110	N/A	3,110	3,421	3,732	4,043	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,770	N/A	2,770	3,047	3,324	3,601	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	2,980	N/A	2,980	3,278	3,576	3,874	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,320	N/A	2,320	2,552	2,784	3,016	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3,040	N/A	3,040	3,344	3,648	3,952	(C)

United Kingdom								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 20 00	Articles of iron or steel wire, n.e.s.	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 30	Ladders and steps, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,310	N/A	2,310	2,541	2,772	3,003	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3,040	N/A	3,040	3,344	3,648	3,952	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,500	N/A	2,500	2,750	3	3,250	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,220	0,090	0,310	0,341	0,372	0,403	(A)
2523 10 00	White clinker	1,320	0,050	1,370	1,507	1,644	1,781	(B)
2523 10 00	Grey clinker	1,160	0,030	1,190	1,309	1,428	1,547	(A)
2523 21 00	White Portland cement	1,240	0,140	1,380	1,518	1,656	1,794	
2523 29 00	Grey Portland cement	1,160	0,060	1,210	1,331	1,452	1,573	
2523 90 00	White hydraulic cements	1,290	0,160	1,450	1,595	1,740	1,885	(B)
2523 90 00	Grey hydraulic cements	1,100	0,060	1,160	1,276	1,392	1,508	(A)
2523 30 00	Aluminous cement	1,800	0,140	1,940	2,134	2,328	2,522	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,870	0,030	1,900	1,919	1,919	1,919	
2814 10 00	Anhydrous ammonia	3,320	0,090	3,410	3,444	3,444	3,444	
2814 20 00	Ammonia in aqueous solution	1	0,030	1,020	1,030	1,030	1,030	
2834 21 00	Nitrate of potassium	1,860	0,040	1,910	1,929	1,929	1,929	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,020	0,760	0,768	0,768	0,768	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,220	0,020	1,240	1,252	1,252	1,252	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,220	0,070	2,290	2,313	2,313	2,313	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,170	0,070	2,240	2,262	2,262	2,262	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,970	0,060	1,030	1,040	1,040	1,040	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,460	0,060	1,530	1,545	1,545	1,545	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,430	0,050	1,470	1,485	1,485	1,485	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,190	0,070	2,270	2,293	2,293	2,293	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,910	0,070	1,980	2	2	2	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,910	0,070	1,980	2	2	2	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,920	0,050	2,970	3	3	3	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,840	0,060	1,910	1,929	1,929	1,929	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,680	0,060	1,740	1,757	1,757	1,757	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,950	0,070	2,020	2,040	2,040	2,040	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,900	0,060	0,960	0,970	0,970	0,970	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1	0,070	1,060	1,071	1,071	1,071	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,680	0,050	0,740	0,747	0,747	0,747	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,780	0,040	0,820	0,828	0,828	0,828	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,500	0,030	0,530	0,535	0,535	0,535	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,340	0,090	1,420	1,434	1,434	1,434	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,900	0,100	1,010	1,020	1,020	1,020	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,280	0,050	1,340	1,353	1,353	1,353	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,670	0,040	0,710	0,717	0,717	0,717	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	2,032	N/A	2,032	2,235	2,439	2,642	(K)
7604 10 10	Bars and rods	2,258	N/A	2,258	2,484	2,709	2,935	(K)
7604 10 90	Profiles	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7604 21 00	Hollow profiles	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7604 29 10	Bars and rods	2,258	N/A	2,258	2,484	2,709	2,935	(K)
7604 29 90	Profiles	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7605	Aluminium wire	2,258	N/A	2,258	2,484	2,709	2,935	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,730	N/A	2,730	3,003	3,276	3,549	(K)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7608	Aluminium tubes and pipes	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7610 90	Other	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7610 90 90	Other	2,278	N/A	2,278	2,506	2,734	2,962	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,730	N/A	2,730	3,003	3,276	3,549	(K)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,258	N/A	2,258	2,484	2,709	2,935	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,730	N/A	2,730	3,003	3,276	3,549	(K)
7616 99 10	Cast	2,032	N/A	2,032	2,235	2,439	2,642	(K)
7616 99 90	Other	2,730	N/A	2,730	3,003	3,276	3,549	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	26,640	N/A	26,640	29,304	31,968	34,632	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,660	0,020	0,680	0,748	0,816	0,884	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	1,210	N/A	1,210	1,331	1,452	1,573	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	0,450	N/A	0,450	0,495	0,540	0,585	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,425	N/A	2,425	2,667	2,910	3,152	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	1,390	N/A	1,390	1,529	1,668	1,807	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	1,400	N/A	1,400	1,540	1,680	1,820	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,440	N/A	1,440	1,584	1,728	1,872	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	1,400	N/A	1,400	1,540	1,680	1,820	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	1,400	N/A	1,400	1,540	1,680	1,820	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	1,400	N/A	1,400	1,540	1,680	1,820	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	1,390	N/A	1,390	1,529	1,668	1,807	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	1,390	N/A	1,390	1,529	1,668	1,807	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	1,390	N/A	1,390	1,529	1,668	1,807	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	–	–	–	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,110	N/A	3,110	3,421	3,732	4,043	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,220	N/A	3,220	3,542	3,864	4,186	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,220	N/A	3,220	3,542	3,864	4,186	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,110	N/A	3,110	3,421	3,732	4,043	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,220	N/A	3,220	3,542	3,864	4,186	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,110	N/A	3,110	3,421	3,732	4,043	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,220	N/A	3,220	3,542	3,864	4,186	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,220	N/A	3,220	3,542	3,864	4,186	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,270	N/A	3,270	3,597	3,924	4,251	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,270	N/A	3,270	3,597	3,924	4,251	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,220	N/A	3,220	3,542	3,864	4,186	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,220	N/A	3,220	3,542	3,864	4,186	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,270	N/A	3,270	3,597	3,924	4,251	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,270	N/A	3,270	3,597	3,924	4,251	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,270	N/A	3,270	3,597	3,924	4,251	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,270	N/A	3,270	3,597	3,924	4,251	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,270	N/A	3,270	3,597	3,924	4,251	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,270	N/A	3,270	3,597	3,924	4,251	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,110	N/A	3,110	3,421	3,732	4,043	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,270	N/A	3,270	3,597	3,924	4,251	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,270	N/A	3,270	3,597	3,924	4,251	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,490	N/A	3,490	3,839	4,188	4,537	(F)
7224 90 02	Semi-finished products of tool steel	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,590	N/A	3,590	3,949	4,308	4,667	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,490	N/A	3,490	3,839	4,188	4,537	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,590	N/A	3,590	3,949	4,308	4,667	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,490	N/A	3,490	3,839	4,188	4,537	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,730	N/A	4,730	5,203	5,676	6,149	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,590	N/A	3,590	3,949	4,308	4,667	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,730	N/A	4,730	5,203	5,676	6,149	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,590	N/A	3,590	3,949	4,308	4,667	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,590	N/A	3,590	3,949	4,308	4,667	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,640	N/A	3,640	4,004	4,368	4,732	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,640	N/A	3,640	4,004	4,368	4,732	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,490	N/A	3,490	3,839	4,188	4,537	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(C)/(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,490	N/A	3,490	3,839	4,188	4,537	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,640	N/A	3,640	4,004	4,368	4,732	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,640	N/A	3,640	4,004	4,368	4,732	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,640	N/A	3,640	4,004	4,368	4,732	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,740	N/A	2,740	3,014	3,288	3,562	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	1,850	N/A	1,850	2,035	2,220	2,405	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,190	N/A	3,190	3,509	3,828	4,147	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	1,974	N/A	1,974	2,171	2,369	2,566	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,190	N/A	3,190	3,509	3,828	4,147	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	1,974	N/A	1,974	2,171	2,369	2,566	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,190	N/A	3,190	3,509	3,828	4,147	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	1,974	N/A	1,974	2,171	2,369	2,566	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	1,974	N/A	1,974	2,171	2,369	2,566	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	1,974	N/A	1,974	2,171	2,369	2,566	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,190	N/A	3,190	3,509	3,828	4,147	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,190	N/A	3,190	3,509	3,828	4,147	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,974	N/A	1,974	2,171	2,369	2,566	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	1,974	N/A	1,974	2,171	2,369	2,566	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	1,974	N/A	1,974	2,171	2,369	2,566	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,440	N/A	1,440	1,584	1,728	1,872	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,270	N/A	3,270	3,597	3,924	4,251	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	1,400	N/A	1,400	1,540	1,680	1,820	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	1,440	N/A	1,440	1,584	1,728	1,872	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	1,440	N/A	1,440	1,584	1,728	1,872	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,270	N/A	3,270	3,597	3,924	4,251	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,220	N/A	3,220	3,542	3,864	4,186	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	1,480	N/A	1,480	1,628	1,776	1,924	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	1,430	N/A	1,430	1,573	1,716	1,859	(F)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	1,480	N/A	1,480	1,628	1,776	1,924	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,270	N/A	3,270	3,597	3,924	4,251	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	1,440	N/A	1,440	1,584	1,728	1,872	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,270	N/A	3,270	3,597	3,924	4,251	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	1,440	N/A	1,440	1,584	1,728	1,872	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	1,260	N/A	1,260	1,386	1,512	1,638	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,260	N/A	1,260	1,386	1,512	1,638	
7307 19 90	Cast tube or pipe fittings of steel	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,800	N/A	2,800	3,080	3,360	3,640	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,800	N/A	2,800	3,080	3,360	3,640	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,800	N/A	2,800	3,080	3,360	3,640	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,800	N/A	2,800	3,080	3,360	3,640	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	1,410	N/A	1,410	1,551	1,692	1,833	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	1,410	N/A	1,410	1,551	1,692	1,833	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	1,410	N/A	1,410	1,551	1,692	1,833	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	1,410	N/A	1,410	1,551	1,692	1,833	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,900	N/A	2,900	3,190	3,480	3,770	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,190	N/A	3,190	3,509	3,828	4,147	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	1,440	N/A	1,440	1,584	1,728	1,872	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,730	N/A	3,730	4,103	4,476	4,849	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,170	N/A	3,170	3,487	3,804	4,121	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,170	N/A	3,170	3,487	3,804	4,121	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,580	N/A	2,580	2,838	3,096	3,354	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,030	N/A	3,030	3,333	3,636	3,939	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	1,830	N/A	1,830	2,013	2,196	2,379	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	1,680	N/A	1,680	1,848	2,016	2,184	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7318 29 00	Non-threaded articles, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,330	N/A	1,330	1,463	1,596	1,729	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326 90 30	Ladders and steps, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	1,390	N/A	1,390	1,529	1,668	1,807	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)

United States								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	1,330	N/A	1,330	1,463	1,596	1,729	(C)
7326 90 98	Articles of iron or steel, n.e.s.	1,440	N/A	1,440	1,584	1,728	1,872	(C)

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–				
2523 10 00	White clinker	–	–	–				
2523 10 00	Grey clinker	1,090	0,010	1,100	1,210	1,320	1,430	(A)
2523 21 00	White Portland cement	–	–	–				
2523 29 00	Grey Portland cement	1,090	0,020	1,110	1,221	1,332	1,443	
2523 90 00	White hydraulic cements	–	–	–				
2523 90 00	Grey hydraulic cements	1,040	0,030	1,060	1,166	1,272	1,378	(A)
2523 30 00	Aluminous cement	–	–	–				

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,020	1,820	1,838	1,838	1,838	
2814 10 00	Anhydrous ammonia	–	–	–				
2814 20 00	Ammonia in aqueous solution	0,680	0,020	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,610	0,040	1,650	1,667	1,667	1,667	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,500	0,020	0,530	0,535	0,535	0,535	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,830	0,020	0,860	0,869	0,869	0,869	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,520	0,060	1,580	1,596	1,596	1,596	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,480	0,060	1,550	1,566	1,566	1,566	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,050	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,150	0,060	1,210	1,222	1,222	1,222	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,040	1,270	1,283	1,283	1,283	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,060	1,950	1,970	1,970	1,970	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,060	1,690	1,707	1,707	1,707	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,060	1,690	1,707	1,707	1,707	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,810	0,040	2,850	2,879	2,879	2,879	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,580	0,060	1,640	1,656	1,656	1,656	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,320	0,050	1,380	1,394	1,394	1,394	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,460	0,060	1,520	1,535	1,535	1,535	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,050	0,740	0,747	0,747	0,747	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,060	0,880	0,889	0,889	0,889	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,040	0,570	0,576	0,576	0,576	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,030	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,080	1,200	1,212	1,212	1,212	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,080	0,680	0,687	0,687	0,687	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,050	1,130	1,141	1,141	1,141	

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,030	0,590	0,596	0,596	0,596	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	2,420	N/A	2,420	2,662	2,904	3,146	(L)
7604 10 10	Bars and rods	2,640	N/A	2,640	2,904	3,168	3,432	(L)
7604 10 90	Profiles	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7604 21 00	Hollow profiles	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7604 29 10	Bars and rods	2,640	N/A	2,640	2,904	3,168	3,432	(L)
7604 29 90	Profiles	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7605	Aluminium wire	2,640	N/A	2,640	2,904	3,168	3,432	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	3,100	N/A	3,100	3,410	3,720	4,030	(L)

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,100	N/A	3,100	3,410	3,720	4,030	(L)
7608	Aluminium tubes and pipes	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7610 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7610 90 90	Other	2,660	N/A	2,660	2,926	3,192	3,458	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,100	N/A	3,100	3,410	3,720	4,030	(L)

Uruguay								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,100	N/A	3,100	3,410	3,720	4,030	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	3,100	N/A	3,100	3,410	3,720	4,030	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,640	N/A	2,640	2,904	3,168	3,432	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,100	N/A	3,100	3,410	3,720	4,030	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,100	N/A	3,100	3,410	3,720	4,030	(L)
7616 99 10	Cast	2,420	N/A	2,420	2,662	2,904	3,146	(L)
7616 99 90	Other	3,100	N/A	3,100	3,410	3,720	4,030	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,360	0,030	1,390	1,529	1,668	1,807	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,360	0,060	1,410	1,551	1,692	1,833	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,290	0,060	1,350	1,485	1,620	1,755	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,730	0,040	2,770	2,798	2,798	2,798	
2814 10 00	Anhydrous ammonia	2,160	0,140	2,300	2,323	2,323	2,323	
2814 20 00	Ammonia in aqueous solution	0,650	0,040	0,690	0,697	0,697	0,697	
2834 21 00	Nitrate of potassium	2,210	0,060	2,270	2,293	2,293	2,293	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,490	0,040	0,520	0,525	0,525	0,525	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,810	0,040	0,840	0,848	0,848	0,848	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,470	0,100	1,570	1,586	1,586	1,586	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,440	0,100	1,540	1,555	1,555	1,555	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,640	0,080	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,420	0,090	1,500	1,515	1,515	1,515	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,670	0,070	1,740	1,757	1,757	1,757	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,570	0,100	2,670	2,697	2,697	2,697	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,200	0,090	2,300	2,323	2,323	2,323	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,200	0,090	2,300	2,323	2,323	2,323	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,260	0,070	4,330	4,373	4,373	4,373	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,150	0,090	2,240	2,262	2,262	2,262	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,610	0,080	1,700	1,717	1,717	1,717	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,660	0,100	1,750	1,768	1,768	1,768	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,820	0,080	0,890	0,899	0,899	0,899	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,080	0,090	1,170	1,182	1,182	1,182	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,730	0,070	0,800	0,808	0,808	0,808	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,050	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,480	0,120	1,600	1,616	1,616	1,616	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,590	0,100	0,690	0,697	0,697	0,697	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,450	0,070	1,520	1,535	1,535	1,535	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,740	0,050	0,790	0,798	0,798	0,798	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,060	N/A	1,060	1,166	1,272	1,378	(L)
7604 10 10	Bars and rods	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 10 90	Profiles	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7604 21 00	Hollow profiles	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7604 29 10	Bars and rods	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7604 29 90	Profiles	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7605	Aluminium wire	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,740	N/A	1,740	1,914	2,088	2,262	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,740	N/A	1,740	1,914	2,088	2,262	(L)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7610 90	Other	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7610 90 90	Other	1,300	N/A	1,300	1,430	1,560	1,690	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,740	N/A	1,740	1,914	2,088	2,262	(L)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,740	N/A	1,740	1,914	2,088	2,262	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,740	N/A	1,740	1,914	2,088	2,262	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	1,290	N/A	1,290	1,419	1,548	1,677	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,740	N/A	1,740	1,914	2,088	2,262	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,740	N/A	1,740	1,914	2,088	2,262	(L)
7616 99 10	Cast	1,060	N/A	1,060	1,166	1,272	1,378	(L)
7616 99 90	Other	1,740	N/A	1,740	1,914	2,088	2,262	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,390	0,350	0,740	0,814	0,888	0,962	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	–	N/A	–	–	–	–	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	–	N/A	–	–	–	–	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	–	–	–	
7202 60 00	Ferro-nickel	–	N/A	–	–	–	–	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	–	–	–	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	3,670	N/A	3,670	4,037	4,404	4,771	(E)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	N/A	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,050	N/A	3,050	3,355	3,660	3,965	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	3,120	N/A	3,120	3,432	3,744	4,056	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	3,120	N/A	3,120	3,432	3,744	4,056	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	3,050	N/A	3,050	3,355	3,660	3,965	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	3,120	N/A	3,120	3,432	3,744	4,056	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	3,050	N/A	3,050	3,355	3,660	3,965	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,120	N/A	3,120	3,432	3,744	4,056	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	3,120	N/A	3,120	3,432	3,744	4,056	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	3,120	N/A	3,120	3,432	3,744	4,056	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	3,120	N/A	3,120	3,432	3,744	4,056	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	N/A	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	3,120	N/A	3,120	3,432	3,744	4,056	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	3,120	N/A	3,120	3,432	3,744	4,056	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	3,050	N/A	3,050	3,355	3,660	3,965	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	3,120	N/A	3,120	3,432	3,744	4,056	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	3,120	N/A	3,120	3,432	3,744	4,056	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,190	N/A	3,190	3,509	3,828	4,147	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 02	Semi-finished products of tool steel	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,260	N/A	3,260	3,586	3,912	4,238	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,190	N/A	3,190	3,509	3,828	4,147	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,190	N/A	3,190	3,509	3,828	4,147	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,930	N/A	4,930	5,423	5,916	6,409	(E)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,260	N/A	3,260	3,586	3,912	4,238	(E)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,930	N/A	4,930	5,423	5,916	6,409	(E)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,260	N/A	3,260	3,586	3,912	4,238	(E)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,260	N/A	3,260	3,586	3,912	4,238	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,260	N/A	3,260	3,586	3,912	4,238	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,260	N/A	3,260	3,586	3,912	4,238	(E)/(H)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,190	N/A	3,190	3,509	3,828	4,147	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(E)/(H)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,190	N/A	3,190	3,509	3,828	4,147	(H)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(E)/(H)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,260	N/A	3,260	3,586	3,912	4,238	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,260	N/A	3,260	3,586	3,912	4,238	(H)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,260	N/A	3,260	3,586	3,912	4,238	(E)/(H)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	3,730	N/A	3,730	4,103	4,476	4,849	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,120	N/A	3,120	3,432	3,744	4,056	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,120	N/A	3,120	3,432	3,744	4,056	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,120	N/A	3,120	3,432	3,744	4,056	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,120	N/A	3,120	3,432	3,744	4,056	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,120	N/A	3,120	3,432	3,744	4,056	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,200	N/A	3,200	3,520	3,840	4,160	(H)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,200	N/A	3,200	3,520	3,840	4,160	(E)/(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	3,200	N/A	3,200	3,520	3,840	4,160	(E)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	3,210	N/A	3,210	3,531	3,852	4,173	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	3,210	N/A	3,210	3,531	3,852	4,173	(E)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,120	N/A	3,120	3,432	3,744	4,056	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,120	N/A	3,120	3,432	3,744	4,056	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	3,210	N/A	3,210	3,531	3,852	4,173	(H)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	3,210	N/A	3,210	3,531	3,852	4,173	(H)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	3,210	N/A	3,210	3,531	3,852	4,173	(H)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,120	N/A	3,120	3,432	3,744	4,056	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,120	N/A	3,120	3,432	3,744	4,056	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	3,670	N/A	3,670	4,037	4,404	4,771	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,670	N/A	3,670	4,037	4,404	4,771	
7307 19 90	Cast tube or pipe fittings of steel	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7307 21 00	Flanges of stainless steel (excl. cast products)	3,210	N/A	3,210	3,531	3,852	4,173	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	3,210	N/A	3,210	3,531	3,852	4,173	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	3,210	N/A	3,210	3,531	3,852	4,173	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	3,210	N/A	3,210	3,531	3,852	4,173	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	3,010	N/A	3,010	3,311	3,612	3,913	(E)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 11 00	Coach screws of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,120	N/A	3,120	3,432	3,744	4,056	(E)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 13 00	Screw hooks and screw rings, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,120	N/A	3,120	3,432	3,744	4,056	(E)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 16	Nuts of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 21 00	Spring washers and other lock washers, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 24 00	Cotters and cotter pins, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7318 29 00	Non-threaded articles, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	3,150	N/A	3,150	3,465	3,780	4,095	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7326 20 00	Articles of iron or steel wire, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326 90 30	Ladders and steps, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326 90 50	Reels for cables, piping and the like, of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	3,210	N/A	3,210	3,531	3,852	4,173	(E)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	3,150	N/A	3,150	3,465	3,780	4,095	(E)

Uzbekistan								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7326 90 96	Sintered articles of iron or steel, n.e.s.	3,150	N/A	3,150	3,465	3,780	4,095	(E)
7326 90 98	Articles of iron or steel, n.e.s.	3,210	N/A	3,210	3,531	3,852	4,173	(E)

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–				
2523 10 00	White clinker	1,320	0,030	1,340	1,474	1,608	1,742	(B)
2523 10 00	Grey clinker	1,080	0,020	1,100	1,210	1,320	1,430	(A)
2523 21 00	White Portland cement	1,240	0,120	1,360	1,496	1,632	1,768	
2523 29 00	Grey Portland cement	1,080	0,030	1,110	1,221	1,332	1,443	
2523 90 00	White hydraulic cements	1,280	0,140	1,420	1,562	1,704	1,846	(B)
2523 90 00	Grey hydraulic cements	1,030	0,040	1,060	1,166	1,272	1,378	(A)
2523 30 00	Aluminous cement	–	–	–				

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,800	0,020	1,830	1,848	1,848	1,848	
2814 10 00	Anhydrous ammonia	2,260	0,070	2,330	2,353	2,353	2,353	
2814 20 00	Ammonia in aqueous solution	0,680	0,020	0,700	0,707	0,707	0,707	
2834 21 00	Nitrate of potassium	1,620	0,040	1,650	1,667	1,667	1,667	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,500	0,020	0,520	0,525	0,525	0,525	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,840	0,020	0,860	0,869	0,869	0,869	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,520	0,060	1,580	1,596	1,596	1,596	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,490	0,060	1,540	1,555	1,555	1,555	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,660	0,050	0,710	0,717	0,717	0,717	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,160	0,050	1,210	1,222	1,222	1,222	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,230	0,040	1,270	1,283	1,283	1,283	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,890	0,060	1,950	1,970	1,970	1,970	
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,060	1,690	1,707	1,707	1,707	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,630	0,060	1,690	1,707	1,707	1,707	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,820	0,040	2,850	2,879	2,879	2,879	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,580	0,050	1,640	1,656	1,656	1,656	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,330	0,050	1,370	1,384	1,384	1,384	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,460	0,060	1,520	1,535	1,535	1,535	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,690	0,050	0,740	0,747	0,747	0,747	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,820	0,060	0,880	0,889	0,889	0,889	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,560	0,050	0,610	0,616	0,616	0,616	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,530	0,040	0,570	0,576	0,576	0,576	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,340	0,030	0,370	0,374	0,374	0,374	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,120	0,070	1,200	1,212	1,212	1,212	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,610	0,070	0,680	0,687	0,687	0,687	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,090	0,040	1,130	1,141	1,141	1,141	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,560	0,030	0,590	0,596	0,596	0,596	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	1,700	N/A	1,700	1,870	2,040	2,210	(K)
7603	Aluminium powders and flakes	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7604 10 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 10 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 21 00	Hollow profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7604 29 10	Bars and rods	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7604 29 90	Profiles	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7605	Aluminium wire	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7608	Aluminium tubes and pipes	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7610 90 90	Other	2,050	N/A	2,050	2,255	2,460	2,665	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,040	N/A	2,040	2,244	2,448	2,652	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,490	N/A	2,490	2,739	2,988	3,237	(K)
7616 99 10	Cast	1,810	N/A	1,810	1,991	2,172	2,353	(K)
7616 99 90	Other	2,490	N/A	2,490	2,739	2,988	3,237	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Venezuela								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	–	–	–	–	–	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	–	–	–	–	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	–	–	–	–	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,410	0,050	2,460	2,485	2,485	2,485	
2814 10 00	Anhydrous ammonia	3,460	0,150	3,610	3,646	3,646	3,646	
2814 20 00	Ammonia in aqueous solution	1,040	0,050	1,080	1,091	1,091	1,091	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2834 21 00	Nitrate of potassium	2,240	0,070	2,310	2,333	2,333	2,333	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,770	0,040	0,810	0,818	0,818	0,818	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,270	0,040	1,310	1,323	1,323	1,323	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,310	0,120	2,430	2,454	2,454	2,454	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,260	0,120	2,380	2,404	2,404	2,404	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,010	0,090	1,100	1,111	1,111	1,111	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,660	0,100	1,760	1,778	1,778	1,778	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,710	0,080	1,780	1,798	1,798	1,798	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,630	0,120	2,750	2,778	2,778	2,778	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,280	0,110	2,380	2,404	2,404	2,404	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,280	0,110	2,380	2,404	2,404	2,404	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,760	0,080	3,840	3,878	3,878	3,878	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,210	0,100	2,310	2,333	2,333	2,333	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,900	0,090	2	2,020	2,020	2,020	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	2,140	0,110	2,260	2,283	2,283	2,283	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	1	0,090	1,090	1,101	1,101	1,101	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,160	0,110	1,270	1,283	1,283	1,283	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,790	0,080	0,880	0,889	0,889	0,889	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,810	0,070	0,880	0,889	0,889	0,889	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,050	0,570	0,576	0,576	0,576	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,570	0,140	1,710	1,727	1,727	1,727	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,930	0,130	1,060	1,071	1,071	1,071	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,520	0,080	1,600	1,616	1,616	1,616	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,790	0,060	0,850	0,859	0,859	0,859	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	1,800	N/A	1,800	1,980	2,160	2,340	(L)
7604 10 10	Bars and rods	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7604 10 90	Profiles	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7604 21 00	Hollow profiles	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7604 29 10	Bars and rods	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7604 29 90	Profiles	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7605	Aluminium wire	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	2,480	N/A	2,480	2,728	2,976	3,224	(L)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	2,480	N/A	2,480	2,728	2,976	3,224	(L)
7608	Aluminium tubes and pipes	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7610 90	Other	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7610 90 90	Other	2,040	N/A	2,040	2,244	2,448	2,652	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,480	N/A	2,480	2,728	2,976	3,224	(L)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	2,480	N/A	2,480	2,728	2,976	3,224	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	2,480	N/A	2,480	2,728	2,976	3,224	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	2,020	N/A	2,020	2,222	2,424	2,626	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	2,480	N/A	2,480	2,728	2,976	3,224	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	2,480	N/A	2,480	2,728	2,976	3,224	(L)
7616 99 10	Cast	1,800	N/A	1,800	1,980	2,160	2,340	(L)
7616 99 90	Other	2,480	N/A	2,480	2,728	2,976	3,224	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	1,040	0,070	1,110	1,221	1,332	1,443	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	2,190	N/A	2,190	2,409	2,628	2,847	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	–	N/A	–	_	_	_	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	–	N/A	–	_	_	–	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	–	N/A	–	_	_	–	
7202 60 00	Ferro-nickel	3,480	N/A	3,480	3,828	4,176	4,524	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	–	N/A	–	_	_	–	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	2,240	N/A	2,240	2,464	2,688	2,912	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	N/A	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	2,350	N/A	2,350	2,585	2,820	3,055	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	N/A	see below	see below	see below	see below	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	N/A	see below	see below	see below	see below	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	N/A	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	2,350	N/A	2,350	2,585	2,820	3,055	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	–	–	–	–	–	–	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	–	–	–	–	–	–	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	–	–	–	–	–	–	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	–	–	–	–	–	–	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	–	–	–	–	–	–	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	–	–	–	–	–	–	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	–	–	–	–	–	–	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	–	–	–	–	–	–	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	–	–	–	–	–	–	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	–	–	–	–	–	–	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	–	–	–	–	–	–	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	–	–	–	–	–	–	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	–	–	–	–	–	–	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	–	–	–	–	–	–	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	–	–	–	–	–	–	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	–	–	–	–	–	–	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	–	–	–	–	–	–	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	–	–	–	–	–	–	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	–	–	–	–	–	–	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	–	–	–	–	–	–	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	–	–	–	–	–	–	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	–	–	–	–	–	–	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	–	–	–	–	–	–	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	–	–	–	–	–	–	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	–	–	–	–	–	–	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	–	–	–	–	–	–	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	–	–	–	–	–	–	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	–	–	–	–	–	–	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	–	–	–	–	–	–	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	–	–	–	–	–	–	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	–	–	–	–	–	–	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	N/A	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7224 90 02	Semi-finished products of tool steel	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	3,480	N/A	3,480	3,828	4,176	4,524	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	3,480	N/A	3,480	3,828	4,176	4,524	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	3,440	N/A	3,440	3,784	4,128	4,472	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	4,600	N/A	4,600	5,060	5,520	5,980	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	3,480	N/A	3,480	3,828	4,176	4,524	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	3,480	N/A	3,480	3,828	4,176	4,524	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	N/A	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	4,600	N/A	4,600	5,060	5,520	5,980	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	3,480	N/A	3,480	3,828	4,176	4,524	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	3,480	N/A	3,480	3,828	4,176	4,524	(F)
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	3,480	N/A	3,480	3,828	4,176	4,524	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	N/A	see below	see below	see below	see below	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,440	N/A	3,440	3,784	4,128	4,472	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	3,500	N/A	3,500	3,850	4,200	4,550	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	3,500	N/A	3,500	3,850	4,200	4,550	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	2,770	N/A	2,770	3,047	3,324	3,601	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	N/A	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	2,230	N/A	2,230	2,453	2,676	2,899	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	N/A	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	3,070	N/A	3,070	3,377	3,684	3,991	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	2,330	N/A	2,330	2,563	2,796	3,029	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	3,070	N/A	3,070	3,377	3,684	3,991	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	3,070	N/A	3,070	3,377	3,684	3,991	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	2,330	N/A	2,330	2,563	2,796	3,029	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,070	N/A	3,070	3,377	3,684	3,991	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	3,070	N/A	3,070	3,377	3,684	3,991	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,260	N/A	2,260	2,486	2,712	2,938	(F)
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	2,260	N/A	2,260	2,486	2,712	2,938	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	N/A	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,120	N/A	3,120	3,432	3,744	4,056	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	3,120	N/A	3,120	3,432	3,744	4,056	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	2,350	N/A	2,350	2,585	2,820	3,055	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	2,370	N/A	2,370	2,607	2,844	3,081	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,120	N/A	3,120	3,432	3,744	4,056	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	3,110	N/A	3,110	3,421	3,732	4,043	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	2,320	N/A	2,320	2,552	2,784	3,016	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	2,310	N/A	2,310	2,541	2,772	3,003	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	2,320	N/A	2,320	2,552	2,784	3,016	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	3,120	N/A	3,120	3,432	3,744	4,056	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	3,120	N/A	3,120	3,432	3,744	4,056	
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	2,370	N/A	2,370	2,607	2,844	3,081	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	N/A	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	2,230	N/A	2,230	2,453	2,676	2,899	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	2,230	N/A	2,230	2,453	2,676	2,899	
7307 19 90	Cast tube or pipe fittings of steel	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	2,740	N/A	2,740	3,014	3,288	3,562	

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	2,740	N/A	2,740	3,014	3,288	3,562	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	2,740	N/A	2,740	3,014	3,288	3,562	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	2,740	N/A	2,740	3,014	3,288	3,562	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	2,330	N/A	2,330	2,563	2,796	3,029	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	2,840	N/A	2,840	3,124	3,408	3,692	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	2,990	N/A	2,990	3,289	3,588	3,887	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	2,370	N/A	2,370	2,607	2,844	3,081	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	N/A	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	2,960	N/A	2,960	3,256	3,552	3,848	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	N/A	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	3,090	N/A	3,090	3,399	3,708	4,017	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	3,090	N/A	3,090	3,399	3,708	4,017	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 91	Spaced-thread screws of iron or steel other than stainless	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	2,750	N/A	2,750	3,025	3,300	3,575	(C)
7318 16	Nuts of iron or steel	2,960	N/A	2,960	3,256	3,552	3,848	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	2,410	N/A	2,410	2,651	2,892	3,133	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7318 29 00	Non-threaded articles, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	N/A	see below	see below	see below	see below	
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7326 90 30	Ladders and steps, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)

Vietnam								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	2,350	N/A	2,350	2,585	2,820	3,055	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	2,330	N/A	2,330	2,563	2,796	3,029	(C)
7326 90 98	Articles of iron or steel, n.e.s.	2,370	N/A	2,370	2,607	2,844	3,081	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	(A)
2523 10 00	White clinker	–	–	–	–	–	–	(B)
2523 10 00	Grey clinker	1,280	0,050	1,330	1,463	1,596	1,729	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,090	1,330	1,463	1,596	1,729	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	(B)
2523 90 00	Grey hydraulic cements	1,180	0,090	1,270	1,397	1,524	1,651	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,670	0,050	2,720	2,747	2,747	2,747	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	
2814 20 00	Ammonia in aqueous solution	0,710	0,050	0,760	0,768	0,768	0,768	
2834 21 00	Nitrate of potassium	2,170	0,060	2,240	2,262	2,262	2,262	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,030	0,480	0,485	0,485	0,485	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,740	0,030	0,770	0,778	0,778	0,778	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,350	0,090	1,440	1,454	1,454	1,454	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,320	0,090	1,410	1,424	1,424	1,424	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,610	0,040	0,660	0,667	0,667	0,667	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,370	0,050	1,430	1,444	1,444	1,444	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,620	0,050	1,670	1,687	1,687	1,687	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,500	0,070	2,570	2,596	2,596	2,596	

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,090	0,060	2,150	2,172	2,172	2,172	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,090	0,060	2,150	2,172	2,172	2,172	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,170	0,080	4,250	4,293	4,293	4,293	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,090	0,060	2,150	2,172	2,172	2,172	

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,560	0,060	1,620	1,636	1,636	1,636	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,560	0,080	1,630	1,646	1,646	1,646	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,780	0,030	0,810	0,818	0,818	0,818	

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,010	0,030	1,040	1,050	1,050	1,050	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,670	0,020	0,690	0,697	0,697	0,697	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,040	0,560	0,566	0,566	0,566	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,320	0,020	0,340	0,343	0,343	0,343	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,400	0,040	1,440	1,454	1,454	1,454	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,540	0,040	0,580	0,586	0,586	0,586	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,400	0,040	1,440	1,454	1,454	1,454	

Yemen								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,700	0,020	0,720	0,727	0,727	0,727	
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,640	0,070	1,710	1,727	1,727	1,727	
2814 10 00	Anhydrous ammonia	–	–	–	–	–	–	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
2814 20 00	Ammonia in aqueous solution	0,610	0,070	0,680	0,687	0,687	0,687	
2834 21 00	Nitrate of potassium	1,460	0,090	1,560	1,576	1,576	1,576	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,450	0,050	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,750	0,050	0,800	0,808	0,808	0,808	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,360	0,150	1,510	1,525	1,525	1,525	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,330	0,150	1,480	1,495	1,495	1,495	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,590	0,090	0,680	0,687	0,687	0,687	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,040	0,100	1,150	1,162	1,162	1,162	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,110	0,080	1,200	1,212	1,212	1,212	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,710	0,130	1,840	1,858	1,858	1,858	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,480	0,110	1,590	1,606	1,606	1,606	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,480	0,110	1,590	1,606	1,606	1,606	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,560	0,110	2,660	2,687	2,687	2,687	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,440	0,110	1,550	1,566	1,566	1,566	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,200	0,110	1,300	1,313	1,313	1,313	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,320	0,130	1,440	1,454	1,454	1,454	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,620	0,080	0,700	0,707	0,707	0,707	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,750	0,090	0,840	0,848	0,848	0,848	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,510	0,070	0,580	0,586	0,586	0,586	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,070	0,550	0,556	0,556	0,556	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,010	0,120	1,130	1,141	1,141	1,141	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,110	0,660	0,667	0,667	0,667	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,980	0,080	1,070	1,081	1,081	1,081	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,510	0,050	0,560	0,566	0,566	0,566	

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,590	N/A	0,590	0,649	0,708	0,767	(L)
7604 10 10	Bars and rods	0,810	N/A	0,810	0,891	0,972	1,053	(L)
7604 10 90	Profiles	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7604 21 00	Hollow profiles	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7604 29 10	Bars and rods	0,810	N/A	0,810	0,891	0,972	1,053	(L)
7604 29 90	Profiles	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7605	Aluminium wire	0,810	N/A	0,810	0,891	0,972	1,053	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,270	N/A	1,270	1,397	1,524	1,651	(L)

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7610 90	Other	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7610 90 90	Other	0,830	N/A	0,830	0,913	0,996	1,079	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,270	N/A	1,270	1,397	1,524	1,651	(L)

Zambia								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,810	N/A	0,810	0,891	0,972	1,053	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,270	N/A	1,270	1,397	1,524	1,651	(L)
7616 99 10	Cast	0,590	N/A	0,590	0,649	0,708	0,767	(L)
7616 99 90	Other	1,270	N/A	1,270	1,397	1,524	1,651	(L)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	10,820	N/A	10,820	11,902	12,984	14,066	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	–	–	–	–	–	–	
2523 10 00	White clinker	–	–	–	–	–	–	
2523 10 00	Grey clinker	1,240	0,040	1,290	1,419	1,548	1,677	(A)
2523 21 00	White Portland cement	–	–	–	–	–	–	
2523 29 00	Grey Portland cement	1,240	0,070	1,310	1,441	1,572	1,703	
2523 90 00	White hydraulic cements	–	–	–	–	–	–	
2523 90 00	Grey hydraulic cements	1,180	0,080	1,250	1,375	1,500	1,625	(A)
2523 30 00	Aluminous cement	–	–	–	–	–	–	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	1,650	0,050	1,710	1,727	1,727	1,727	
2814 10 00	Anhydrous ammonia	2,020	0,160	2,180	2,202	2,202	2,202	
2814 20 00	Ammonia in aqueous solution	0,600	0,050	0,660	0,667	0,667	0,667	
2834 21 00	Nitrate of potassium	1,470	0,080	1,550	1,566	1,566	1,566	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,460	0,040	0,500	0,505	0,505	0,505	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,760	0,040	0,800	0,808	0,808	0,808	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	1,390	0,120	1,510	1,525	1,525	1,525	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,360	0,120	1,480	1,495	1,495	1,495	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,600	0,090	0,690	0,697	0,697	0,697	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,050	0,100	1,150	1,162	1,162	1,162	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,120	0,080	1,200	1,212	1,212	1,212	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,730	0,120	1,850	1,869	1,869	1,869	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,500	0,110	1,610	1,626	1,626	1,626	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,500	0,110	1,610	1,626	1,626	1,626	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,580	0,080	2,660	2,687	2,687	2,687	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,450	0,100	1,550	1,566	1,566	1,566	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,210	0,100	1,310	1,323	1,323	1,323	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	1,340	0,110	1,450	1,465	1,465	1,465	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,630	0,090	0,720	0,727	0,727	0,727	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,760	0,110	0,860	0,869	0,869	0,869	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,520	0,080	0,600	0,606	0,606	0,606	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,480	0,070	0,540	0,545	0,545	0,545	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,300	0,050	0,360	0,364	0,364	0,364	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,030	0,130	1,160	1,172	1,172	1,172	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,550	0,110	0,660	0,667	0,667	0,667	

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,990	0,080	1,080	1,091	1,091	1,091	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,510	0,060	0,570	0,576	0,576	0,576	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	0,360	N/A	0,360	0,396	0,432	0,468	(L)
7603	Aluminium powders and flakes	0,480	N/A	0,480	0,528	0,576	0,624	(L)
7604 10 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 10 90	Profiles	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7604 21 00	Hollow profiles	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7604 29 10	Bars and rods	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7604 29 90	Profiles	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7605	Aluminium wire	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	1,160	N/A	1,160	1,276	1,392	1,508	(L)

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7608	Aluminium tubes and pipes	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7610 10 00	Doors, windows and their frames and thresholds for doors	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7610 90	Other	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7610 90 90	Other	0,720	N/A	0,720	0,792	0,864	0,936	(L)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,160	N/A	1,160	1,276	1,392	1,508	(L)

Zimbabwe								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7613 00 00	Aluminium containers for compressed or liquefied gas	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	0,700	N/A	0,700	0,770	0,840	0,910	(L)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	1,160	N/A	1,160	1,276	1,392	1,508	(L)
7616 99 10	Cast	0,480	N/A	0,480	0,528	0,576	0,624	(L)
7616 99 90	Other	1,160	N/A	1,160	1,276	1,392	1,508	(L)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,210	0,070	0,280	0,308	0,336	0,364	
2523 10 00	White clinker	1,320	0,060	1,370	1,507	1,644	1,781	(B)
2523 10 00	Grey clinker	1,370	0,050	1,410	1,551	1,692	1,833	(A)
2523 21 00	White Portland cement	1,300	0,140	1,450	1,595	1,740	1,885	
2523 29 00	Grey Portland cement	1,360	0,080	1,440	1,584	1,728	1,872	
2523 90 00	White hydraulic cements	1,310	0,180	1,490	1,639	1,788	1,937	(B)
2523 90 00	Grey hydraulic cements	1,280	0,090	1,370	1,507	1,644	1,781	(A)
2523 30 00	Aluminous cement	1,890	0,140	2,030	2,233	2,436	2,639	
Fertilisers					**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	2,770	0,040	2,810	2,838	2,838	2,838	
2814 10 00	Anhydrous ammonia	2,970	0,150	3,130	3,161	3,161	3,161	
2814 20 00	Ammonia in aqueous solution	0,910	0,050	0,960	0,970	0,970	0,970	
2834 21 00	Nitrate of potassium	2,260	0,070	2,330	2,353	2,353	2,353	
3102	Mineral or chemical fertilizers, nitrogenous	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,860	0,040	0,900	0,909	0,909	0,909	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,430	0,040	1,470	1,485	1,485	1,485	
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	2,600	0,120	2,720	2,747	2,747	2,747	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	2,540	0,120	2,660	2,687	2,687	2,687	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,870	0,100	0,970	0,980	0,980	0,980	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	1,510	0,110	1,620	1,636	1,636	1,636	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	1,710	0,080	1,790	1,808	1,808	1,808	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,640	0,110	2,750	2,778	2,778	2,778	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,260	0,100	2,360	2,384	2,384	2,384	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,260	0,100	2,360	2,384	2,384	2,384	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,320	0,070	4,390	4,434	4,434	4,434	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,210	0,100	2,310	2,333	2,333	2,333	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	1,850	0,100	1,960	1,980	1,980	1,980	
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	2,160	0,110	2,280	2,303	2,303	2,303	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	see below	see below	see below	see below	see below	see below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,900	0,100	1	1,010	1,010	1,010	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,100	0,120	1,230	1,242	1,242	1,242	
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,750	0,090	0,840	0,848	0,848	0,848	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,710	0,080	0,780	0,788	0,788	0,788	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,450	0,060	0,510	0,515	0,515	0,515	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	1,520	0,150	1,660	1,677	1,677	1,677	
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	0,800	0,130	0,930	0,939	0,939	0,939	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,500	0,080	1,570	1,586	1,586	1,586	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	0,760	0,060	0,820	0,828	0,828	0,828	
Aluminium					**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	2,203	N/A	2,203	2,423	2,643	2,863	(K)
7603	Aluminium powders and flakes	2,945	N/A	2,945	3,239	3,533	3,828	(K)
7604 10 10	Bars and rods	3,233	N/A	3,233	3,556	3,879	4,203	(K)
7604 10 90	Profiles	3,251	N/A	3,251	3,576	3,901	4,226	(K)
7604 21 00	Hollow profiles	3,251	N/A	3,251	3,576	3,901	4,226	(K)
7604 29 10	Bars and rods	3,233	N/A	3,233	3,556	3,879	4,203	(K)
7604 29 90	Profiles	3,251	N/A	3,251	3,576	3,901	4,226	(K)
7605	Aluminium wire	3,184	N/A	3,184	3,502	3,820	4,139	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	3,717	N/A	3,717	4,088	4,460	4,831	(K)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	3,893	N/A	3,893	4,282	4,671	5,060	(K)
7608	Aluminium tubes and pipes	3,220	N/A	3,220	3,542	3,864	4,186	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	3,322	N/A	3,322	3,654	3,987	4,319	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	3,212	N/A	3,212	3,533	3,854	4,176	(K)
7610 90	Other	3,212	N/A	3,212	3,533	3,854	4,176	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	3,212	N/A	3,212	3,533	3,854	4,176	(K)
7610 90 90	Other	3,212	N/A	3,212	3,533	3,854	4,176	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	4,037	N/A	4,037	4,441	4,845	5,249	(K)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	3,944	N/A	3,944	4,338	4,732	5,127	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	4,037	N/A	4,037	4,441	4,845	5,249	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	3,297	N/A	3,297	3,627	3,957	4,286	(K)
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	3,891	N/A	3,891	4,281	4,670	5,059	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	3,891	N/A	3,891	4,281	4,670	5,059	(K)
7616 99 10	Cast	2,953	N/A	2,953	3,248	3,544	3,839	(K)
7616 99 90	Other	3,891	N/A	3,891	4,281	4,670	5,059	(K)
Hydrogen					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	17,740	N/A	17,740	19,514	21,288	23,062	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Iron and steel					**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,617	0,070	0,686	0,755	0,823	0,892	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	3,480	N/A	3,480	3,828	4,176	4,524	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	N/A	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	N/A	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	N/A	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	2,870	N/A	2,870	3,157	3,444	3,731	
7202 60 00	Ferro-nickel	4,014	N/A	4,014	4,415	4,817	5,218	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	1,325	N/A	1,325	1,458	1,590	1,723	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	3,715	N/A	3,715	4,087	4,458	4,830	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	3,750	N/A	3,750	4,125	4,500	4,875	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	3,750	N/A	3,750	4,125	4,500	4,875	(C)
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	see below	see below	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	3,996	N/A	3,996	4,395	4,795	5,195	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	4,053	N/A	4,053	4,458	4,864	5,269	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	4,049	N/A	4,049	4,454	4,858	5,263	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	4,101	N/A	4,101	4,511	4,921	5,331	(C)
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,101	N/A	4,101	4,511	4,921	5,331	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	4,049	N/A	4,049	4,454	4,858	5,263	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	4,049	N/A	4,049	4,454	4,858	5,263	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	4,049	N/A	4,049	4,454	4,858	5,263	(C)
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	4,101	N/A	4,101	4,511	4,921	5,331	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	4,101	N/A	4,101	4,511	4,921	5,331	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	4,101	N/A	4,101	4,511	4,921	5,331	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	4,101	N/A	4,101	4,511	4,921	5,331	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	4,053	N/A	4,053	4,458	4,864	5,269	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	3,996	N/A	3,996	4,395	4,795	5,195	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	3,996	N/A	3,996	4,395	4,795	5,195	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	5,006	N/A	5,006	5,507	6,007	6,508	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	4,940	N/A	4,940	5,434	5,928	6,422	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	4,940	N/A	4,940	5,434	5,928	6,422	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	5,006	N/A	5,006	5,507	6,007	6,508	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	4,940	N/A	4,940	5,434	5,928	6,422	
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	5,006	N/A	5,006	5,507	6,007	6,508	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	4,940	N/A	4,940	5,434	5,928	6,422	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	4,940	N/A	4,940	5,434	5,928	6,422	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	5,020	N/A	5,020	5,522	6,024	6,526	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	5,020	N/A	5,020	5,522	6,024	6,526	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	5,020	N/A	5,020	5,522	6,024	6,526	
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	5,020	N/A	5,020	5,522	6,024	6,526	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	5,020	N/A	5,020	5,522	6,024	6,526	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,020	N/A	5,020	5,522	6,024	6,526	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	4,940	N/A	4,940	5,434	5,928	6,422	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	5,020	N/A	5,020	5,522	6,024	6,526	
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	5,020	N/A	5,020	5,522	6,024	6,526	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	4,820	N/A	4,820	5,302	5,784	6,266	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	4,820	N/A	4,820	5,302	5,784	6,266	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	4,820	N/A	4,820	5,302	5,784	6,266	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	4,820	N/A	4,820	5,302	5,784	6,266	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	5,006	N/A	5,006	5,507	6,007	6,508	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	4,820	N/A	4,820	5,302	5,784	6,266	
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	see below	see below	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	4,820	N/A	4,820	5,302	5,784	6,266	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	5,589	N/A	5,589	6,148	6,707	7,266	(F)
7224 90 02	Semi-finished products of tool steel	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	5,500	N/A	5,500	6,050	6,600	7,150	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	5,500	N/A	5,500	6,050	6,600	7,150	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	5,589	N/A	5,589	6,148	6,707	7,266	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	5,589	N/A	5,589	6,148	6,707	7,266	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	7,100	N/A	7,100	7,810	8,520	9,230	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	5,500	N/A	5,500	6,050	6,600	7,150	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	5,500	N/A	5,500	6,050	6,600	7,150	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	5,588	N/A	5,588	6,147	6,706	7,264	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	7,100	N/A	7,100	7,810	8,520	9,230	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	5,500	N/A	5,500	6,050	6,600	7,150	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	5,588	N/A	5,588	6,147	6,706	7,264	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	5,500	N/A	5,500	6,050	6,600	7,150	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	5,590	N/A	5,590	6,149	6,708	7,267	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	5,588	N/A	5,588	6,147	6,706	7,264	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	5,400	N/A	5,400	5,940	6,480	7,020	(C)/(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	see below	see below	
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,589	N/A	5,589	6,148	6,707	7,266	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(F)
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,589	N/A	5,589	6,148	6,707	7,266	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	5,400	N/A	5,400	5,940	6,480	7,020	(F)
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	5,400	N/A	5,400	5,940	6,480	7,020	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	5,400	N/A	5,400	5,940	6,480	7,020	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	5,400	N/A	5,400	5,940	6,480	7,020	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	4,063	N/A	4,063	4,469	4,876	5,282	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	4,887	N/A	4,887	5,376	5,864	6,353	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	4,150	N/A	4,150	4,565	4,980	5,395	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	5,184	N/A	5,184	5,703	6,221	6,739	
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	3,981	N/A	3,981	4,379	4,777	5,175	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	5,184	N/A	5,184	5,703	6,221	6,739	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	3,981	N/A	3,981	4,379	4,777	5,175	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	5,184	N/A	5,184	5,703	6,221	6,739	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	3,981	N/A	3,981	4,379	4,777	5,175	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	3,981	N/A	3,981	4,379	4,777	5,175	(C)
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	3,981	N/A	3,981	4,379	4,777	5,175	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	5,184	N/A	5,184	5,703	6,221	6,739	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	5,184	N/A	5,184	5,703	6,221	6,739	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,878	N/A	3,878	4,266	4,654	5,041	(F)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	3,878	N/A	3,878	4,266	4,654	5,041	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	3,981	N/A	3,981	4,379	4,777	5,175	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	4,060	N/A	4,060	4,466	4,872	5,278	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	see below	see below	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	5,369	N/A	5,369	5,906	6,443	6,980	
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	5,369	N/A	5,369	5,906	6,443	6,980	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	4,141	N/A	4,141	4,555	4,969	5,383	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	4,091	N/A	4,091	4,500	4,909	5,318	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	4,141	N/A	4,141	4,555	4,969	5,383	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	4,141	N/A	4,141	4,555	4,969	5,383	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	5,369	N/A	5,369	5,906	6,443	6,980	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	5,296	N/A	5,296	5,826	6,355	6,885	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	4,129	N/A	4,129	4,541	4,954	5,367	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	4,057	N/A	4,057	4,462	4,868	5,273	(F)
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	4,129	N/A	4,129	4,541	4,954	5,367	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	5,369	N/A	5,369	5,906	6,443	6,980	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	5,369	N/A	5,369	5,906	6,443	6,980	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	4,141	N/A	4,141	4,555	4,969	5,383	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	see below	see below	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 11	Tube or pipe fittings of non-malleable cast iron	3,929	N/A	3,929	4,322	4,715	5,108	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	3,929	N/A	3,929	4,322	4,715	5,108	
7307 19 90	Cast tube or pipe fittings of steel	4,053	N/A	4,053	4,459	4,864	5,269	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	4,498	N/A	4,498	4,948	5,398	5,848	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	4,498	N/A	4,498	4,948	5,398	5,848	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	4,498	N/A	4,498	4,948	5,398	5,848	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	4,498	N/A	4,498	4,948	5,398	5,848	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	4,072	N/A	4,072	4,480	4,887	5,294	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	4,072	N/A	4,072	4,480	4,887	5,294	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	4,072	N/A	4,072	4,480	4,887	5,294	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	4,072	N/A	4,072	4,480	4,887	5,294	(C)
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	5,064	N/A	5,064	5,570	6,077	6,583	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	5,468	N/A	5,468	6,015	6,562	7,109	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	4,228	N/A	4,228	4,651	5,074	5,497	(C)
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	5,385	N/A	5,385	5,924	6,462	7,001	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	5,119	N/A	5,119	5,631	6,143	6,655	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	5,119	N/A	5,119	5,631	6,143	6,655	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	3,962	N/A	3,962	4,358	4,755	5,151	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	4,801	N/A	4,801	5,281	5,761	6,242	(C)
7318 16	Nuts of iron or steel	4,693	N/A	4,693	5,162	5,632	6,101	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	4,322	N/A	4,322	4,754	5,186	5,618	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	3,963	N/A	3,963	4,360	4,756	5,152	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7318 29 00	Non-threaded articles, of iron or steel	3,962	N/A	3,962	4,358	4,755	5,151	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	see below	see below	

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	4,080	N/A	4,080	4,488	4,896	5,303	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	4,080	N/A	4,080	4,488	4,896	5,303	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	4,051	N/A	4,051	4,456	4,861	5,266	(C)
7326 90 30	Ladders and steps, of iron or steel	4,051	N/A	4,051	4,456	4,861	5,266	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	4,051	N/A	4,051	4,456	4,861	5,266	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	4,051	N/A	4,051	4,456	4,861	5,266	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	4,051	N/A	4,051	4,456	4,861	5,266	(C)

Other Countries and Territories								
Product CN Code	Description	Default Value (direct emissions)	Default Value (indirect emissions)	Default Value (total emissions)	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	4,080	N/A	4,080	4,488	4,896	5,303	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	4,080	N/A	4,080	4,488	4,896	5,303	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	4,080	N/A	4,080	4,488	4,896	5,303	(C)
7326 90 98	Articles of iron or steel, n.e.s.	4,151	N/A	4,151	4,566	4,981	5,396	(C)

ANNEX II

Default values for indirect emissions of goods listed in Annex I of Regulation (EU) 2023/956 and not listed in Annex II of that Regulation

Disclaimer: The data provided are based on data sourced from the International Energy Agency (IEA) and is subject to a Creative Commons Non-Commercial Share-Alike 4.0 CC BY NC SA licence (https://creativecommons.org/licenses/by-nc-sa/4.0/deed.en). These data are intended for the purpose of determining embedded emissions of CBAM goods under the CBAM Regulation. Any further use or redistribution of the data is permitted for non-commercial purposes only. Anyone wishing to use emissions factors data for commercial purposes is invited to contact the IEA to acquire an appropriate licence.

Country or territory	Emission factor (tCO_2eq/MWh)
Albania	0
Algeria	0,498
Angola	0,216
Argentina	0,287
Armenia	0,183
Australia	0,645
Azerbaijan	0,431
Bahrain	0,697
Bangladesh	0,567
Belarus	0,325
Benin	0,518
Bolivia	0,319
Bosnia and Herzegovina	0,734
Botswana	1,324
Brazil	0,096
Brunei	0,758
Burkina Faso	0,567
Cambodia	0,470
Cameroon	0,234
Canada	0,119
Chad	1,536
Chile	0,356
China	0,605
Colombia	0,183
Congo	0,640
Congo, Democratic Republic of	0
Costa Rica	0,011
Cuba	0,555
Curaçao	0,555
Dominican Republic	0,548
Ecuador	0,159

Country or territory	Emission factor (tCO_2eq/MWh)
Egypt	0,387
El Salvador	0,139
Equatorial Guinea	0,410
Eritrea	0,754
Eswatini	0,089
Ethiopia	0
Gabon	0,457
Georgia	0,102
Ghana	0,307
Gibraltar	0,535
Greenland	0,068
Guatemala	0,299
Guyana	0,820
Haiti	0,691
Honduras	0,314
Hong Kong	0,663
India	0,726
Indonesia	0,791
Iran, Islamic Republic of	0,529
Iraq	0,653
Israel	0,443
Ivory Coast	0,343
Jamaica	0,518
Japan	0,469
Jordan	0,410
Kazakhstan	0,568
Kenya	0,095
Korea, Republic of (South Korea)	0,475
Kosovo	0,909
Kuwait	0,569
Kyrgyzstan	0,080
Laos	0,338
Lebanon	0,626
Libya	0,631
Madagascar	0,595
Malaysia	0,634
Mali	0,502
Mauritania	0,951

Country or territory	Emission factor (tCO_2eq/MWh)
Mauritius	0,765
Mexico	0,413
Moldova, Republic of	0,488
Mongolia	1,090
Montenegro	0,422
Morocco	0,712
Mozambique	0,083
Myanmar	0,331
Namibia	0,044
Nepal	0
New Zealand	0,115
Nicaragua	0,266
Niger	0,914
Nigeria	0,404
North Korea (Democratic People's Republic of Korea)	0,522
North Macedonia	0,641
Occupied Palestinian Territory	0,493
Oman	0,387
Pakistan	0,377
Panama	0,324
Paraguay	0
Peru	0,201
Philippines	0,711
Qatar	0,475
Russian Federation	0,366
Rwanda	0,340
Saudi Arabia	0,611
Senegal	0,567
Serbia	0,729
Singapore	0,381
South Africa	0,963
South Sudan	0,844
Sri Lanka	0,520
Sudan	0,235
Suriname	0,505
Syria	0,550

Country or territory	Emission factor (tCO_2eq/MWh)
Taiwan	0,561
Tajikistan	0,061
Tanzania, United Republic of	0,388
Thailand	0,470
Togo	0,423
Trinidad and Tobago	0,553
Tunisia	0,418
Türkiye	0,420
Turkmenistan	0,718
Uganda	0,023
Ukraine	0,310
United Arab Emirates	0,451
United Kingdom	0,193
United States	0,358
Uruguay	0,048
Uzbekistan	0,519
Venezuela	0,087
Viet Nam	0,581
Yemen	0,742
Zambia	0,165
Zimbabwe	0,573
Other countries and territories	0,465

ANNEX III

Default values for electricity imported into the customs territory of the Union

Disclaimer: The data provided are based on data sourced from the International Energy Agency (IEA) and is subject to a Creative Commons Non-Commercial Share-Alike 4.0 CC BY NC SA licence (https://creativecommons.org/licenses/by-nc-sa/4.0/deed.en). These data are intended for the purpose of determining embedded emissions of CBAM goods under the CBAM Regulation. Any further use or redistribution of the data is permitted for non-commercial purposes only. Anyone wishing to use emissions factors data for commercial purposes is invited to contact the IEA to acquire an appropriate licence.

Country or territory	Emission factor (tCO_2eq/MWh)
Albania	0
Belarus	0,383
Bosnia and Herzegovina	1,148
Egypt	0,442
Georgia	0,440
Israel	0,480
Kosovo	0,984
Moldova, Republic of	0,530
Montenegro	0,979
Morocco	0,907
North Macedonia	0,887
Russian Federation	0,585
Serbia	1,041
Tunisia	0,436
Türkiye	0,718
Ukraine	0,907
United Kingdom	0,430
European Union	0,612

ANNEX IV

Default values for precursor for which the country of production cannot be identified

Where default values are used to determine the specific embedded emissions of a final good or of a precursor, the specific embedded free allocation shall be based on the corresponding underlying production route determining the CBAM benchmark (BM) as defined in Implementing Regulation (EU) 2025/2620 on the calculation of the free allocation adjustment to the number of CBAM certificates to be surrendered. The meaning of the indicators is as follows:

(A) grey clinker / cement

(B) white clinker / cement

(C) Carbon Steel based on BF/BOF

(D) Carbon Steel based on DRI/EAF

(E) Carbon Steel based on Scrap/EAF

(F) Low alloy Steel based on BF/BOF

(G) Low alloy Steel based on DRI/EAF

(H) Low alloy Steel based on scrap/EAF

(J) High alloy Steel (based on EAF)

(K) primary Aluminium

(L) secondary Aluminium

If no production route is indicated for a CN code, the CBAM benchmark (BM) is independent of the production route.

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Cement			**10% mark-up**	**20% mark-up**	**30% mark-up**	
2507 00 80	Calcined clay	0,320	0,352	0,384	0,416	
2523 10 00	White clinker	1,410	1,551	1,692	1,833	(B)
2523 10 00	Grey clinker	1,440	1,584	1,728	1,872	(A)
2523 21 00	White Portland cement	1,480	1,628	1,776	1,924	
2523 29 00	Grey Portland cement	1,490	1,639	1,788	1,937	
2523 90 00	White hydraulic cements	1,530	1,683	1,836	1,989	(B)
2523 90 00	Grey hydraulic cements	1,420	1,562	1,704	1,846	(A)
2523 30 00	Aluminous cement	2,290	2,519	2,748	2,977	
Fertilisers			**1% mark-up**	**1% mark-up**	**1% mark-up**	
2808 00 00	Nitric acid; sulphonitric acids	3,080	3,111	3,111	3,111	
2814 10 00	Anhydrous ammonia	4,360	4,404	4,404	4,404	
2814 20 00	Ammonia in aqueous solution	1,310	1,323	1,323	1,323	
2834 21 00	Nitrate of potassium	2,850	2,879	2,879	2,879	
3102	Mineral or chemical fertilizers, nitrogenous	See below	See below	See below	See below	
3102 10 12	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	1,540	1,555	1,555	1,555	
3102 10 15	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	2,530	2,555	2,555	2,555	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 10 19	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8% but <=55% by weight of urea)	4,640	4,686	4,686	4,686	
3102 10 90	Urea, whether or not in aqueous solution, containing <= 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)	4,530	4,575	4,575	4,575	
3102 21 00	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,290	1,303	1,303	1,303	
3102 29 00	Double salts and mixtures of ammonium sulphate and ammonium nitrate	2,130	2,151	2,151	2,151	
3102 30 10	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)	2,190	2,212	2,212	2,212	
3102 30 90	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	3,370	3,404	3,404	3,404	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 40 10	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,900	2,929	2,929	2,929	
3102 40 90	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,900	2,929	2,929	2,929	
3102 50 00	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	4,810	4,858	4,858	4,858	
3102 60 00	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	2,830	2,858	2,858	2,858	
3102 80 00	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	2,410	2,434	2,434	2,434	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3102 90 00	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	3,110	3,141	3,141	3,141	
3105	Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium	See below	See below	See below	See below	
3105 10 00	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	1,310	1,323	1,323	1,323	
3105 20 10	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,530	1,545	1,545	1,545	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 20 90	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,050	1,061	1,061	1,061	
3105 30 00	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,040	1,050	1,050	1,050	
3105 40 00	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,670	0,677	0,677	0,677	
3105 51 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)	2,070	2,091	2,091	2,091	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
3105 59 00	Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)	1,240	1,252	1,252	1,252	
3105 90 20	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	1,960	1,980	1,980	1,980	
3105 90 80	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10% (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg)	1,020	1,030	1,030	1,030	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
Aluminium			**10% mark-up**	**20% mark-up**	**30% mark-up**	
7601	Unwrought aluminium	3,198	3,518	3,838	4,157	(K)
7603	Aluminium powders and flakes	4,148	4,563	4,978	5,392	(K)
7604 10 10	Bars and rods	4,881	5,369	5,857	6,345	(K)
7604 10 90	Profiles	4,881	5,369	5,857	6,345	(K)
7604 21 00	Hollow profiles	4,881	5,369	5,857	6,345	(K)
7604 29 10	Bars and rods	4,881	5,369	5,857	6,345	(K)
7604 29 90	Profiles	4,881	5,369	5,857	6,345	(K)
7605	Aluminium wire	4,881	5,369	5,857	6,345	(K)
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4,986	5,485	5,984	6,482	(K)
7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm	5,559	6,115	6,671	7,227	(K)
7608	Aluminium tubes and pipes	4,896	5,385	5,875	6,364	(K)
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	4,896	5,385	5,875	6,364	(K)
7610 10 00	Doors, windows and their frames and thresholds for doors	4,896	5,385	5,875	6,364	(K)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7610 90	Other	4,896	5,385	5,875	6,364	(K)
7610 90 10	Bridges and bridge-sections, towers and lattice masts	4,896	5,385	5,875	6,364	(K)
7610 90 90	Other	4,896	5,385	5,875	6,364	(K)
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	5,559	6,115	6,671	7,227	(K)
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	5,559	6,115	6,671	7,227	(K)
7613 00 00	Aluminium containers for compressed or liquefied gas	5,559	6,115	6,671	7,227	(K)
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated	4,881	5,369	5,857	6,345	(K)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7616 10 00	Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	5,559	6,115	6,671	7,227	(K)
7616 91 00	Cloth, grill, netting and fencing, of aluminium wire	5,559	6,115	6,671	7,227	(K)
7616 99 10	Cast	3,080	3,388	3,696	4,004	(K)
7616 99 90	Other	3,770	4,147	4,524	4,901	(K)
Hydrogen			**10% mark-up**	**20% mark-up**	**30% mark-up**	
2804 10 00	Hydrogen	26,640	29,304	31,968	34,632	
Iron and steel			**10% mark-up**	**20% mark-up**	**30% mark-up**	
2601 12 00	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	1,610	1,771	1,932	2,093	
7201	Pig iron and spiegeleisen, in pigs, blocks or other primary forms	7,920	8,712	9,504	10,296	
7202 11	Ferro-manganese, containing by weight > 2% of carbon	1,690	1,859	2,028	2,197	
7202 19	Ferro-manganese, containing by weight <= 2% carbon	5,590	6,149	6,708	7,267	
7202 41	Ferro-chromium, containing by weight > 4% of carbon	2,350	2,585	2,820	3,055	
7202 49	Ferro-chromium, containing by weight <= 4% of carbon	2,870	3,157	3,444	3,731	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7202 60 00	Ferro-nickel	6,150	6,765	7,380	7,995	
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms	4,200	4,620	5,040	5,460	
7205	Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)	7,900	8,690	9,480	10,270	(C)
7206	Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)	see below	see below	see below	see below	
7206 10 00	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	8,210	9,031	9,852	10,673	(C)
7206 90 00	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	8,210	9,031	9,852	10,673	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207	Semi-finished products of iron or non-alloy steel	see below	see below	see below	see below	
7207 11 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)
7207 11 14	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	9,053	9,876	10,699	(C)
7207 11 16	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	9,053	9,876	10,699	(C)
7207 11 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	8,210	9,031	9,852	10,673	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 12 10	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)
7207 12 90	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged	8,210	9,031	9,852	10,673	(C)
7207 19 12	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)
7207 19 19	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	8,210	9,031	9,852	10,673	(C)
7207 19 80	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	8,230	9,053	9,876	10,699	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 11	Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)
7207 20 15	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% but < 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	9,053	9,876	10,699	(C)
7207 20 17	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	8,230	9,053	9,876	10,699	(C)
7207 20 19	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, forged	8,210	9,031	9,852	10,673	(C)
7207 20 32	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7207 20 39	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged	8,210	9,031	9,852	10,673	(C)
7207 20 52	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	8,230	9,053	9,876	10,699	(C)
7207 20 59	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6% carbon, of circular or polygonal cross-section, forged	8,210	9,031	9,852	10,673	(C)
7207 20 80	Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25% carbon (excl. those of square, rectangular, circular or polygonal cross-section)	8,230	9,053	9,876	10,699	(C)
7208	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated	8,230	9,053	9,876	10,699	(C)
7209	Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated	8,250	9,075	9,900	10,725	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7210	Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	8,250	9,075	9,900	10,725	(C)
7211	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated	see below	see below	see below	see below	
7211 13 00	Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"	8,230	9,053	9,876	10,699	(C)
7211 14 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")	8,230	9,053	9,876	10,699	(C)
7211 19 00	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	8,230	9,053	9,876	10,699	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7211 23	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon	8,250	9,075	9,900	10,725	(C)
7211 29 00	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25% of carbon	8,250	9,075	9,900	10,725	(C)
7211 90	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated	8,250	9,075	9,900	10,725	(C)
7212	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated	8,250	9,075	9,900	10,725	(C)
7213	Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils	8,230	9,053	9,876	10,699	(C)
7214	Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)	see below	see below	see below	see below	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 10 00	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	8,210	9,031	9,852	10,673	(C)
7214 20 00	Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process	8,230	9,053	9,876	10,699	(C)
7214 30 00	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	8,230	9,053	9,876	10,699	(C)
7214 91	Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel)	8,230	9,053	9,876	10,699	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7214 99	Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)	8,230	9,053	9,876	10,699	(C)
7215	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.	8,230	9,053	9,876	10,699	(C)
7216	Angles, shapes and sections of iron or non-alloy steel, n.e.s.	8,230	9,053	9,876	10,699	(C)
7217	Wire of iron or non-alloy steel, in coils (excl. bars and rods)	see below	see below	see below	see below	
7217 10	Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)	8,230	9,053	9,876	10,699	(C)
7217 20	Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)	8,230	9,053	9,876	10,699	(C)
7217 30	Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)	8,230	9,053	9,876	10,699	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7217 90	Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)	8,230	9,053	9,876	10,699	(C)
7218	Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel	see below	see below	see below	see below	
7218 10 00	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	8,630	9,493	10,356	11,219	
7218 91	Semi-finished products of stainless steel, of rectangular "other than square" cross-section	8,670	9,537	10,404	11,271	
7218 99 11	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	8,670	9,537	10,404	11,271	
7218 99 19	Semi-finished products of stainless steel, of square cross-section, forged	8,630	9,493	10,356	11,219	
7218 99 20	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	8,670	9,537	10,404	11,271	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7218 99 80	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	8,630	9,493	10,356	11,219	
7219	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	
7219 11 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	8,670	9,537	10,404	11,271	
7219 12	Flat-rolled products of stainless steel, of a width of>= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm	8,670	9,537	10,404	11,271	
7219 13	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm	8,670	9,537	10,404	11,271	
7219 14	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm	8,670	9,537	10,404	11,271	
7219 21	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm	8,670	9,537	10,404	11,271	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 22	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm	8,670	9,537	10,404	11,271	
7219 23 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm	8,670	9,537	10,404	11,271	
7219 24 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	8,670	9,537	10,404	11,271	
7219 31 00	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm	8,690	9,559	10,428	11,297	
7219 32	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm	8,690	9,559	10,428	11,297	
7219 33	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm	8,690	9,559	10,428	11,297	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7219 34	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm	8,690	9,559	10,428	11,297	
7219 35	Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm	8,690	9,559	10,428	11,297	
7219 90	Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	9,559	10,428	11,297	
7220	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	
7220 11 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm	8,670	9,537	10,404	11,271	
7220 12 00	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm	8,670	9,537	10,404	11,271	
7220 20	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"	8,690	9,559	10,428	11,297	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7220 90	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked	8,690	9,559	10,428	11,297	
7221	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils	8,690	9,559	10,428	11,297	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.	see below	see below	see below	see below	
7222 11	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section	8,690	9,559	10,428	11,297	
7222 19	Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)	8,690	9,559	10,428	11,297	
7222 20	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished	8,690	9,559	10,428	11,297	
7222 30	Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	8,630	9,493	10,356	11,219	
7222 40	Angles, shapes and sections of stainless steel, n.e.s.	8,690	9,559	10,428	11,297	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7223	Wire of stainless steel, in coils (excl. bars and rods)	see below	see below	see below	see below	
7223 00	Wire of stainless steel, in coils (excl. bars and rods)	8,690	9,559	10,428	11,297	
7224	Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)	see below	see below	see below	see below	
7224 10	Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	9,960	10,956	11,952	12,948	(F)
7224 90 02	Semi-finished products of tool steel	10	11	12	13	(F)
7224 90 03	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	10	11	12	13	(F)
7224 90 05	Semi-finished products of steel containing by weight <= 0,7% of carbon, 0,5% to 1,2% of manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum	10	11	12	13	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
	content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness					
7224 90 07	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	10	11	12	13	(F)
7224 90 14	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	10	11	12	13	(F)
7224 90 18	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	9,960	10,956	11,952	12,948	(F)
7224 90 31	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	10	11	12	13	(F)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7224 90 38	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum)	10	11	12	13	(F)
7224 90 90	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	9,960	10,956	11,952	12,948	(F)
7225	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	
7225 11 00	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented	13,240	14,564	15,888	17,212	(C)
7225 19 10	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled	10	11	12	13	(C)
7225 19 90	Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented	10,020	11,022	12,024	13,026	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 30	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)	10	11	12	13	(F)
7225 40	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)	10	11	12	13	(F)
7225 50	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)
7225 91 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)
7225 92 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7225 99 00	Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)
7226	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"	see below	see below	see below	see below	
7226 11 00	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	13,240	14,564	15,888	17,212	(C)
7226 19 10	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	10	11	12	13	(C)
7226 19 80	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	10,020	11,022	12,024	13,026	(F)
7226 20 00	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	10	11	12	13	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7226 91	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)	10	11	12	13	(F)
7226 92 00	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)
7226 99	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)	10,020	11,022	12,024	13,026	(F)
7227	Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils	10,020	11,022	12,024	13,026	(C)/(F)
7228	Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel	see below	see below	see below	see below	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 10 20	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(F)
7228 10 50	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	9,960	10,956	11,952	12,948	(F)
7228 10 90	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(F)
7228 20	Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 30	Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(C)/(F)
7228 40	Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	9,960	10,956	11,952	12,948	(F)
7228 50	Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(C)/(F)
7228 60	Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	10,020	11,022	12,024	13,026	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7228 70	Angles, shapes and sections of alloy steel other than stainless, n.e.s.	10,020	11,022	12,024	13,026	(F)
7228 80 00	Hollow drill bars and rods, of alloy or non-alloy steel	10,020	11,022	12,024	13,026	(F)
7229	Wire of alloy steel other than stainless, in coils (excl. bars and rods)	10,020	11,022	12,024	13,026	(C)/(F)
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel	8,250	9,075	9,900	10,725	(C)
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails	8,210	9,031	9,852	10,673	(C)
7303	Tubes, pipes and hollow profiles, of cast iron	see below	see below	see below	see below	
7303 00	Tubes, pipes and hollow profiles, of cast iron	7,890	8,679	9,468	10,257	
7304	Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)	see below	see below	see below	see below	
7304 11 00	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	8,630	9,493	10,356	11,219	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 19	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)	8,210	9,031	9,852	10,673	(C)
7304 22 00	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	8,630	9,493	10,356	11,219	
7304 23 00	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	8,210	9,031	9,852	10,673	(C)
7304 24 00	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	8,630	9,493	10,356	11,219	
7304 29	Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)	8,210	9,031	9,852	10,673	(C)
7304 31	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	8,210	9,031	9,852	10,673	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 39	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	8,210	9,031	9,852	10,673	(C)
7304 41 00	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	8,630	9,493	10,356	11,219	
7304 49	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)	8,630	9,493	10,356	11,219	
7304 51	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	7,860	8,646	9,432	10,218	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7304 59	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)	7,860	8,646	9,432	10,218	(C)/(F)
7304 90 00	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	8,210	9,031	9,852	10,673	(C)
7305	Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"	8,250	9,075	9,900	10,725	(C)
7306	Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	see below	see below	see below	see below	
7306 11 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	8,690	9,559	10,428	11,297	

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 19 00	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	8,250	9,075	9,900	10,725	(C)
7306 21 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	8,690	9,559	10,428	11,297	
7306 29 00	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	8,250	9,075	9,900	10,725	(C)
7306 30 12	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	8,250	9,075	9,900	10,725	(C)
7306 30 18	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	8,230	9,053	9,876	10,699	
7306 30 41	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	8,250	9,075	9,900	10,725	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 30 49	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	8,250	9,075	9,900	10,725	(C)
7306 30 72	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubingof a kind used in drilling for oil or gas)	8,250	9,075	9,900	10,725	(C)
7306 30 77	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	8,250	9,075	9,900	10,725	(C)
7306 30 80	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	8,250	9,075	9,900	10,725	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 40 20	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	8,690	9,559	10,428	11,297	
7306 40 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	8,670	9,537	10,404	11,271	
7306 50 21	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	7,960	8,756	9,552	10,348	(F)
7306 50 29	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)	7,940	8,734	9,528	10,322	(F)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7306 50 80	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	7,960	8,756	9,552	10,348	(F)
7306 61 10	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	8,690	9,559	10,428	11,297	
7306 61 92	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm	8,250	9,075	9,900	10,725	(C)
7306 61 99	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	8,250	9,075	9,900	10,725	(C)
7306 69 10	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind	8,690	9,559	10,428	11,297	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
	used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)					
7306 69 90	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	8,250	9,075	9,900	10,725	(C)
7306 90 00	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	8,250	9,075	9,900	10,725	(C)
7307	Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel	see below	see below	see below	see below	
7307 11	Tube or pipe fittings of non-malleable cast iron	7,890	8,679	9,468	10,257	
7307 19 10	Tube or pipe fittings of cast iron (excl. of non-malleable)	7,890	8,679	9,468	10,257	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7307 19 90	Cast tube or pipe fittings of steel	8,210	9,031	9,852	10,673	(C)
7307 21 00	Flanges of stainless steel (excl. cast products)	7,940	8,734	9,528	10,322	
7307 22	Threaded elbows, bends and sleeves of stainless steel (excl. cast products)	7,940	8,734	9,528	10,322	
7307 23	Butt welding tube or pipe fittings of stainless steel (excl. cast products)	7,940	8,734	9,528	10,322	
7307 29	Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)	7,940	8,734	9,528	10,322	
7307 91 00	Flanges of iron or steel (excl. cast or stainless products)	8,210	9,031	9,852	10,673	(C)
7307 92	Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)	8,210	9,031	9,852	10,673	(C)
7307 93	Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)	8,210	9,031	9,852	10,673	(C)
7307 99	Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)	8,210	9,031	9,852	10,673	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7308	Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406)	8,250	9,075	9,900	10,725	(C)
7309	Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	10,010	11,011	12,012	13,013	(C)
7310	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.	8,250	9,075	9,900	10,725	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7311	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	see below	see below	see below	see below	
7311 00	Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)	9,980	10,978	11,976	12,974	(C)
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)	see below	see below	see below	see below	
7318 11 00	Coach screws of iron or steel	8,230	9,053	9,876	10,699	(C)
7318 12 10	Wood screws of stainless steel (excl. coach screws)	8,650	9,515	10,380	11,245	(C)
7318 12 90	Wood screws of iron or steel other than stainless (excl. coach screws)	8,230	9,053	9,876	10,699	(C)
7318 13 00	Screw hooks and screw rings, of iron or steel	8,230	9,053	9,876	10,699	(C)
7318 14 10	Self-tapping screws, of stainless steel (excl. wood screws)	8,650	9,515	10,380	11,245	(C)
7318 14 91	Spaced-thread screws of iron or steel other than stainless	8,230	9,053	9,876	10,699	(C)

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7318 14 99	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	8,230	9,053	9,876	10,699	(C)
7318 15	Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded)	8,230	9,053	9,876	10,699	(C)
7318 16	Nuts of iron or steel	8,540	9,394	10,248	11,102	(C)
7318 19 00	Threaded articles, of iron or steel, n.e.s.	8,230	9,053	9,876	10,699	(C)
7318 21 00	Spring washers and other lock washers, of iron or steel	8,230	9,053	9,876	10,699	(C)
7318 22 00	Washers of iron or steel (excl. spring washers and other lock washers)	8,540	9,394	10,248	11,102	(C)
7318 23 00	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	8,230	9,053	9,876	10,699	(C)
7318 24 00	Cotters and cotter pins, of iron or steel	8,230	9,053	9,876	10,699	(C)
7318 29 00	Non-threaded articles, of iron or steel	8,230	9,053	9,876	10,699	(C)
7326	Articles of iron or steel, n.e.s. (excl. cast articles)	see below	see below	see below	see below	

Product CN Code	Description	Highest default value	2026 Default Value (including mark-up)	2027 Default Value (including mark-up)	2028 and onwards Default Value (including mark-up)	Underlying production route determining CBAM BM
7326 11 00	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	8,210	9,031	9,852	10,673	(C)
7326 19	Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	8,210	9,031	9,852	10,673	(C)
7326 20 00	Articles of iron or steel wire, n.e.s.	8,230	9,053	9,876	10,699	(C)
7326 90 30	Ladders and steps, of iron or steel	8,230	9,053	9,876	10,699	(C)
7326 90 40	Pallets and similar platforms for handling goods, of iron or steel	8,230	9,053	9,876	10,699	(C)
7326 90 50	Reels for cables, piping and the like, of iron or steel	8,230	9,053	9,876	10,699	(C)
7326 90 60	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	8,230	9,053	9,876	10,699	(C)
7326 90 92	Articles of iron or steel, open-die forged, n.e.s.	8,210	9,031	9,852	10,673	(C)
7326 90 94	Articles of iron or steel, closed-die forged, n.e.s.	8,210	9,031	9,852	10,673	(C)
7326 90 96	Sintered articles of iron or steel, n.e.s.	8,210	9,031	9,852	10,673	(C)
7326 90 98	Articles of iron or steel, n.e.s.	8,250	9,075	9,900	10,725	(C)

ELI: http://data.europa.eu/eli/reg_impl/2025/2621/oj