

COMMISSION IMPLEMENTING REGULATION (EU) 2018/242**of 15 February 2018**

concerning the authorisation of hex-3(cis)-en-1-ol, non-6-en-1-ol, oct-3-en-1-ol, non-6(cis)-enal, hex-3(cis)-enal, hept-4-enal, hex-3(cis)-enyl acetate, hex-3(cis)-enyl formate, hex-3-enyl butyrate, hex-3-enyl hexanoate, hex-3(cis)-enyl isobutyrate, citronellol, (-)-3,7-dimethyl-6-octen-1-ol, citronellal, 2,6-dimethylhept-5-enal, citronellic acid, citronellyl acetate, citronellyl butyrate, citronellyl formate, citronellyl propionate, 1-ethoxy-1-(3-hexenyloxy)ethane and hex-3-enyl isovalerate as feed additives for all animal species

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition ⁽¹⁾, and in particular Article 9(2) thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting such authorisation. Article 10 of that Regulation provides for the re-evaluation of additives authorised pursuant to Council Directive 70/524/EEC ⁽²⁾.
- (2) The substances, hex-3(cis)-en-1-ol, non-6-en-1-ol, oct-3-en-1-ol, non-6(cis)-enal, hex-3(cis)-enal, hept-4-enal, hex-3(cis)-enyl acetate, hex-3(cis)-enyl formate, hex-3-enyl butyrate, hex-3-enyl hexanoate, hex-3(cis)-enyl isobutyrate, citronellol, (-)-3,7-dimethyl-6-octen-1-ol, citronellal, 2,6-dimethylhept-5-enal, citronellic acid, citronellyl acetate, citronellyl butyrate, citronellyl formate, citronellyl propionate, 1-ethoxy-1-(3-hexenyloxy)ethane and hex-3-enyl isovalerate ('substances concerned') were authorised without a time limit by Directive 70/524/EEC as feed additives for all animal species. Those substances were subsequently entered in the Register of feed additives as existing products, in accordance with Article 10(1) of Regulation (EC) No 1831/2003.
- (3) In accordance with Article 10(2) of Regulation (EC) No 1831/2003 in conjunction with Article 7 thereof, an application was submitted for the re-evaluation of the substances concerned as feed additives for all animal species. The applicant requested that those additives be classified in the additive category 'sensory additives'. That application was accompanied by the particulars and documents required under Article 7(3) of Regulation (EC) No 1831/2003.
- (4) The European Food Safety Authority ('the Authority') concluded in its opinion of 12 July 2016 ⁽³⁾ that, under the proposed conditions of use the substances concerned do not have adverse effects on animal health, human health or the environment. The Authority has concluded that, since the substances concerned are efficacious when used in food as flavourings and their function in feed is essentially the same as in food, no further demonstration of efficacy was necessary. Therefore, that conclusion can be extrapolated to feed. The applicant withdrew the application for water for drinking. However, it should be possible to use the substances concerned within compound feeds which are subsequently administered via water.
- (5) Restrictions and conditions should be provided for to allow better control. Since safety reasons do not require the setting of a maximum content and taking into account the re-evaluation performed by the Authority, a recommended content should be indicated on the label of the additive. Where such content is exceeded, certain information should be indicated on the label of premixtures, and on the labelling of feed materials and compound feed.
- (6) The Authority concluded that hazards for the skin, eye contact and respiratory exposure are recognised. Most substances are classified as irritating to the respiratory system. Consequently, appropriate protective measures should be taken. The Authority does not consider that there is a need for specific requirements of post-market monitoring. It also verified the report on the method of analysis of the feed additives in feed submitted by the Reference Laboratory set up by Regulation (EC) No 1831/2003.

⁽¹⁾ OJ L 268, 18.10.2003, p. 29.

⁽²⁾ Council Directive 70/524/EEC of 23 November 1970 concerning additives in feedingstuffs (OJ L 270, 14.12.1970, p. 1).

⁽³⁾ EFSA Journal 2016;14(8):4559.

- (7) The assessment of the substances concerned shows that the conditions for authorisation, as provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of those substances should be authorised as specified in the Annex to this Regulation.
- (8) Since safety reasons do not require the immediate application of the modifications to the conditions of authorisation for the substances concerned, it is appropriate to allow a transitional period for interested parties to prepare themselves to meet the new requirements resulting from the authorisation.
- (9) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Authorisation

The substances specified in the Annex, belonging to the additive category 'sensory additives' and to the functional group 'flavouring compounds', are authorised as feed additives in animal nutrition subject to the conditions laid down in that Annex.

Article 2

Transitional measures

1. The substances specified in the Annex and premixtures containing those substances, which are produced and labelled before 15 September 2018 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted.
2. Feed materials and compound feed containing the substances as specified in the Annex which are produced and labelled before 15 March 2019 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for food-producing animals.
3. Feed materials and compound containing the substances as specified in the Annex which are produced and labelled before 15 March 2020 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for non-food-producing animals.

Article 3

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 15 February 2018.

For the Commission
The President
Jean-Claude JUNCKER

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
Category: Sensory additives. Functional group: Flavouring compounds									
2b02056	—	Hex-3(cis)-en-1-ol	<i>Additive composition</i> Hex-3(cis)-en-1-ol <i>Characterisation of the active substance</i> Hex-3(cis)-en-1-ol Produced by chemical synthesis Purity: min. 98 % assay as sum of (Z)- and (E)-isomers; min. 92 % of (Z)-isomer Chemical formula: C₆H₁₂O CAS number: 928-96-1 FLAVIS No: 02.056 <i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3(cis)-en-1-ol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’ 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b02093	—	Non-6-en-1-ol	<i>Additive composition</i> Non-6-en-1-ol <i>Characterisation of the active substance</i> Non-6-en-1-ol Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: C ₉ H ₁₈ O CAS number: 35854-86-5 FLAVIS No: 02.093	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 1 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.’	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of non-6-en-1-ol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b02094	—	Oct-3-en-1-ol	<i>Additive composition</i> Oct-3-en-1-ol <i>Characterisation of the active substance</i> Oct-3-en-1-ol Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 96 % assay, as (Z)-isomer. Chemical formula: C ₈ H ₁₆ O CAS number: 20125-84-2 FLAVIS No: 02.094 <i>Method of analysis</i> (1) For the determination oct-3-en-1-ol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					3. The recommended maximum content of the active substance shall be 1 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.' 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b05059	—	Non-6(cis)-enal	<i>Additive composition</i> Non-6(cis)-enal <i>Characterisation of the active substance</i> Non-6(cis)-enal Produced by chemical synthesis Purity: min. 96 % assay; secondary component 6–9 % trans-6-nonenal Chemical formula: C ₉ H ₁₆ O CAS number: 2277-19-2 FLAVIS No: 05.059 <i>Method of analysis</i> ⁽¹⁾ For the determination non-6(cis)-enal in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.' 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b05075	—	Hex-3(cis)-enal	<i>Additive composition</i> Hex-3(cis)-enal <i>Characterisation of the active substance</i> Hex-3(cis)-enal Produced by chemical synthesis Purity: min. 97 % assay Chemical formula: C ₆ H ₁₀ O CAS number: 6789-80-6 FLAVIS No: 05.075	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3(cis)-enal in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b05085	—	Hept-4-enal	<i>Additive composition</i> Hept-4-enal <i>Characterisation of the active substance</i> Hept-4-enal Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 98 % as sum of (Z)- and (E)-isomers; min. 93 % of (Z)-isomer; secondary component: 2-5 % (E)- isomer. Chemical formula: C₇H₁₂O CAS number: 6728-31-0 FLAVIS No: 05.085 <i>Method of analysis</i> ⁽¹⁾ For the determination of hept-4-enal in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’ 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b09197	—	Hex-3(cis)-enyl acetate	<i>Additive composition</i> Hex-3(cis)-enyl acetate <i>Characterisation of the active substance</i> Hex-3(cis)-enyl acetate Produced by chemical synthesis Purity: min. 98 % assay as sum of (Z)- and (E)-isomers; min. 92 % of (Z)-isomer Chemical formula: C ₈ H ₁₄ O ₂ CAS number: 3681-71-8 FLAVIS No: 09.197 <i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3(cis)-enyl acetate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.' 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09240	—	Hex-3(cis)-enyl formate	<i>Additive composition</i> Hex-3(cis)-enyl formate <i>Characterisation of the active substance</i> Hex-3(cis)-enyl formate Produced by chemical synthesis Purity: min. 95 % assay Chemical formula: C ₇ H ₁₂ O ₂ CAS number: 33467-73-1 FLAVIS No: 09.240	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.'	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3(cis)-enyl formate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09270	—	Hex-3-enyl butyrate	<i>Additive composition</i> Hex-3-enyl butyrate <i>Characterisation of the active substance</i> Hex-3-enyl butyrate Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 95 % assay Chemical formula: C₁₀H₁₈O₂ CAS number: 16491-36-4 FLAVIS No: 09.270 <i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3-enyl butyrate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’ 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b09271	—	Hex-3-enyl hexanoate	<i>Additive composition</i> Hex-3-enyl hexanoate <i>Characterisation of the active substance</i> Hex-3-enyl hexanoate Produced by chemical synthesis Purity: min. 96 % assay Chemical formula: C ₁₂ H ₂₂ O ₂ CAS number: 31501-11-8 FLAVIS No: 09.271 <i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3-enyl hexanoate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’ 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09563	—	Hex-3(cis)-enyl isobutyrate	<i>Additive composition</i> Hex-3(cis)-enyl isobutyrate <i>Characterisation of the active substance</i> Hex-3(cis)-enyl isobutyrate Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: C ₁₀ H ₁₈ O ₂ CAS number: 41519-23-7 FLAVIS No: 09.563	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 5 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of hex-3(cis)-enyl isobutyrate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b02011	—	Citronellol	<i>Additive composition</i> Citronellol <i>Characterisation of the active substance</i> Citronellol Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 90 % assay; racemate; other constituents: diunsaturated and saturated C10 alcohols, citronellyl acetate and citronellal Chemical formula: C₁₀H₂₀O CAS number: 106-22-9 FLAVIS No: 02.011 <i>Method of analysis</i> ⁽¹⁾ For the determination of citronellol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b02229	—	(-)-3,7-Dimethyl-6-octen-1-ol	<i>Additive composition</i> (-)-3,7-Dimethyl-6-octen-1-ol <i>Characterisation of the active substance</i> (-)-3,7-Dimethyl-6-octen-1-ol Produced by chemical synthesis or derived by fractional distillation of essential oils and saponification of extracts Purity: min. 90 % assay Chemical formula: C ₁₀ H ₂₀ O CAS number: 7540-51-4 FLAVIS No: 02.229	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of (-)-3,7-dimethyl-6-octen-1-ol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b05021	—	Citronellal	<i>Additive composition</i> Citronellal <i>Characterisation of the active substance</i> Citronellal Produced by chemical synthesis Purity: min. 85 % assay. Chemical formula: C ₁₀ H ₁₈ O CAS number: 106-23-0 FLAVIS No: 05.021 <i>Method of analysis</i> ⁽¹⁾ For the determination of citronellal in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories' 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b05074	—	2,6-Dimethylhept-5-enal	<i>Additive composition</i> 2,6-Dimethylhept-5-enal <i>Characterisation of the active substance</i> 2,6-Dimethylhept-5-enal Produced by chemical synthesis Purity: min. 85 % assay Chemical formula: C ₉ H ₁₆ O CAS number: 106-72-9 FLAVIS No: 05.074	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of 2,6-dimethylhept-5-enal in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b08036	—	Citronellic acid	<i>Additive composition</i> Citronellic acid <i>Characterisation of the active substance</i> Citronellic acid Produced by chemical synthesis Purity: min. 90 % assay Chemical formula: C ₁₀ H ₁₈ O ₂ CAS number: 502-47-6 FLAVIS No: 08.036 <i>Method of analysis</i> ⁽¹⁾ For the determination of citronellic acid in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a pre-mixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories'. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09012	—	Citronellyl acetate	<i>Additive composition</i> Citronellyl acetate <i>Characterisation of the active substance</i> Citronellyl acetate Produced by chemical synthesis Purity: min. 92 % assay Chemical formula: C ₁₁ H ₂₂ O ₂ CAS number: 150-84-5 FLAVIS No: 09.012	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of citronellyl acetate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b09049	—	Citronellyl butyrate	<i>Additive composition</i> Citronellyl butyrate <i>Characterisation of the active substance</i> Citronellyl butyrate Produced by chemical synthesis Purity: min. 90 % assay Chemical formula: C ₁₄ H ₂₆ O ₂ CAS number: 141-16-2 FLAVIS No: 09.049 <i>Method of analysis</i> ⁽¹⁾ For the determination of citronellyl butyrate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	- The additive shall be incorporated into the feed in the form of a premixture. - In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. - The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories. - On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories'. - The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09078	—	Citronellyl formate	<i>Additive composition</i> Citronellyl formate <i>Characterisation of the active substance</i> Citronellyl formate Produced by chemical synthesis Purity: min. 90 % assay. Chemical formula: C ₁₁ H ₂₀ O ₂ CAS number: 105-85-1 FLAVIS No: 09.078	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of citronellyl formate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b09129	—	Citronellyl propionate	<i>Additive composition</i> Citronellyl propionate <i>Characterisation of the active substance</i> Citronellyl propionate Produced by chemical synthesis Purity: min. 95 % assay Chemical formula: C ₁₃ H ₂₄ O ₂ CAS number: 141-14-0 FLAVIS No: 09.129 <i>Method of analysis</i> ⁽¹⁾ For the determination of citronellyl propionate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	- The additive shall be incorporated into the feed in the form of a premixture. - In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. - The recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 % shall be: — 1 mg/kg for cats — 5 mg/kg for other species and categories. - On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 1 mg/kg for cats — 5 mg/kg for other species and categories’. - The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: — 1 mg/kg for cats — 5 mg/kg for other species and categories.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b06081	—	1-Ethoxy-1-(3-hexenyloxy)ethane	<i>Additive composition</i> 1-Ethoxy-1-(3-hexenyloxy)ethane <i>Characterisation of the active substance</i> 1-Ethoxy-1-(3-hexenyloxy)ethane Produced by chemical synthesis Purity: min. 97 % assay Chemical formula: C ₁₀ H ₂₀ O ₂ CAS number: 28069-74-1 FLAVIS No: 06.081	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. The recommended maximum content of the active substance shall be 1 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.'	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<i>Method of analysis</i> ⁽¹⁾ For the determination of 1-ethoxy-1-(3-hexenyloxy)ethane in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09505	—	Hex-3-enyl isovalerate	<i>Additive composition</i> Hex-3-enyl isovalerate <i>Characterisation of the active substance</i> Hex-3-enyl isovalerate Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 95 % assay Chemical formula: C ₁₁ H ₂₀ O ₂ CAS number: 10032-11-8 FLAVIS No: 09.505 <i>Method of analysis</i> (1) For the determination of hex-3-enyl isovalerate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. The recommended maximum content of the active substance shall be 1 mg/kg of complete feedingstuff with a moisture content of 12 %. 4. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.’ 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixtures and on the labelling of feed materials and compound feedingstuffs, if the content of the active substance in complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

⁽¹⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: <https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports>.