



2026/2046

16.9.2026

COMMISSION IMPLEMENTING REGULATION (EU) 2026/2046

of 14 September 2026

amending Implementing Regulation (EU) 2022/964 as regards administrative and minor changes to the Union authorisation for the biocidal product family ‘SOPUROXID’

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products ⁽¹⁾, and in particular Article 50(2) thereof,

Whereas:

- (1) On 10 June 2022, Commission Implementing Regulation (EU) 2022/964 ⁽²⁾ granted a Union authorisation, under authorisation number EU-0026179-0000, to SOPURA N.V for the making available on the market and use of the biocidal product family ‘SOPUROXID’. The Annex to that Implementing Regulation provides the summary of product characteristics for that biocidal product family.
- (2) Commission Implementing Regulation (EU) No 354/2013 ⁽³⁾ lays down the procedural rules for the different categories of changes referred to in Article 50(3) of Regulation (EU) No 528/2012.
- (3) On 6 August 2025, SOPURA N.V submitted a notification and an application to the European Chemicals Agency (‘the Agency’), in accordance with Article 11(1) and Article 12(1) of Implementing Regulation (EU) No 354/2013, for administrative and minor changes to the Union authorisation for the biocidal product family ‘SOPUROXID’, as referred to in Title 2 of the Annex to that Implementing Regulation. The application was recorded in the Register for Biocidal Products under case number BC-SD109458-37. The proposed minor change to the authorisation for the biocidal product family ‘SOPUROXID’ concerns the removal of the classification as flammable liquid 3 of products in meta SPC 4. The proposed administrative changes to that authorisation concern an amendment to the name and address of the authorisation holder, an amendment to the office address of one biocidal product manufacturer, amendments to the name and office address of one active substance manufacturer and an amendment to the address of one manufacturing location of the active substance.
- (4) On 11 February 2026, the Agency submitted to the Commission, in accordance with Article 12(4) of Implementing Regulation (EU) No 354/2013, an opinion ⁽⁴⁾ on the notified and applied administrative and minor changes to the Union authorisation for the biocidal product family ‘SOPUROXID’ together with a revised SPC and a revised assessment report. The opinion concludes that the proposed changes are administrative and minor changes as referred to in Article 3(1), points (aa) and (ab), of Regulation (EU) No 528/2012 and as specified in Titles 1 and 2 of the Annex to Implementing Regulation (EU) No 354/2013, and that, after the implementation of the changes recommended by the Agency, the conditions of Article 19 of Regulation (EU) No 528/2012 will still be met.

⁽¹⁾ OJ L 167, 27.6.2012, p. 1, ELI: <http://data.europa.eu/eli/reg/2012/528/oj>.

⁽²⁾ Commission Implementing Regulation (EU) 2022/964 of 10 June 2022 granting a Union authorisation for the biocidal product family SOPUROXID (OJ L 166, 22.6.2022, p. 1, ELI: http://data.europa.eu/eli/reg_impl/2022/964/oj).

⁽³⁾ Commission Implementing Regulation (EU) No 354/2013 of 18 April 2013 on changes of biocidal products authorised in accordance with Regulation (EU) No 528/2012 of the European Parliament and of the Council (OJ L 109, 19.4.2013, p. 4, ELI: http://data.europa.eu/eli/reg_impl/2013/354/oj).

⁽⁴⁾ ECHA Biocidal Products Committee (BPC) opinion on the minor change to the Union authorisation of the biocidal product family ‘SOPUROXID’ ECHA/BPC/516/2026 of 11 February 2026. <https://echa.europa.eu/opinions-on-union-authorisation>.

- (5) On 27 February 2026, the Agency transmitted to the Commission the revised summary of the product characteristics of the Union authorisation for the biocidal product family 'SOPUROXID' in all official languages of the Union, covering the administrative and minor changes recommended by the Agency, in accordance Article 12(6) of Implementing Regulation (EU) No 354/2013.
- (6) The Commission concurs with the opinion of the Agency and therefore considers it appropriate to amend the Union authorisation for the biocidal product family 'SOPUROXID' to introduce the administrative and minor changes recommended by the Agency.
- (7) In order to enhance clarity and to ease the access of users and interested parties to the consolidated version of the summary of product characteristics which is to be published by the Agency, the Annex to Implementing Regulation (EU) 2022/964 should be replaced in its entirety.
- (8) Implementing Regulation (EU) 2022/964 should therefore be amended accordingly,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Implementing Regulation (EU) 2022/964 is replaced by the text in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 14 September 2026.

For the Commission
The President
Ursula VON DER LEYEN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT FAMILY

SOPUROXID

Product type(s)

PT02: Disinfectants and algacides not intended for direct application to humans or animals

PT03: Veterinary hygiene

PT04: Food and feed area

Authorisation number EU-0026179-0000**R4BP asset number** EU-0026179-0000

PART I

FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. Family name

Name	SOPUROXID
------	-----------

1.2. Product type(s)

Product type(s)	PT02: Disinfectants and algacides not intended for direct application to humans or animals PT03: Veterinary hygiene PT04: Food and feed area
-----------------	--

1.3. Authorisation holder

Name and address of the authorisation holder	Name	SOPURA
	Address	Parc paysager de Tyberchamps 14 - 7180 SENEFFE BE
Authorisation number	EU-0026179-0000	
R4BP asset number	EU-0026179-0000	
Date of the authorisation	12.7.2022	
Expiry date of the authorisation	30.6.2032	

1.4. **Manufacturer(s) of the product**

Name of manufacturer	SOPURA
Address of manufacturer	Parc paysager de Tyberchamps 14 7180 SENEFFE Belgium
Location of manufacturing sites	SOPURA Parc Paysager de Tyberchamps 14 7180 SENEFFE Belgium
Name of manufacturer	SOPURA QUIMICA
Address of manufacturer	Poligon "La Canaleta", Avinguda Júpter 7 25300 TARREGA Spain
Location of manufacturing sites	SOPURA QUIMICA site 1 Poligon 'La Canaleta', Avinguda Júpter 7 25300 TARREGA Spain
Name of manufacturer	HYPRED SAS (KERSIA Group)
Address of manufacturer	55, Boulevard Jules Verger (BP 10180) 35803 DINARD France
Location of manufacturing sites	HYPRED SAS (KERSIA Group) site 1 55, Boulevard Jules Verger (BP 10180) 35803 DINARD France HYPRED SAS (KERSIA Group) site 2 Niepruszewo, ul. Kasztanowa 64-320 Buk Poland

1.5. **Manufacturer(s) of the active substance(s)**

Active substance	Peracetic acid
Name of manufacturer	SOPURA
Address of manufacturer	Parc paysager de Tyberchamps 14 7180 SENEFFE Belgium
Location of manufacturing sites	SOPURA N.V. site 1 Rue de Trazegnies 199 6180 Courcelles Belgium
Active substance	Peracetic acid
Name of manufacturer	SOPURA QUIMICA
Address of manufacturer	Poligon "La Canaleta", Avinguda Júpter 7 25300 TARREGA Spain
Location of manufacturing sites	SOPURA QUIMICA site 1 Poligon "La Canaleta", Avinguda Júpter 7 25300 TARREGA Spain

Active substance	Peracetic acid
Name of manufacturer	HYPRED SAS (KERSIA Group)
Address of manufacturer	55, Boulevard Jules Verger (BP 10180) 35803 DINARD France
Location of manufacturing sites	HYPRED SAS (KERSIA Group) site 1 55, Boulevard Jules Verger (BP 10180) 35803 DINARD France

Active substance	Peracetic acid
Name of manufacturer	HYPRED SAS - KERSIA Group
Address of manufacturer	55, Boulevard Jules Verger - BP10180 35803 DINARD France
Location of manufacturing sites	KERSIA POLSKA Sp.z.o.o Niepruszewo, ul. Kasztanowa 64320 BUK Poland

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	3,2 - 15 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	16,5 - 23,5 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	5,5 - 16,7 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,2 - 24,04 % (w/w)

2.2. Type(s) of formulation

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

PART II

SECOND INFORMATION LEVEL META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

Identifier	Meta SPC: Meta SPC1
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-1
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algacides not intended for direct application to humans or animals PT03: Veterinary hygiene PT04: Food and feed area
-----------------	--

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	5 - 5 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	16,5 - 22 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	5,5 - 9,55 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,2 - 24,04 % (w/w)

2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	H272: May intensify fire; oxidiser. H290: May be corrosive to metals. H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves. P280: Wear eye protection. P280: Wear face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P221: Take any precaution to avoid mixing with combustibles... P261: Avoid breathing vapours. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P321: Specific treatment (see information on this label). P330: Rinse mouth. P363: Wash contaminated clothing before reuse. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352: IF ON SKIN: Wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P405: Store locked up. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents in accordance with local/regional/national/international regulations.. P280: Wear protective clothing. P501: Dispose of container in accordance with local/regional/national/international regulations.. P235: Keep cool. P273: Avoid release to the environment. P391: Collect spillage. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P261: Avoid breathing spray. P260: Do not breathe spray. P260: Do not breathe vapours.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Disinfection of surfaces in industrial, public and non-medical healthcare areas – manual treatment (mopping)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: No data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In Industrial, public and non-medical healthcare areas. : Disinfection of hard/non-porous surfaces by manual treatment (mopping) with prior cleaning
Application method(s)	Method: Manual treatment (mopping). Detailed description: Diluted product is applied by mopping with the appropriate tool (e.g. flat mop or cleaning cloths). After application, the diluted product is drained.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: Non-medical healthcare areas With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) at Room Temperature in 5 min contact time. Application rate: 20 mL/m ² Use other than in HEALTHCARE With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Application rate: 30 mL/m ² Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.1.1. Use-specific instructions for use

Items to be disinfected by mopping have to stay sufficiently wet during the required contact time to allow optimal disinfection.

4.1.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing and loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Re-entry is only permitted once the air concentrations of peracetic acid and hydrogen peroxide have dropped below the respective reference values (AEC). After the application, the room must be ventilated, preferably by mechanical ventilation. The duration of the ventilation period has to be established by measurement with suitable measurement equipment (specified by the authorization holder).

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.2. **Use description**

Table 2

Disinfection of surfaces in industrial, public and non-medical healthcare areas – manual treatment (spraying)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In Industrial, public and non-medical healthcare areas : Disinfection of hard/non-porous surfaces by manual treatment (spraying) with prior cleaning
Application method(s)	Method: Manual treatment (spraying) Detailed description: Diluted product is applied by spraying using a small spraying can

Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: Non-medical healthcare areas: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) at Room Temperature in 5 min contact time. Application rate: 20 mL/m ² . Use other than in HEALTHCARE With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Application rate: 30 mL/m ² . Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.2.1. *Use-specific instructions for use*

See general directions for use

4.2.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.2.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.2.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.2.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.3. Use description

Table 3

Clean in Place (CIP) in the pharmaceutical and cosmetic industry

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In pharmaceutical and cosmetic industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: By CIP procedure Detailed description: Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions. ###
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,032 % PAA (Dilution of the product at 0,64 % i.e. 640 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.3.1. Use-specific instructions for use

See general directions for use

4.3.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Rinse the pump and disconnect it from the installation before maintenance.

- 4.3.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.3.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.3.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.4. **Use description**

Table 4

Surface disinfection in greenhouses via spraying by user with personal enclosure (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In greenhouses : Disinfection of hard/non-porous surfaces by spraying
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions via a spraying device The user is present, seated in a personal enclosure/ in a closed cabin (ex. tractor equipped with a spraying/foaming device)
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

- 4.4.1. *Use-specific instructions for use*

See general directions for use

4.4.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing & loading phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.4.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.4.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.4.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.5. **Use description**

Table 5

Surface disinfection in greenhouses via spraying by user without personal enclosure (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In greenhouses : Disinfection of hard/non-porous surfaces by spraying
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions via a spraying device.

Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.5.1. *Use-specific instructions for use*

See general directions for use

4.5.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.5.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.5.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.5.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.6. Use description

Table 6

Disinfection of agriculture & horticulture equipment by soaking (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas : Disinfection of hard/non-porous surfaces/equipment (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning.
Application method(s)	Method: open system: immersion Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.6.1. Use-specific instructions for use

See general directions for use

4.6.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

- 4.6.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.6.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.6.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.7. Use description

Table 7

Disinfection of surfaces and agriculture/horticulture equipment by spraying (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas : Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: open system: spray treatment Detailed description: The diluted product is manually sprayed on the surfaces/ equipment using spraying equipment. Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional

Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.
-----------------------------------	---

4.7.1. *Use-specific instructions for use*

See general directions for use

4.7.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.7.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.7.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.7.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.8. **Use description**

Table 8

Disinfection of surfaces and agriculture/horticulture equipment by automatic spraying (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data

Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is applied by spraying in an automated way Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.8.1. *Use-specific instructions for use*

See general directions for use

4.8.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.8.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.8.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.8.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.9. Use description

Table 9

Disinfection of surfaces and agriculture/horticulture equipment by automatic spraying (closed room) (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: By spraying. Detailed description: Diluted product is applied by spraying in an automated way without any operator being present.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.9.1. Use-specific instructions for use

See general directions for use

4.9.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

- 4.9.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.9.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.9.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.10. **Use description**

Table 10

Disinfection of animal housing – via low-pressure spraying by user with personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is automatically applied in all directions by low-pressure manual spraying via a spraying device. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device).
Application rate(s) and frequency	Application Rate: Between 20 and 300 mL/m ² Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional

Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.
-----------------------------------	---

4.10.1. *Use-specific instructions for use*

It has to be assured that animals are not present when treatment takes place.

4.10.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.10.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.10.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.10.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.11. **Use description**

Table 11

Disinfection of animal housing via low-pressure manual spraying by user without personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	.

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions by low-pressure automatic spraying via a spraying device.
Application rate(s) and frequency	Application Rate: Between 20 and 300 mL/m ² Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.11.1. Use-specific instructions for use

It has to be assured that animals are not present when treatment takes place.

4.11.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.11.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.11.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.11.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.12. Use description

Table 12

Disinfection of boots in footbaths in animal housing/husbandries

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing/husbandries: Disinfection of boots by dipping (not for walk-through) with prior cleaning.
Application method(s)	Method: Dipping Detailed description: Diluted product is put in the footbath No rinse needed
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.12.1. *Use-specific instructions for use*

See general directions for use

4.12.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.12.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.12.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.12.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.13. **Use description**

Table 13

Disinfection of equipment by dipping

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Disinfection of hard/non-porous surfaces/equipment (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning

Application method(s)	Method: Soaking. Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected.
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.13.1. *Use-specific instructions for use*

See general directions for use

4.13.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

4.13.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.13.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.13.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.14. Use description

Table 14

Disinfection in Aseptic Filling Lines (crown corks, cheese moulds and food crates) - Automated spraying closed systems

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food and beverage industry : Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is sprayed on the surfaces in an automated way without any operator being present
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.14.1. Use-specific instructions for use

See general directions for use

4.14.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.14.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.14.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.14.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.15. **Use description**

Table 15

Disinfection of equipment in the food and beverage industry by immersion

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data

Field(s) of use	Indoor use In food and beverage industry: Disinfection of hard/non-porous surfaces (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning
Application method(s)	Method: Soaking. Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.15.1. Use-specific instructions for use

See general directions for use

4.15.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.15.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.15.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.15.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.16. **Use description**

Table 16

Disinfection of heat and ion exchangers, membrane filters and glass and PET bottles – CIP procedures

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food and beverage industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: closed system Detailed description: Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 %

	i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.16.1. *Use-specific instructions for use*

See general directions for use

4.16.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Rinse the pump and disconnect it from the installation before maintenance

4.16.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.16.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.16.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.17. **Use description**

Table 17

Disinfection of surfaces and equipment by low pressure spraying – spraying with personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is automatically applied in all directions by low-pressure spraying via a spraying deviceThe user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device).
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.17.1. Use-specific instructions for use

See general directions for use

4.17.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.17.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.17.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.17.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.18. **Use description**

Table 18

Disinfection of surfaces and equipment by low pressure spraying – spraying without personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: # # Diluted product is automatically applied in all directions by low-pressure spraying via a spraying device.

Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.18.1. *Use-specific instructions for use*

See general directions for use

4.18.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.18.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.18.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.18.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.19. Use description

Table 19

Disinfection of surfaces and equipment by low pressure spraying, manually

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: Manual application - spraying. Detailed description: Diluted product is manually applied by low-pressure spraying, only downwards and horizontal.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.19.1. Use-specific instructions for use

See general directions for use

4.19.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.19.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.19.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.19.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.20. **Use description**

Table 20

Disinfection of surfaces and equipment by low pressure spraying, automatically

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning

Application method(s)	Method: spraying Detailed description: The diluted product is sprayed on the equipment, on conveyor belt, automatically. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device). Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.20.1. Use-specific instructions for use

See general directions for use

4.20.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

RPE are not mandatory during the application phase, on the condition that the operator remains in the control room and do not enter the treated area.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.20.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.20.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.20.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.21. Use description

Table 21

Disinfection of surfaces and equipment by low pressure spraying – automatic spraying (closed room)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning.
Application method(s)	Method: spraying Detailed description: The diluted solution is sprayed on the surfaces in an automated way without any user being present.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.21.1. *Use-specific instructions for use*

See general directions for use

4.21.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) is not mandatory during the application phase, on condition that the operator do not enter the treated area and remains in the control room.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

The treated surface should not be allowed to dry prior to rinsing.

4.21.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.21.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.21.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.22. **Use description**

Table 22

Disinfection of inner surfaces (pipelines, tanks, vessels, ...) by CIP

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: closed system Detailed description: Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,96 % i.e. 960 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 1,28 % i.e. 1 280 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature. For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.22.1. Use-specific instructions for use

See general directions for use

4.22.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading phase.

Respiratory protection:

Rinse the pump and disconnect it from the installation before maintenance.

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

4.22.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.22.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.22.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.23. Use description

Table 23

Disinfection of water used for rinsing of recycled items during the washing process

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of water (in clean conditions) used for rinsing of recycled items = Water from drinking water quality shortly stored in tanks until use to rinse items such as bottles. The water should be disinfected to avoid recontamination and in a extent to avoid cross-contamination of inner bottle surfaces.
Application method(s)	Method: closed system Detailed description: Concentrated product will be pumped into a reservoir from which it is continuously dosed into the water stream. Dilution of the product to the intended in-use concentration occurs in the water stream. This application is a closed, automated process.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,008 % PAA (Dilution of the product at 0.16 % i.e. 160 mL / 100 L) at Room Temperature in 15 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.23.1. *Use-specific instructions for use*

See general directions for use

4.23.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection: Not mandatory.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

4.23.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.23.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.23.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. **GENERAL DIRECTIONS FOR USE OF THE META SPC 1**

5.1. **Instructions for use**

1. All the surfaces to be disinfected must be cleaned before the disinfection procedure
2. Disinfection cycle :
 - Products must be diluted in potable water before use.
 - Dilution rate & contact time depends on the use considered. Please refer to the description of application method related to each use.
 - Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces are rinsed with water and the water is drained into the sewer system. For exceptions, please refer to the description of application method related to each use.

Only for use in areas that are inaccessible to the general public and companion animals.

No access for the general public during treatment.

Disinfection procedures **by CIP**: Final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.

Disinfection procedures **by dipping**: The bath is not intended to be re-used. Use the bath only once a day after work & replace it by a fresh solution daily.

Disinfection procedures **by spraying**: the surfaces to be disinfected must be wet enough in order to keep them wet during the required contact time for optimal disinfection. Then, the user should pay attention to wet surfaces completely with the disinfectant solution.

The Application Rate for spraying of diluted product must be between 20 and 30 mL/m².

5.2. Risk mitigation measures

Dermal protection:

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

A protective coverall which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Indirect effects

The two theoretical products are oxidising agents and reactive. In case of thermal decomposition steam and oxygen will be released as decomposition products. The release of oxygen may support combustion.

Also, contact with impurities, decomposition catalysts, metallic salts, alkalis, reducing agents may lead to self-accelerated, exothermic decomposition and the formation of oxygen.

In case of decomposition of the products in confined spaces and pipers, there is a risk of overpressure and burst.

First aid measures

General advice

Move out of dangerous area.

Take care of your own personal safety.

Take off immediately all contaminated clothing.

Inhalation

Take affected persons out into the fresh air.

Possible discomfort: Irritates skin and mucous linings of the eyes and respiratory tract and cough.

If breathing difficulties occur (e.g. severe continual coughing): Keep patient half sitting with upper body raised; keep warm and in a quiet place; call a physician immediately.

Skin contact

After contact with skin, wash immediately with plenty of water.

Consult a physician.

Take off immediately all contaminated clothing.

Immediately rinse contaminated or saturated clothing with water.

Eye contact

With eye held open, thoroughly rinse immediately with plenty of water for at least 10 minutes.

Protect unharmed eye.

Continue rinsing process with eye rinsing solution.

Call ambulance (caustic burn of the eyes)

Immediate further treatment in ophthalmic hospital/ophthalmologist.

Continue rinsing eye until arrival at ophthalmic hospital.

Ingestion

Do not induce vomiting.

Danger of penetration of the lungs (danger to breathing) when swallowed or vomited, due to gas evolution and foam formation.

Only when patient fully conscious: have the mouth rinsed with water; have the patient drink plenty of water in small sips; keep patient warm and at rest.

Notify ambulance immediately (key word: acid burn).

Notes to physician

Therapy as for chemical burn.

Following inhalation:

Formation of a toxic lung oedema is possible if product continues to be inhaled despite acute irritative effect (e.g. if it is not possible to leave the danger area).

Prophylaxis of a toxic lung oedema with inhalative steroids (dosing spray, e.g. auxilosone).

If substance has been swallowed:

Aspiration hazard.

Risk of gaseous embolisms.

In case of excessive strain on the stomach due to gas evolution, insert siphon tube.

Early endoscopy in order to assess mucosa lesions in the oesophagus and stomach which may appear.

If necessary, suck away leftover substance.

Do not administer activated charcoal, since risk of release of large amounts of gas from hydrogen peroxide.

Emergency measures to protect the environment

Observe regulations on prevention of water pollution (collect, dam up, cover up).

Do not allow to run into water channels, surface water or into the ground.

Methods for cleaning up

Clean contaminated surface thoroughly; recommended cleaning agent is water.

In case of small spills, dilute product with lots of water and rinse away or absorb product with liquid-binding material, e.g. chemi-sorption, diatomaceous earth, universal binder. Do not use textiles, saw dust, combustible substances. After binding, pick up mechanically and collect in suitable containers. Dispose of absorbed material in accordance with the regulations.

Additional advice

Make safe or remove all sources of ignition.

Isolate defective containers immediately, if possible and safe to do.

Shut off leak, if possible and safe to do.

Place defective containers in waste receptacle (waste packaging receptacle) made of plastic (not metal).

Do not seal defective containers or waste receptacles airtight (danger of bursting due to product decomposition).

Product taken out should not be returned into container.

Never return spilled product into its original container for re-use (risk of decomposition).

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains

Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original packaging tightly closed in a cool and well-ventilated place. Keep products away from direct sunlight, source of heat and ignition.

The shelf life of the biocidal product is 6 months.

The products must be stored at temperatures below +30 °C.

6. OTHER INFORMATION

Reference values of peracetic acid and hydrogen peroxide used for the risk assessment :

PAA: AEC_{inhal} = 0,5 mg/m³

HP: AEC_{inhal} = 1,25 mg/m³

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	PERA-OXI 5	Market area: EU			
	HORTIOXID 5	Market area: EU			
	HORTICLEAN 5	Market area: EU			
	SOPUROXID 5	Market area: EU			
	HyPro Biocide 5-22	Market area: EU			
	AGRIOXID 5	Market area: EU			
	TECMA OXI PB	Market area: EU			
Authorisation number		EU-0026179-0001 1-1			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	5 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	22 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	9,55 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,2 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)			SOPUROXID 5C	Market area: EU		
			DEPTIL TR 5	Market area: EU		
			DIS OXI-5+	Market area: EU		
			ANTI-GERM DES OXI-50 TC	Market area: EU		
			Peracid ATR +	Market area: EU		
			FOR-Acid TR +	Market area: EU		
			X-CID TR 50 +	Market area: EU		
Authorisation number			EU-0026179-0002 1-1			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Peracetic acid		Active substance	79-21-0	201-186-8	5 % (w/w)	
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	16,5 % (w/w)	
Acetic acid		Non-active substance	64-19-7	200-580-7	5,8 % (w/w)	
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	24,04 % (w/w)	

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

Identifier	Meta SPC: Meta SPC2
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-2
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algacides not intended for direct application to humans or animals PT03: Veterinary hygiene PT04: Food and feed area
-----------------	--

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	3,2 - 3,2 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	23,5 - 23,5 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	6,45 - 7,5 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,8 - 1 % (w/w)

2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	H272: May intensify fire; oxidiser. H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects. H302+H312: Harmful if swallowed or in contact with skin.
Precautionary statements	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P280: Wear eye protection. P280: Wear protective gloves. P221: Take any precaution to avoid mixing with combustibles... P261: Avoid breathing vapours. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P321: Specific treatment (see information on this label). P330: Rinse mouth. P363: Wash contaminated clothing before reuse. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

	P302+P352: IF ON SKIN: Wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P362+P364: Take off contaminated clothing and wash it before reuse. P405: Store locked up. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents in accordance with local/regional/national/international regulations.. P280: Wear protective clothing. P501: Dispose of container in accordance with local/regional/national/international regulations. P235: Keep cool. P273: Avoid release to the environment. P391: Collect spillage. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P261: Avoid breathing spray. P260: Do not breathe spray. P260: Do not breathe vapours.
--	--

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Room Disinfection by fogging – In industrial, public and non-medical healthcare areas. (pharmaceutical and cosmetic industry)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data
Field(s) of use	Indoor use In industrial, public and non-medical healthcare areas. : Disinfection of hard/non-porous surfaces by fogging.
Application method(s)	Method: fogging Detailed description: By fogging with the diluted product

Application rate(s) and frequency	Application Rate: - Active against bacteria (including bacterial spores) and yeasts : With 5,6 mL/m ³ (Dilution of the product at 40 % i.e. 40 L / 100 L i.e. 1,28 % PAA) at Room Temperature in 2h contact time (after diffusion) Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.1.1. *Use-specific instructions for use*

See general directions for use

4.1.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.2. Use description

Table 2

Room Disinfection by fogging – In agriculture & horticulture areas (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces by fogging with prior cleaning
Application method(s)	Method: fogging Detailed description: By fogging with the diluted product
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 5,6 mL/m ³ (Dilution of the product at 40 % i.e. 40 L / 100 L i.e. 1,28 % PAA) at Room Temperature in 2h contact time (after diffusion) Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.2.1. Use-specific instructions for use

See general directions for use

4.2.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.2.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.2.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.2.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.3. **Use description**

Table 3

Room Disinfection by fogging – In animal housing

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In animal housing: Disinfection of hard/non-porous surfaces by fogging with prior cleaning
Application method(s)	Method: fogging Detailed description: By fogging with the diluted product
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts : With 5,6 mL/m ³ (Dilution of the product at 40 % i.e. 40 L / 100 L i.e. 1,28 % PAA) at Room Temperature in 2h contact time (after diffusion) Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

- 4.3.1. *Use-specific instructions for use*

See general directions for use

4.3.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.3.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.3.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.3.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.4. **Use description**

Table 4

Room Disinfection by fogging – In storage rooms with special device in storage cellar or room

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data
Field(s) of use	Indoor use In food/feed areas (storage rooms) : Disinfection of hard/non-porous surfaces by fogging.

Application method(s)	Method: fogging Detailed description: By fogging with the diluted product
Application rate(s) and frequency	Application Rate: - Active against bacteria (including bacterial spores) and yeasts With 5,6 mL/m ³ (Dilution of the product at 40 % i.e. 40 L / 100 L i.e. 1,28 % PAA) at Room Temperature in 2h contact time (after diffusion) Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.4.1. *Use-specific instructions for use*

See general directions for use

4.4.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.4.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.4.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.4.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

1. All the surfaces to be disinfected must be cleaned before the disinfection procedure.
For exceptions, please refer to the description of application method related to each use.
2. Disinfection cycle:
 - Products must be diluted in potable water before use.
 - Dilution rate & contact time depends on the use considered. Please refer to the description of application method related to each use.
 - Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces are rinsed with water and the water is drained into the sewer system. For exceptions, please refer to the description of application method related to each use.

Meta SPC2: Disinfection procedures by fogging

The product SOPUROXID 3.2 is a liquid disinfectant to be applied (after dilution at 40 %) by fogging for airborne surface disinfection and to be used indoor by professional users only.

Always check compatibility of the products with the hard/non-porous surfaces to be disinfected.

The product SOPUROXID 3.2 has been developed and demonstrated as efficacious (via efficacy studies performed according to the NF T 72 281 standard), using one device HYSpray, for rooms with a volume between 30 & 150 m³ (volume per application and per device) with a flow rate of 0,047 mL/min/m³.

The use of other devices is possible. They must be designed to work with PAA-based products and to ensure a fog production able to stay suspended in the air and provided that these devices meet following characteristics :

- (1) Particle (medium droplet) size: between 1 and 15 µm
 - (2) Flow rate: 0,047 mL/min/m³
 - (3) Application rate: 5,6 mL/m³
 - (4) Room volume between 30 and 150 m³ per application and per device (i.e. diffusion time between 5 and 30 min)
- Airborne disinfection should be done only after thorough cleaning and rinsing.

The surfaces to be disinfected should be dried before the disinfection procedure. Please pay attention to open the cupboard doors. Please check the temperature and the relative room humidity (to be set between 40 and 80 %) to obtain an optimal level for the product efficiency.

- The room where the fogging activity takes place is tightly sealed during fogging, no user is present:

Before the start of the disinfection cycle by fogging, the treated room is sealed. All the safety tasks for the implementation of decontamination are entrusted to a user who has completed the necessary training. Among them, first step is shutting down the air handling units and closing the air intake and return, so the product is not spread in the other rooms. The door or doors to the outside of the area are then locked and, if the joints are not tight enough, they are taped to seal. An orange tape, or bright colour, is preferably chosen to attract attention and a sign 'Access ban, room disinfection in progress' is put on. Only for use in areas that are inaccessible to the general public and companion animals.

- The user shall always carry out a microbiological validation of the disinfection in the rooms to be disinfected (or in a suitable 'standard room', if applicable) with the devices to be used, after which a protocol for disinfection of these rooms can be made and used thereafter. Each device or specific installation is systematically validated when it is set up.

5.2. Risk mitigation measures

Dermal protection:

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

A protective coverall which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

+ Additional specific RMM for **fogging** applications:

Only for use in areas that are inaccessible to the general public and companion animals.

- After disinfection product's application by fogging & required contact time for optimal disinfection (2h), the room must be ventilated, preferably by mechanical ventilation at least for 60 min.

The duration of the ventilation period has to be established by measurement with suitable measurement equipment (specified by the authorisation holder within the product information).

- After ventilation, re-entry in the disinfected area is only permitted after the air concentrations of peracetic acid and hydrogen peroxide have been checked and seen as dropped below the respective reference values (AEC):

The air concentration of PAA must have dropped to 0,5 mg/m³.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Indirect effects

The two products are oxidising agents and reactive. In case of thermal decomposition steam and oxygen will be released as decomposition products. The release of oxygen may support combustion.

Also, contact with impurities, decomposition catalysts, metallic salts, alkalis, reducing agents may lead to self-accelerated, exothermic decomposition and the formation of oxygen.

In case of decomposition of the products in confined spaces and pipers, there is a risk of overpressure and burst.

First aid measures

General advice

Move out of dangerous area.

Take care of your own personal safety.

Take off immediately all contaminated clothing.

Inhalation

Take affected persons out into the fresh air.

Possible discomfort: Irritates skin and mucous linings of the eyes and respiratory tract and cough.

If breathing difficulties occur (e.g. severe continual coughing): Keep patient half sitting with upper body raised; keep warm and in a quiet place; call a physician immediately.

Skin contact

After contact with skin, wash immediately with plenty of water.

Consult a physician.

Take off immediately all contaminated clothing.

Immediately rinse contaminated or saturated clothing with water.

Eye contact

With eye held open, thoroughly rinse immediately with plenty of water for at least 10 minutes.

Protect unharmed eye.

Continue rinsing process with eye rinsing solution.

Call ambulance (caustic burn of the eyes)

Immediate further treatment in ophthalmic hospital/ophthalmologist.

Continue rinsing eye until arrival at ophthalmic hospital.

Ingestion

Do not induce vomiting.

Danger of penetration of the lungs (danger to breathing) when swallowed or vomited, due to gas evolution and foam formation.

Only when patient fully conscious: have the mouth rinsed with water; have the patient drink plenty of water in small sips; keep patient warm and at rest.

Notify ambulance immediately (key word: acid burn).

Notes to physician

Therapy as for chemical burn.

Following inhalation:

Formation of a toxic lung oedema is possible if product continues to be inhaled despite acute irritative effect (e.g. if it is not possible to leave the danger area).

Prophylaxis of a toxic lung oedema with inhalative steroids (dosing spray, e.g. auxilosone).

If substance has been swallowed:

Aspiration hazard.

Risk of gaseous embolisms.

In case of excessive strain on the stomach due to gas evolution, insert siphon tube.

Early endoscopy in order to assess mucosa lesions in the oesophagus and stomach which may appear.

If necessary, suck away leftover substance.

Do not administer activated charcoal, since risk of release of large amounts of gas from hydrogen peroxide.

Emergency measures to protect the environment

Observe regulations on prevention of water pollution (collect, dam up, cover up).

Do not allow to run into water channels, surface water or into the ground.

Methods for cleaning up

Clean contaminated surface thoroughly; recommended cleaning agent is water.

In case of small spills, dilute product with lots of water and rinse away or absorb product with liquid-binding material, e.g. chemi-sorption, diatomaceous earth, universal binder. Do not use textiles, saw dust, combustible substances. After binding, pick up mechanically and collect in suitable containers. Dispose of absorbed material in accordance with the regulations.

Additional advice

Make safe or remove all sources of ignition.

Isolate defective containers immediately, if possible and safe to do.

Shut off leak, if possible and safe to do.

Place defective containers in waste receptacle (waste packaging receptacle) made of plastic (not metal).

Do not seal defective containers or waste receptacles airtight (danger of bursting due to product decomposition).

Product taken out should not be returned into container.

Never return spilled product into its original container for re-use (risk of decomposition).

5.4. **Instructions for safe disposal of the product and its packaging**

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains

Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. **Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep only in the original packaging tightly closed in a cool and well-ventilated place Keep products away from direct sunlight, source of heat and ignition

The shelf life of the biocidal product is 6 months.

The products must be stored at temperatures below +30 °C.

6. **OTHER INFORMATION**

Reference values of peracetic acid and hydrogen peroxide used for the risk assessment:

PAA: AECinhal = 0,5 mg/m³

HP: AECinhal = 1,25 mg/m³

7. **THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2**

7.1. **Trade name(s), authorisation number and specific composition of each individual product**

Trade name(s)	OXI-SURF 3.2	Market area: EU
	AGRIOXID AIR	Market area: EU
	SOPUROXID AIR	Market area: EU
	HORTIOXID AIR	Market area: EU
	HORTIOXID 3.2	Market area: EU
	HORTICLEAN 3.2	Market area: EU
	SOPUROXID 3.2	Market area: EU
	HyPro Biocide 3.2-23	Market area: EU
Authorisation number	EU-0026179-0003 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	3,2 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	23,5 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	6,45 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,8 % (w/w)

1. META SPC 3 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 3 identifier

Identifier	Meta SPC: Meta SPC3
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-3
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algacides not intended for direct application to humans or animals PT03: Veterinary hygiene PT04: Food and feed area
-----------------	--

2. META SPC 3 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	3,2 - 3,2 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	23,5 - 23,5 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	5,5 - 7,1 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,6 - 1 % (w/w)

2.2. Type(s) of formulation of the meta SPC 3

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 3

Hazard statements	H272: May intensify fire; oxidiser. H290: May be corrosive to metals. H302+H312: Harmful if swallowed or in contact with skin. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves. P280: Wear face protection. P280: Wear eye protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P221: Take any precaution to avoid mixing with combustibles. P261: Avoid breathing vapours. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P321: Specific treatment (see information on this label). P330: Rinse mouth. P363: Wash contaminated clothing before reuse. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352: IF ON SKIN: Wash with plenty of water. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P405: Store locked up. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents in accordance with local/regional/national/international regulations.. P280: Wear protective clothing. P501: Dispose of container in accordance with local/regional/national/international regulations.. P235: Keep cool. P273: Avoid release to the environment. P391: Collect spillage. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P261: Avoid breathing spray. P260: Do not breathe vapours. P260: Do not breathe vapours.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Disinfection of surfaces in industrial, public and non-medical healthcare areas. – foam application on surfaces

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In industrial, public and non-medical healthcare areas. : Disinfection of hard/non-porous surfaces by foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: By foaming via a small foaming can with the diluted product
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: Non-medical healthcare areas With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) at Room Temperature in 5 min contact time. Application rate: 20 mL/m ² Use other than in HEALTHCARE With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Application rate: 30 mL/m ² Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.1.1. Use-specific instructions for use

See general directions for use

4.1.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.2. **Use description**

Table 2

Disinfection of surfaces and agriculture/horticulture equipment by foaming, manually (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algicides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	..
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: By foaming via a small foaming can with the diluted product Foaming is only applied downwards and in a horizontal direction.

Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.2.1. *Use-specific instructions for use*

See general directions for use

4.2.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.2.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.2.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.2.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.3. Use description

Table 3

Disinfection of surfaces and agriculture/horticulture equipment by automatic foaming (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by automatic foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: The diluted product is foamed on the equipment in an automated way while the user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device). Foaming is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.3.1. Use-specific instructions for use

See general directions for use

4.3.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

- 4.3.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.3.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.3.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.4. Use description

Table 4

Disinfection of surfaces and agriculture/horticulture equipment by automatic foaming (closed rooms) (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	..
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by automatic foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: The diluted product is foamed on the surfaces in an automated way without any user being present.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.4.1. *Use-specific instructions for use*

See general directions for use

4.4.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

4.4.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.4.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.4.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.5. **Use description**

Table 5

Disinfection of animal houses by foaming – foaming with personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing Disinfection of hard/non-porous surfaces by foaming with prior cleaning

Application method(s)	Method: foam application Detailed description: The diluted product is automatically foamed in all directions on the surfaces / walls, via a foaming device. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device)
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 2 % i.e. 2 000 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.5.1. *Use-specific instructions for use*

It has to be assured that animals are not present when treatment takes place.

4.5.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading and of a factor of 10 during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.5.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.5.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.5.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.6. Use description

Table 6

Disinfection of animal houses by foaming – foaming without personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing Disinfection of hard/non-porous surfaces by foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: The diluted product is automatically foamed on the surfaces / walls, in all directions, via a foaming device.
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 2 % i.e. 2 000 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.6.1. Use-specific instructions for use

It has to be assured that animals are not present when treatment takes place.

4.6.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.6.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.6.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.6.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.7. **Use description**

Table 7

Disinfection of surfaces by foaming – foaming with personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces by foaming with prior cleaning

Application method(s)	Method: foam application Detailed description: The diluted product is automatically foamed on the surfaces / walls, in all directions, via a foaming device. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device)
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria & yeasts: With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Against bacteria (including bacterial spores), yeasts and viruses (including bacteriophages): With 0,064 % PAA (Dilution of the product at 2 % i.e. 2 000 mL / 100 L) at Room Temperature in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.7.1. Use-specific instructions for use

See general directions for use

4.7.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Respiratory protection with an APF of 10 is required during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.7.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.7.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.7.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.8. **Use description**

Table 8

Disinfection of surfaces by foaming – without personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use Indoor – In food industry: Disinfection of hard/non-porous surfaces by foaming with prior cleaning
Application method(s)	Method: foam application Detailed description: The diluted product is automatically foamed on the surfaces / walls, in all directions, via a foaming device.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria & yeasts: With 0,048 % PAA (Dilution of the product at 1,5 % i.e. 1 500 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Against bacteria (including bacterial spores), yeasts and viruses (including bacteriophages): With 0,064 % PAA (Dilution of the product at 2 % i.e. 2 000 mL / 100 L) at Room Temperature in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.8.1. *Use-specific instructions for use*

See general directions for use

4.8.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.8.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.8.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.8.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. **GENERAL DIRECTIONS FOR USE OF THE META SPC 3**

5.1. **Instructions for use**

1. All the surfaces to be disinfected must be cleaned before the disinfection procedure

2. Disinfection cycle:

- Products must be diluted in potable water before use.
- Dilution rate & contact time depends on the use considered. Please refer to the description of application method related to each use.
- Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces are rinsed with water and the water is drained into the sewer system. For exceptions, please refer to the description of application method related to each use.

Meta SPC 3: Disinfection procedures by foaming

Only for use in areas that are inaccessible to the general public and companion animals.

No access for the general public during treatment.

The surfaces to be disinfected must be wet enough in order to keep them wet during the required contact time for optimal disinfection. Then, the user should pay attention to wet surfaces completely with the disinfectant solution.

5.2. Risk mitigation measures

Dermal protection:

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

A protective coverall which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Indirect effects

The two products are oxidising agents and reactive. In case of thermal decomposition steam and oxygen will be released as decomposition products. The release of oxygen may support combustion.

Also, contact with impurities, decomposition catalysts, metallic salts, alkalis, reducing agents may lead to self-accelerated, exothermic decomposition and the formation of oxygen.

In case of decomposition of the products in confined spaces and pipers, there is a risk of overpressure and burst.

First aid measures

General advice

Move out of dangerous area.

Take care of your own personal safety.

Take off immediately all contaminated clothing.

Inhalation

Take affected persons out into the fresh air.

Possible discomfort: Irritates skin and mucous linings of the eyes and respiratory tract and cough.

If breathing difficulties occur (e.g. severe continual coughing): Keep patient half sitting with upper body raised; keep warm and in a quiet place; call a physician immediately.

Skin contact

After contact with skin, wash immediately with plenty of water.

Consult a physician.

Take off immediately all contaminated clothing.

Immediately rinse contaminated or saturated clothing with water.

Eye contact

With eye held open, thoroughly rinse immediately with plenty of water for at least 10 minutes.

Protect unharmed eye.

Continue rinsing process with eye rinsing solution.

Call ambulance (caustic burn of the eyes)

Immediate further treatment in ophthalmic hospital/ophthalmologist.

Continue rinsing eye until arrival at ophthalmic hospital.

Ingestion

Do not induce vomiting.

Danger of penetration of the lungs (danger to breathing) when swallowed or vomited, due to gas evolution and foam formation.

Only when patient fully conscious: have the mouth rinsed with water; have the patient drink plenty of water in small sips; keep patient warm and at rest.

Notify ambulance immediately (key word: acid burn).

Notes to physician

Therapy as for chemical burn.

Following inhalation:

Formation of a toxic lung oedema is possible if product continues to be inhaled despite acute irritative effect (e.g. if it is not possible to leave the danger area).

Prophylaxis of a toxic lung oedema with inhalative steroids (dosing spray, e.g. auxilosone).

If substance has been swallowed:

Aspiration hazard.

Risk of gaseous embolisms.

In case of excessive strain on the stomach due to gas evolution, insert siphon tube.

Early endoscopy in order to assess mucosa lesions in the oesophagus and stomach which may appear.

If necessary, suck away leftover substance.

Do not administer activated charcoal, since risk of release of large amounts of gas from hydrogen peroxide.

Emergency measures to protect the environment

Observe regulations on prevention of water pollution (collect, dam up, cover up).

Do not allow to run into water channels, surface water or into the ground.

Methods for cleaning up

Clean contaminated surface thoroughly; recommended cleaning agent is water.

In case of small spills, dilute product with lots of water and rinse away or absorb product with liquid-binding material, e.g. chemi-sorption, diatomaceous earth, universal binder. Do not use textiles, saw dust, combustible substances. After binding, pick up mechanically and collect in suitable containers. Dispose of absorbed material in accordance with the regulations.

Additional advice

Make safe or remove all sources of ignition.

Isolate defective containers immediately, if possible and safe to do.

Shut off leak, if possible and safe to do.

Place defective containers in waste receptacle (waste packaging receptacle) made of plastic (not metal).

Do not seal defective containers or waste receptacles airtight (danger of bursting due to product decomposition).

Product taken out should not be returned into container.

Never return spilled product into its original container for re-use (risk of decomposition).

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains

Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original packaging tightly closed in a cool and well-ventilated place Keep products away from direct sunlight, source of heat and ignition

The shelf life of the biocidal product is 6 months.

The products must be stored at temperatures below +30 °C.

6. OTHER INFORMATION

Reference values of peracetic acid and hydrogen peroxide used for the risk assessment:

PAA: AEC_{inhal} = 0,5 mg/m³

HP: AEC_{inhal} = 1,25 mg/m³

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 3

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)			HORTIFOAM PA	Market area: EU		
			DEPTIL PA VIR	Market area: EU		
			ACIDOFOAM PA 3.2	Market area: EU		
			ACIDOFOAM CF	Market area: EU		
			HyPro Biocide 3.2-23a	Market area: EU		
			TECMA CUAR HPA	Market area: EU		
Authorisation number			EU-0026179-0004 1-3			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Peracetic acid		Active substance	79-21-0	201-186-8	3,2 % (w/w)	
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	23,5 % (w/w)	
Acetic acid		Non-active substance	64-19-7	200-580-7	6,1 % (w/w)	
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,8 % (w/w)	

1. META SPC 4 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 4 identifier

Identifier	Meta SPC: Meta SPC4
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-4
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals PT03: Veterinary hygiene PT04: Food and feed area
-----------------	---

2. META SPC 4 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	15 - 15 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	22 - 22 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	16,7 - 16,7 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,78 - 0,78 % (w/w)

2.2. Type(s) of formulation of the meta SPC 4

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 4

Hazard statements	H242: Heating may cause a fire. H290: May be corrosive to metals. H302+H332: Harmful if swallowed or if inhaled. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects. H311: Toxic in contact with skin.
-------------------	---

Precautionary statements	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves. P280: Wear eye protection. P280: Wear face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P221: Take any precaution to avoid mixing with combustibles... P261: Avoid breathing vapours. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P321: Specific treatment (see information on this label). P330: Rinse mouth. P363: Wash contaminated clothing before reuse. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352: IF ON SKIN: Wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P405: Store locked up. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents local/regional/national/international regulations. P280: Wear protective clothing. P501: Dispose of container local/regional/national/international regulations. P235: Keep cool. P273: Avoid release to the environment. P391: Collect spillage. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P260: Do not breathe spray. P261: Avoid breathing spray. P260: Do not breathe vapours.
--------------------------	---

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Disinfection of surfaces in industrial, public and non-medical healthcare areas – manual treatment (mopping)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: No data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In Industrial, public and non-medical healthcare areas: Disinfection of hard/non-porous surfaces by manual treatment (mopping) with prior cleaning
Application method(s)	Method: Manual treatment (mopping). Detailed description: Diluted product is applied by mopping with the appropriate tool (e.g. flat mops or cleaning cloths). After application, the diluted product is drained.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: Non-medical healthcare areas With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) at Room Temperature in 5 min contact time. Application rate: 20 mL/m ² . Use other than in HEALTHCARE With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Application rate: 30 mL/m ² . Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.1.1. Use-specific instructions for use

Items to be disinfected by mopping have to stay sufficiently wet during the required contact time to allow optimal disinfection.

4.1.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry is only permitted once the air concentrations of peracetic acid and hydrogen peroxide have dropped below the respective reference values (AEC). After the application, the room must be ventilated, preferably by mechanical ventilation. The duration of the ventilation period has to be established by measurement with suitable measurement equipment (specified by authorization holder).

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.2. Use description

Table 2

Disinfection of surfaces in industrial, public and non-medical healthcare areas – manual treatment (spraying)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In Industrial, public and non-medical healthcare areas: Disinfection of hard/non-porous surfaces by manual treatment (spraying) with prior cleaning
Application method(s)	Method: Manual treatment (spraying) Detailed description: Diluted product is applied by spraying using a small spraying can.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: Non-medical healthcare areas With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) at Room Temperature in 5 min contact time. Application rate: 20 mL/m ² . Use other than in HEALTHCARE With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Application rate: 30 mL/m ² . Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.2.1. *Use-specific instructions for use*

See general directions for use

4.2.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.2.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.2.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.2.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.3. **Use description**

Table 3

Clean in Place (CIP) in the pharmaceutical and cosmetic industry

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	.

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In pharmaceutical and cosmetic industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: By CIP procedure Detailed description: ## Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.
Application rate(s) and frequency	Application Rate: - Against bacteria & yeasts: With 0,032 % PAA (Dilution of the product at 0,2133 % i.e. 213,33 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.3.1. Use-specific instructions for use

See general directions for use

4.3.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Rinse the pump and disconnect it from the installation before maintenance.

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.3.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.3.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.4. **Use description**

Table 4

Surface disinfection in greenhouses via spraying by user with personal enclosure (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algicides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In greenhouses: Disinfection of hard/non-porous surfaces by spraying with prior cleaning.
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions by spraying via a spraying device. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device).
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.4.1. *Use-specific instructions for use*

See general directions for use

4.4.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

‘The treated surface should not be allowed to dry prior to rinsing’.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.4.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.4.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.4.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

4.5. Use description

Table 5

Surface disinfection in greenhouses via spraying by user without personal enclosure (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In greenhouses: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions by spraying via a spraying device.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.5.1. *Use-specific instructions for use*

See general directions for use

4.5.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.5.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.5.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.5.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.6. **Use description**

Table 6

Disinfection of agriculture & horticulture equipment by soaking (in absence of plants - for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning
Application method(s)	Method: open system: immersion Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.6.1. *Use-specific instructions for use*

See general directions for use

4.6.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

- 4.6.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.6.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.6.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

- 4.7. **Use description**

Table 7

Disinfection of surfaces and agriculture/horticulture equipment by spraying (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algicides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: open system: spray treatment Detailed description: The diluted product is manually sprayed on the surfaces/equipment using spraying equipment. Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.7.1. *Use-specific instructions for use*

See general directions for use

4.7.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

4.7.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.7.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.7.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.8. **Use description**

Table 8

Disinfection of surfaces and agriculture/horticulture equipment by automatic spraying (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	Not relevant

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is applied by spraying in an automated way Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	Pack sizes and packaging material HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.8.1. Use-specific instructions for use

See general directions for use

4.8.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

4.8.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.8.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.8.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.9. **Use description**

Table 9

Disinfection of surfaces and agriculture/horticulture equipment by automatic spraying (closed room) (in absence of plants – for general hygiene purpose only)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In agriculture/horticulture areas: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: By spraying. Detailed description: Diluted product is applied by spraying in an automated way without any operator being present.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.9.1. *Use-specific instructions for use*

See general directions for use

4.9.2. *Use-specific risk mitigation measures***Dermal protection:**

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

- 4.9.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.9.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.9.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.10. **Use description**

Table 10

Disinfection of animal housing via low-pressure spraying by user with personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is automatically applied in all directions by low-pressure manual spraying via a spraying device. The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device)

Application rate(s) and frequency	Application Rate: Between 20 and 300 mL/m ² Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.10.1. *Use-specific instructions for use*

It has to be assured that animals are not present when treatment takes place.

4.10.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.10.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.10.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.10.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.11. Use description

Table 11

Disinfection of animal housing via low-pressure manual spraying by user without personal enclosure

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use In animal housing: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: open system: spray treatment Detailed description: Diluted product is automatically applied in all directions by low-pressure automatic spraying via a spraying device.
Application rate(s) and frequency	Application Rate: Between 20 and 300 mL/m ² Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.11.1. Use-specific instructions for use

It has to be assured that animals are not present when treatment takes place.

4.11.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Only treatment of empty animal housings. Re-entry of animals only after adequate ventilation and when surfaces are dried.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.11.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.11.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.11.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.12. **Use description**

Table 12

Disinfection of boots in footbaths in animal houses/husbandries

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use in animal housing/husbandries: Disinfection of boots by dipping (not for walk-through) with prior cleaning.
Application method(s)	Method: Dipping Detailed description: Diluted product is put in the footbath No rinse needed
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time. Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.12.1. *Use-specific instructions for use*

See general directions for use

4.12.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.12.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.12.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.12.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.13. **Use description**

Table 13

Disinfection of equipment by dipping

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Disinfection of hard/non-porous surfaces/equipment (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning
Application method(s)	Method: Soaking. Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected
Application rate(s) and frequency	Application Rate: - Against bacteria, yeasts and viruses: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.13.1. Use-specific instructions for use

See general directions for use

4.13.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

4.13.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.13.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.13.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.14. Use description

Table 14

Disinfection in Aseptic Filling Lines (crown corks, cheese moulds and food crates) - Automated spraying closed systems

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food and beverage industry: Disinfection of hard/non-porous surfaces by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is sprayed on the surfaces in an automated way without any user being present.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.14.1. *Use-specific instructions for use*

See general directions for use

4.14.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

4.14.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.14.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.14.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.15. **Use description**

Table 15

Disinfection of equipment in the food and beverage industry by immersion

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food and beverage industry: Disinfection of hard/non-porous surfaces/equipment (small parts such as equipment, spare parts, tools, valves, hoses, ...) by immersion in soaking baths with prior cleaning
Application method(s)	Method: Soaking. Detailed description: The concentrated product is pumped in a soaking bath and diluted to the desired use concentration, before immersion of items to be disinfected.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.15.1. Use-specific instructions for use

See general directions for use

4.15.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the application phase.

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during the post-application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.15.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.15.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.15.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.16. **Use description**

Table 16

Disinfection of heat and ion exchangers, membrane filters and glass and PET bottles – CIP procedures

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data

Field(s) of use	Indoor use In food and beverage industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: closed system Detailed description: Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.16.1. Use-specific instructions for use

See general directions for use

4.16.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Rinse the pump and disconnect it from the installation before maintenance.

4.16.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.16.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.16.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.17. Use description

Table 17

Disinfection of surfaces and equipment by low pressure spraying – spraying with personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is automatically applied in all directions by low-pressure spraying via a spraying device The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device)
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts : With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.17.1. *Use-specific instructions for use*

See general directions for use

4.17.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading and the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

The application should only take place with the user in a personal enclosure and no other person is present.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.17.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.17.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.17.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.18. **Use description**

Table 18

Disinfection of surfaces and equipment by low pressure spraying – spraying without personal enclosure

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	Not relevant

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: Diluted product is automatically applied in all directions by low-pressure spraying via a spraying device.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts: With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.18.1. Use-specific instructions for use

See general directions for use

4.18.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 40 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.18.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.18.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.18.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.19. **Use description**

Table 19

Disinfection of surfaces and equipment by low pressure spraying, manually

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data

Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by low-pressure spraying with prior cleaning
Application method(s)	Method: Manual application - spraying. Detailed description: Diluted product is manually applied by low-pressure spraying, only downwards and horizontal.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m ² - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts : With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.19.1. Use-specific instructions for use

See general directions for use

4.19.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing, loading & application phase.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

Use of respiratory protective equipment (RPE) providing a protection factor of 20 is mandatory during the application phase.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.19.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.19.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.19.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.20. **Use description**

Table 20

Disinfection of surfaces and equipment by low pressure spraying, automatically

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by low-pressure spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: The diluted product is sprayed on the equipment The user is present, seated in a personal enclosure/in a closed cabin (ex. tractor equipped with a spraying/foaming device). Spraying is only applied downwards and in a horizontal direction.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m² - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts : With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.20.1. *Use-specific instructions for use*

See general directions for use

4.20.2. *Use-specific risk mitigation measures*

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

RPE are not mandatory during the application phase, on the condition that the user remains in the control room and do not enter the treated area.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

The application is automatic and should only take place when no one is present in the treated area.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

4.20.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.20.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.20.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.21. **Use description**

Table 21

Disinfection of surfaces and equipment by low pressure spraying – automatic spraying (closed room)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of hard/non-porous surfaces/equipment by low-pressure spraying with prior cleaning
Application method(s)	Method: spraying Detailed description: The diluted solution is sprayed on the surfaces in an automated way without any user being present.
Application rate(s) and frequency	Application Rate: Between 20 and 200 mL/m² - Against bacteria and yeasts: With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts : With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.21.1. Use-specific instructions for use

See general directions for use

4.21.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory during mixing and loading.

RPE are not mandatory during the application phase, on the condition that the user remains in the control room and do not enter the treated area.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

'The treated surface should not be allowed to dry prior to rinsing'.

Re-entry of the general public only when surfaces are dried and after sufficient ventilation.

- 4.21.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

- 4.21.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

- 4.21.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.22. **Use description**

Table 22

Disinfection of inner surfaces (pipelines, tanks, vessels, ...) by CIP

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacterial spores Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data Scientific name: no data Common name: Bacteriophages Development stage: no data

Field(s) of use	indoor use In food industry: Disinfection of hard/non-porous surfaces by CIP procedures (with circulation) with prior cleaning
Application method(s)	Method: closed system Detailed description: Diluted product does automatically circulate from the CIP holding tanks through closed pipework and installations. After the disinfection procedure, the vessels (pipework and tanks) are drained and rinsed with water under closed system conditions.
Application rate(s) and frequency	Application Rate: - - Against bacteria and yeasts : With 0,048 % PAA (Dilution of the product at 0,32 % i.e. 320 mL / 100 L) in 15 min contact time, efficient use temperature from +4 °C up to Room Temperature - Against bacteria (including bacterial spores) and yeasts : With 0,064 % PAA (Dilution of the product at 0,42 % i.e. 426,6 mL / 100 L) in 60 min contact time, efficient use temperature from +4 °C up to Room Temperature For additional activity against viruses (including bacteriophages): the product should be used at Room Temperature. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.22.1. Use-specific instructions for use

See general directions for use

4.22.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

Rinse the pump and disconnect it from the installation before maintenance.

4.22.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.22.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.22.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

4.23. Use description

Table 23

Disinfection of water used for rinsing of recycled items during the washing process

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	.
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use In food industry: Disinfection of water (in clean conditions) used for rinsing of recycled items = Water from drinking water quality shortly stored in tanks until use to rinse items such as bottles. The water should be disinfected to avoid recontamination and in a extent to avoid cross-contamination of inner bottle surfaces
Application method(s)	Method: closed system Detailed description: Concentrated product will be pumped into a reservoir from which it is continuously dosed into the water stream. Dilution of the product to the intended in-use concentration occurs in the water stream. This application is a closed, automated process.
Application rate(s) and frequency	Application Rate: - Against bacteria and yeasts : With 0,008 % PAA (Dilution of the product at 0,0533 % i.e. 53,3 mL/100L) at Room Temperature in 15 min contact time. Number and timing of application: /
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE with screw and venting caps (weight depends on density of product): Jerry cans (10 to 25 kg), Drums (200 to 250 kg), IBC (1 000 to 1 200 kg), 1 L bottles, bulk delivery.

4.23.1. Use-specific instructions for use

See general directions for use

4.23.2. Use-specific risk mitigation measures

Dermal protection:

Use appropriate safety glasses and/or face shield during the mixing & loading.

Respiratory protection:

Use of respiratory protective equipment (RPE) providing a protection factor of 4 is mandatory during mixing and loading.

When the product is being used in areas accessible to the public, mark treated areas during the treatment period and indicate possible risks for humans and non-target organisms (e.g. primary and secondary poisoning) as well as first measures to be taken in case of poisoning.

Rinse the pump and disconnect it from the installation before maintenance.

4.23.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.23.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.23.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. **GENERAL DIRECTIONS FOR USE OF THE META SPC 4**

5.1. **Instructions for use**

1. All the surfaces to be disinfected must be cleaned before the disinfection procedure.
2. Disinfection cycle:
 - Products must be diluted in potable water before use.
 - Dilution rate & contact time depends on the use considered. Please refer to the description of application method related to each use.
 - Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces are rinsed with water and the water is drained into the sewer system. For exceptions, please refer to the description of application method related to each use.

Only for use in areas that are inaccessible to the general public and companion animals.

No access for the general public during treatment.

Disinfection procedures **by CIP**: Final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions

Disinfection procedures **by dipping**: The bath is not intended to be re-used. Use the bath only once a day after work & replace it by a fresh solution daily.

Disinfection procedures **by spraying**: the surfaces to be disinfected must be wet enough in order to keep them wet during the required contact time for optimal disinfection. Then, the user should pay attention to wet surfaces completely with the disinfectant solution.

The Application Rate for spraying of diluted product must be between 20 and 30 mL/m²

5.2. **Risk mitigation measures**

Dermal protection:

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

A protective coverall which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Indirect effects

The two products are oxidising agents and reactive. In case of thermal decomposition steam and oxygen will be released as decomposition products. The release of oxygen may support combustion.

Also, contact with impurities, decomposition catalysts, metallic salts, alkalis, reducing agents may lead to self-accelerated, exothermic decomposition and the formation of oxygen.

In case of decomposition of the products in confined spaces and pipers, there is a risk of overpressure and burst.

First aid measures

General advice

Move out of dangerous area.

Take care of your own personal safety.

Take off immediately all contaminated clothing.

Inhalation

Take affected persons out into the fresh air.

Possible discomfort: Irritates skin and mucous linings of the eyes and respiratory tract and cough.

If breathing difficulties occur (e.g. severe continual coughing): Keep patient half sitting with upper body raised; keep warm and in a quiet place; call a physician immediately.

Skin contact

After contact with skin, wash immediately with plenty of water.

Consult a physician.

Take off immediately all contaminated clothing.

Immediately rinse contaminated or saturated clothing with water.

Eye contact

With eye held open, thoroughly rinse immediately with plenty of water for at least 10 minutes.

Protect unharmed eye.

Continue rinsing process with eye rinsing solution.

Call ambulance (caustic burn of the eyes)

Immediate further treatment in ophthalmic hospital/ophthalmologist.

Continue rinsing eye until arrival at ophthalmic hospital.

Ingestion

Do not induce vomiting.

Danger of penetration of the lungs (danger to breathing) when swallowed or vomited, due to gas evolution and foam formation.

Only when patient fully conscious: have the mouth rinsed with water; have the patient drink plenty of water in small sips; keep patient warm and at rest.

Notify ambulance immediately (key word: acid burn).

Notes to physician

Therapy as for chemical burn.

Following inhalation:

Formation of a toxic lung oedema is possible if product continues to be inhaled despite acute irritative effect (e.g. if it is not possible to leave the danger area).

Prophylaxis of a toxic lung oedema with inhalative steroids (dosing spray, e.g. auxilosone).

If substance has been swallowed:

Aspiration hazard.

Risk of gaseous embolisms.

In case of excessive strain on the stomach due to gas evolution, insert siphon tube.

Early endoscopy in order to assess mucosa lesions in the oesophagus and stomach which may appear.

If necessary, suck away leftover substance.

Do not administer activated charcoal, since risk of release of large amounts of gas from hydrogen peroxide.

Emergency measures to protect the environment

Observe regulations on prevention of water pollution (collect, dam up, cover up).

Do not allow to run into water channels, surface water or into the ground.

Methods for cleaning up

Clean contaminated surface thoroughly; recommended cleaning agent is water.

In case of small spills, dilute product with lots of water and rinse away or absorb product with liquid-binding material, e.g. chemi-sorption, diatomaceous earth, universal binder. Do not use textiles, saw dust, combustible substances. After binding, pick up mechanically and collect in suitable containers. Dispose of absorbed material in accordance with the regulations.

Additional advice

Make safe or remove all sources of ignition.

Isolate defective containers immediately, if possible and safe to do.

Shut off leak, if possible and safe to do.

Place defective containers in waste receptacle (waste packaging receptacle) made of plastic (not metal).

Do not seal defective containers or waste receptacles airtight (danger of bursting due to product decomposition).

Product taken out should not be returned into container.

Never return spilled product into its original container for re-use (risk of decomposition).

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains

Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original packaging tightly closed in a cool and well-ventilated place. Keep products away from direct sunlight, source of heat and ignition

The shelf life of the biocidal product is 6 months.

The products must be stored at Ambient Temperature.

6. **OTHER INFORMATION**

Reference values of peracetic acid and hydrogen peroxide used for the risk assessment:

PAA: AECinhal = 0,5 mg/m³

HP: AECinhal = 1,25 mg/m³

7. **THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 4**7.1. **Trade name(s), authorisation number and specific composition of each individual product**

Trade name(s)			PERA-OXI 15	Market area: EU	
			HORTIOXID 15	Market area: EU	
			SOPUROXID 15	Market area: EU	
			HORTICLEAN 15 FORT	Market area: EU	
			AGRIOXID 15	Market area: EU	
			HyPro Biocide 15-22	Market area: EU	
Authorisation number			EU-0026179-0005 1-4		
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active substance	79-21-0	201-186-8	15 % (w/w)
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	22 % (w/w)
Acetic acid		Non-active substance	64-19-7	200-580-7	16,7 % (w/w)
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,78 % (w/w)

7.2. **Trade name(s), authorisation number and specific composition of each individual product**

Trade name(s)			Oxypur CS	Market area: EU		
Authorisation number			EU-0026179-0006 1-4			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Peracetic acid		Active substance	79-21-0	201-186-8	15 % (w/w)	
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	22 % (w/w)	
Acetic acid		Non-active substance	64-19-7	200-580-7	16,7 % (w/w)	
Sulfuric acid		Non-active substance	7664-93-9	231-639-5	0,78 % (w/w)	